

GCE

Biology A

Unit **H020/02**: Depth in biology

Advanced Subsidiary GCE

Mark Scheme for June 2017

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2017

Annotations

Annotation	Meaning
DO NOT ALLOW	Answers that are not worthy of credit
IGNORE	Statements that are irrelevant
ALLOW	Answers that can be accepted
()	Words that are not essential to gain credit
	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

Marking Annotations

Annotation	Use
BOD	Benefit of Doubt
CON	Contradiction
×	Cross
ECF	Error Carried Forward
GM	Given Mark
~~	Extendable horizontal wavy line (to indicate errors / incorrect science terminology)
I	Ignore
	Large dot (various uses as defined in mark scheme)
	Highlight (various uses as defined in mark scheme)
NBOD	Benefit of the doubt not given
✓	Tick
^	Omission Mark
ВР	Blank Page
Lt	Level 1 answer in Level of Response question
L2	Level 2 answer in Level of Response question
L3	Level 3 answer in Level of Response question

Subject Specific Marking Instructions INTRODUCTION

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet

Instructions for Examiners. If you are examining for the first time, please read carefully Appendix 5 Introduction to Script Marking: Notes for New Examiners.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

Examples of the Level of Response answers are provided as an Appendix at the end of this mark scheme. Please familiarise yourself with them and use them as your guide when marking.

C	Questi	on	Answer		Guidance	
1	(a)	(i)	you can now see	1	IGNORE clarity	
			Golgi body / mitochondria / (smooth / rough) endoplasmic reticulum / ER / RER / SER / ribosomes		IGNORE ref to size of organelles DO NOT ACCEPT chloroplast	
			OR			
			organelles seen in more detail / grana (in chloroplast) / thylakoids (in chloroplast) / nuclear pore / cristae (in mitochondria) / membranes within organelles / double nuclear membrane / (double) nuclear envelope		IGNORE ref to ultrastructure unqualified	
			OR			
			resolution is , higher / better 🗸			
1	(a)	(ii)	LSCM image	1 max	ORA for electron microscope	
			has lower <u>resolution</u> (than EM)		needs to be comparative	
			OR			
			can have <u>fluorescen</u> t tag		IGNORE colour	
			OR			
			can see movement (as can be used on living cells)			
			OR			
			can see , different layers / at different depths (of the sample)		IGNORE ref to 2D / 3D / depth of field	

(Question		Answer		Guidance
1	(b)	(i)	prophase (1) ✓	1	DO NOT ACCEPT prophase II (as question states meiosis I)
1	(b)	(ii)		2 max	Mark the first 2 answers
			1 chromosomes / chromatids , visible / condensed 🗸		1 Needs to be a clear statement
			2 chromosomes not , organised / yet aligned / arranged OR chromosomes not at , ends / equator ✓		2 ACCEPT chromosomes , in different positions / scattered / spread out
			3 nuclear envelope (around chromosomes) / nuclear membrane is present / chromosomes separated from cytoplasm ✓		ACCEPT nuclear membrane starting to disappear DO NOT ACCEPT nuclear membrane has disappeared
			4 no (visible) nucleolus ✓		
1	(b)	(iii)	1 independent / random , assortment ✓	3 max	
			 2 (homologous chromosomes) line up, across the centre of the cell / on the equator / on the metaphase plate ✓ 3 maternal or paternal chromosomes / either one of the homologous pair , can end up , 		
			facing either pole / in either (daughter) cell 🗸		
			4 each chromosome of the homologous pair , is genetically different / contains different alleles / contains different gene variant ✓		4 ACCEPT if described in terms of chromatids being genetically different

H020/02 Mark Scheme June 2017

(Question	Answer	Mark	Guidance
1	(c)	2 max for sources embryonic / embryo fetus / fetal umbilical cord (blood) (adult) bone marrow (tissue) convert somatic cell into pluripotent cell ✓	2 max	ACCEPT e.g. breast milk / muscle / liver / placenta / etc. ACCEPT blastocyst
		ethical issue – must relate to one of their stated sources ethical issue identified – such as 1 from the list below ✓ embryonic E1 embryo, destroyed / killed / discarded E2 use of excess embryos from assisted fertilisation or (IVF) or E3 debate about when life begins or E4 embryo cannot give consent or	2	Note: list of issues is not exhaustive – credit a well expressed issue
		F1 obtained from , miscarried / aborted , fetuses or umbilical cord U1 detached from infant at birth anyway or B1 harvesting bone marrow is , painful / risky		F1 IGNORE ref to obtaining fetal stem cells by killing fetus but can still access the judgement mark
		B2 donor babies / or babies conceived specifically to provide a bone marrow transplant for a sibling (with a condition requiring the transplant) a statement indicating , judgement / opinion / understanding , of this ethical		Can only be awarded once the issue relating to one of their sources has been identified.

	issue ✓	IGNORE 'playing God' as an opinion

C	Question			Answer	Mark	Mark Guidance	
2	(a)				2	IGNORE any	observations
			D1	put , (leaf) stalk(s) / petiole(s) , in , dye / stain / food colouring ✓		D1 ACCEPT	'stick' for 'stalk'
			D2	(then) cut, transversely / cross section ✓		D2 ACCEPT	cut across, (leaf) stalk / petiole (with a sharp blade) a longitudinal, cut / section
			OR			IGNORE IGNORE	cut in half
			M1	cut a (thin), transverse / cross, section		M1 ACCEPT	cut a (thin) slice of (leaf) stalk / petiole (with a sharp blade) a longitudinal, cut / section
			M2	(then) add (named) stain / observe with microscope under low power ✓		IGNORE IGNORE	cut in half

Question	Answer	Mark	Guidance
2 (b)	lignin (Water Starwort) has no / less , lignin (than deciduous woodland plants) (Cholla) more lignified (walls) / (walls) contain more lignin (than deciduous woodland plants) OR thickness of walls (Water Starwort) has thinner walls (of xylem vessels) (than deciduous woodland plants) (Cholla) has thicker wall (of xylem vessels) (than deciduous woodland plants) (Cholla) has thicker wall (of xylem vessels) (than deciduous woodland plants) ✓		The comparison is between each of these plants with a woodland deciduous plant and not a comparison between the 2 species

Q	Question		Answer			Mark	Guidance	
2	2 (c)		similarity both made up of cells joined end to end or xylem (vessels) and phloem sieve tube elements both lack, nuclei / contents or both are, complex tissues / made up of more than one cell type ✓		1	ACCEPT both are tubes DO NOT ACCEPT hollow tubes		
			diffe	erences max 2		٦	2 max	Only award a mark for a comparative statement
				xylem	phloem			Read through as prose and mark the first 2 differences
			1	lignified / contains lignin	not lignified / only contain cellulose	1		IGNORE ref to dead / living
			2	wide lumen	lumen not wide / lumen small	1		
			3	no end walls / no sieve plates / continuous tube	sieve plates	/		
			4	no companion cells	companion cells	/		
			5	vessels	no vessels	/		
			6	no sieve tube elements	sieve tube elements	/		
			7	(bordered) pits	no pits	/		
			8	no cytoplasm / no organelles	has cytoplasm / has (named) organelles	1		
						_		

(Question		Answer	Mark	Guidance
3	(a)		removal of operculum (of fish) / move operculum out of the way / cut open exoskeleton (of insect) ✓	2	
			method to, observe / display, gills / tracheae / tracheoles 🗸		ACCEPT any suitable detail of display method e.g. observe structures under water placing a rod/pencil into buccal cavity to display lamellae staining tracheoles with methylene blue
3	(b)	(i)	20 indicated as the incorrect value ✓ 19 ✓	2	e.g. number written alongside the 20 20 circled or indicated by arrow or other indication
3	(b)	(ii)	tracheole(s) 🗸	1	

	Quest	ion	Answer	Mark	Guidance
3	(b)	(iii)		2	Statements must be comparative Assume 'it' is the mammal
			1 mammals have just one tracheaand insects have multiple tracheae ✓		
			2 mammals (much) larger diameter / insects (much) smaller diameter ✓		2 ACCEPT 'wider / narrower' for 'larger / smaller' diameter IGNORE bigger
			3 in mammals trachea has , cartilage / no chitin (support) and in insects tracheae have , no cartilage / chitin ✓		
			4 mammals have, C-shaped 'rings' / incomplete circle, and insects have spiral (support) ✓		4 ACCEPT descriptions e.g. gap v no gap in strengthening
			5 mammal trachea is longer / (individual) insect tracheae shorter ✓		
			6 mammal trachea branch into bronchi and insect tracheae branch into tracheoles ✓		6 ACCEPT 'leads to' instead of 'branch into'
			7 mammal trachea has , smooth muscle / goblet cells / ciliated epithelium and (individual) insect tracheae do not ✓		

Question	Answer		Guidance
3 (c)	For answers marked by levels of response: Read through the whole answer from start to finish, concentrating on features that make it a stronger or weaker answer using the indicative scientific content as guidance. The indicative scientific content indicates the expected parameters for candidates' answers, but be prepared to recognise and credit unexpected approaches where they show relevance.	6	For Level 3 need more than one correct adaptations of alveoli AND an explanation of how more than one adaptation of alveoli improves efficient gaseous exchange. IGNORE simply stating that the adaptation increases efficiency IGNORE further ref to capillaries beyond vascularisation
	Using a 'best-fit' approach based on the science content of the answer, first decide which set of level descriptors, Level 1, Level 2 or Level 3, best describes the overall quality of the answer using the guidelines described in the level descriptors in the mark scheme. Once the level is located, award the higher or lower mark.		Indicative scientific points may include the following: A – area Adaptation - • large surface (in small volume)
	The higher mark should be awarded where the level descriptor has been evidenced and all aspects of the communication statement (in italics) have been met.		 detailarge numbers of (spherical) alveoli surfactant detail - reduces, cohesive action between water
	The lower mark should be awarded where the level descriptor has been evidenced but aspects of the communication statement (in italics) are missing.		molecules / surface tension •prevents alveoli from collapsing
	In summary: • The science content determines the level. • The communication statement determines the mark within a level.		elastic fibres detail - •stretch and recoil •stretch increases surface area •recoil helps force air out
	Level 3 (5–6 marks) Detail of more than one adaptation of the alveoli		Explanation - • more space for molecules to pass

AND

scientific explanations of how more than one adaptation improves the efficiency of gas exchange.

There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant.

Level 2 (3-4 marks)

Identification of more than one adaptation of the alveoli **AND**

scientific explanation of how one adaptation improves the efficiency of gas exchange.

There is a line of reasoning presented with some structure. The information presented is in the most-part relevant.

Level 1 (1-2 marks)

Identification of one adaptation of the alveoli **OR**

scientific explanation of how the efficiency of gas exchange is improved.

There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.

0 marks

No response or no response worthy of credit.

• large volume of gas exchanged per unit time / high rate of diffusion

D - distance

Adaptation -

- thin walls
 - detail -
 - •alveolar wall one cell thick
 - •(alveolar wall) made of squamous epithelium
 - •(which consist of) flattened cells
 - capillaries close to alveolar wall

Explanation -

- short diffusion path / short distance for diffusion
- high rate of diffusion

G - gradient

Adaptation -

- ventilated
 - detail -
 - oxygen constantly replenished
 - •carbon dioxide constantly removed
- good blood supply / well vascularised detail -
 - •capillaries close to alveolar wall
 - •blood supply constantly replenished
- elastic fibres (detail)
 - stretch and recoil
 - stretch increases surface area
 - •recoil helps force air out

H020/02	Mark Scheme	
	• (keeps	ins, concentration / diffusion, gradients O ₂ higher in alveolar air than blood (from pulmonary artery) OCO ₂ lower in alveolar air than blood (from pulmonary artery)
	Explanation	al gas exchange surface

Q	uesti	ion		Answer			Mark	Guidance
4	(a)						4	1 mark for each correct row
			Statement	B lymphocytes	T lymphocytes			Ticks and crosses must be clear – do not accept 'hybrids'
			Matured in bone					If ALL CELLS BLANK then = NR
			marrow	✓	*			If TICKS AND BLANKS ONLY in the table, 1 mark for each correct row as follows:
			Form part of immune response	✓	✓	1		B lymphocytes T lymphocytes
			response					√ x
			Differentiate into	✓	✓	1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
			memory cells	•	•			
			Produce chemicals that					√ √
			can cause lysis of infected cells	*	✓	1		
			Form plasma cell clones	✓	*	1		✓
			ciones					If CROSSES AND BLANKS ONLY in the table, 1 mark for
								each correct row as follows:
								B lymphocytes T lymphocytes
								D symphocytes 1 symphocytes
								✓ ×
								x /
								× /
								ACCEPT 'yes' for 'tick' and 'no' for 'cross'

(Question	Answer	Mark	Guidance
4	(b)	L primary, (just) after vaccination / when the person is vaccinated andecondary, (just) after infection / when the person is infected primary P slow(er) / delayed, response because of,	3	L Comments should relate to Fig 4 (rather than straight recall) IF THIS MARK NOT STATED, look on the graph from appropriate labels on the graph AC&EFFPT a description of the shape of the graph in both responses P ACCEPT description
		clonal selection / clonal expansion / production of antibodies secondary S quick(er) response / shorter lag time / more antibodies produced , because of , memory cells / immunological memory ✓		

Question	Answer	Mark	Guidance
4 (c)	Read through the whole answer from start to finish, concentrating on features that make it a stronger or weaker answer using the indicative scientific content as guidance. The indicative scientific content indicates the expected parameters for candidates' answers, but be prepared to recognise and credit unexpected approaches where they show relevance. Using a 'best-fit' approach based on the science content of the answer, first decide which set of level descriptors, Level 1, Level 2 or Level 3, best describes the overall quality of the answer using the guidelines described in the level descriptors in the mark scheme. Once the level is located, award the higher or lower mark. The higher mark should be awarded where the level descriptor has been evidenced and all aspects of the communication statement (in italics) have been met. The lower mark should be awarded where the level descriptor has been evidenced but aspects of the communication statement (in italics) are missing. In summary: • The science content determines the level. • The communication statement determines the mark within a level.	6	related to information in rubric of question AND a plausible suggestion of an action that could be taken to address one of these factors. IGNORE climate change (as not mentioned in information given) IGNORE repetition of bullet points and suggestions that are simply reverse action (e.g. don't live close together). Indicative scientific points may include: F1 • Factor and discussion: lack of trained health professionals so lack of , vaccination / treatment lack of understanding of the way in which pathogen is , spread / transmission • Possible action: increase trained health staff by sending trained health professionals into the area better access to , hospitals / clinics train up more health professionals locally educate the population (esp children) so that they can take necessary precautions educate the population about the risk of sexual transmission

Level 3 (5-6 marks)

Scientific discussion expanding on that given in the bullet point on page 12 of the exam paper of more than one correct factor that affect the spread of communicable diseases in humans

and

a plausible suggestion of an action that could be taken to address one of these factors.

There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.

Level 2 (3-4 marks)

Scientific discussion expanding on that given in the bullet point on page 12 of the exam paper of one correct factor that affects the spread of communicable diseases in humans

a plausible suggestion of an action that could be taken to address any factor mentioned in the passage.

OR

scientific discussion expanding on that given in the bullet point on page 12 of the exam paper of more than one factor that affects the spread of communicable diseases in humans **OR**

plausible suggestions of more than one action that could be put in place to address factor(s) mentioned in the passage.

There is a line of reasoning presented with some structure. The information presented is in the most-part relevant and supported by some evidence.

F2

 Factor and discussion: the ill cared for by family members

so

family exposed to the pathogen as lack of safe nursing techniques e.g. use of protective clothing / surgical gloves / hand washing / isolation

pathogens can be spread more easily , by droplet (infection) / coughing / sneezing

Possible action:

restrict care to trained health professionals better access to , hospitals / clinics training in barrier nursing techniques provide isolation wards / quarantine

F3

 Factor and discussion: overcrowded living conditions / living in close proximity

SO

pathogens can be spread more easily ,
by droplet (infection) / coughing / sneezing /
within the community

F4

Factor and discussion:

Level 1 (1-2 marks)

Limited scientific detail of a factor expanding on that given in the bullet points on page 12 of the exam paper **or**

a plausible suggestion of an action that could be put in place to address a factor mentioned in the passage.

There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.

Level 0

No response or no response worthy of credit.

poor disposal of waste / poor sanitation
so
easy to pick up pathogen from ,
faeces / lack of hand washing

Possible action:

make people aware by ,
 putting up public warnings / education
projects
improve / proper , sewage disposal
use of (antibacterial) handwashing gels

F5

Factor and discussion:
 people can , travel from / flee , places with
 disease

SO

pathogens spread to wider area /
spread due to symptomless carriers /
epidemic becoming pandemic
cannot be reached for ,
vaccination / treatment

Possible action:

travel ban
restrict travel, into / out of, infected areas
health checks at, airports / bus stations /
train stations
quarantine
involve, army / police, to prevent people travelling

F6

 Factor and discussion: mourning and burial practices

difficult to change deep-seated,

	traditions / religious practices brings people into close contact with pathogen as spread by touch and bodily fluid • Possible action: suitable alternative (e.g. cremation) involve local leaders in promoting change in practice	
		, l

	Questi	on	Answer	Mark	Guidance
5	(a)	(i)	28 (%) 🗸 🗸	2	Correct answer = 2 marks (indicated by 2 ticks) even if no working shown IGNORE minus sign ALLOW 1 mark only for correct but unrounded answer (e.g. 28.18) or for incorrect answer either (110 - 79) ÷ 110 or 31 ÷ 110 or 100 - 71.81 or for 27(%) (as 80 was used instead of 79 but method correct) or for 29(%) (as 78 was used instead of 79 but method correct)

C	uesti	ion	Answer	Mark	Guidance
5	(a)	(ii)	1 number in farmland stays higher than in woodland ✓	2 max	Must be comparative statements
			 2 number of butterflies in woodland, has a greater decrease / drops faster / falls more steeply, (than those on farmland) or number of butterflies on farmland, has a smaller decrease / drops slower / falls less steeply, (than those in woodland) ✓ 3 from 2004 to 2012 they both fall by, similar / same, rate or by 6 (per km²) ✓ 		2 must be stated and not implied from figs
			4 woodland population (decreases), from 98 to 48 (per km²) / by 50 (per km²) / by 51% farmland population, from 110 to 79 (per km²) / by 31 (per km²) / by 28% or and difference of 31 (per km²) in 2012 or 23% more decrease in woodland / woodland decreased by 19 (per km²) more than farmland ✓		4 ecf for 27% / 29% (if that is candidate's answer to (a)(i))

C	Quest	ion	Answer	Mark	Guidance
5	(a)	(iii)	<pre>woodland population dropped more because of new / more , predator(s) / parasite(s) / disease(s) (of butterflies) or more interspecific competition / new species competing for food or (lack of management / woodland became over grown / reduction in open spaces , leading to) loss of , habitat / food supply / breeding sites ✓ farmland decreased less because leave , wildlife refuges / area to grow wild or conserve hedgerows or fewer , predators / parasite(s) / disease(s) (of butterflies) or (more open spaces) for breeding sites ✓</pre>	1 max	Must specify which population is being discussed. DO NOT ACCEPT in the context of deforestation
5	(a)	(iv)	 lacks validity because weather conditions only apply to 2012 ✓ numbers were falling before 2012 ✓ weather conditions and butterfly decline may not be linked / other factors may be responsible ✓ not enough / no / need more, data / evidence (to know that it is the cause of decline) ✓ 	2	IGNORE statements relating to being valid 1 ACCEPT we only know that it was cold and wet in 2012 4 ACCEPT we need more information about weather

		5 weather conditions in North of England not representative of the whole country ✓	5 ACCEPT we only know about the weather in Northern England

C	Question		Answer	Mark	Guidance
5	(a)	(v)	(same) time of year / time of day / time between sampling or (same) size of sample area / length of transect / number of transects or (same) capture / counting / sampling , technique or (exactly the same) place in each habitat ✓	1	Mark the first variable. IGNORE 'time' unqualified

(Question	Answer	Mark	Guidance
5	(b)	woodlands have a greater species richness because greater number of butterfly species are in decline (than on farmland) ✓ (so probably) greater number of species were present (originally) ✓ more , niches / types of food available / variety of (food) plants ✓ less (or no) pesticide use in woodland / pesticide use in farmland ✓ farmland likely to , be a monoculture / grow limited number of plant species ✓ monoculture results in fewer , niches / variety of food plants ✓	2 max	
		farmland have a greater species richness because lost fewer butterfly species ✓ (so) probably larger number of species remain ✓ have conservation areas / conserve hedgerows / leave wildlife refuges / leave areas to grow wild ✓ (so) more, niches / variety of (food) plants ✓ general point butterflies are an, indicator species / indicator of what is happening (to other species in the habitat) ✓		

(Question		Answer	Mark	Guidance
5	(c)	(i)	genetic (biodiversity) ✓	1	
5	(c)	(ii)	allows for adaptation to changing environment ✓	1 max	ACCEPT in the context of an example e.g. species survival when , a / new , disease introduced
			provides variation for natural selection ✓		
			can offer , camouflage / protection from predators $\ \checkmark$		

Question		ion	Answer	Mark	Guidance
6	(a)	(i)	1 appropriate scale chosen	3	IGNORE presence or absence of 0 at origin(s) unless either axis is deemed to have started above 0
			ane axis labelled glucose concentration (mmol dm ⁻³) ane axis labelled mean % absorbance ✓		20 20 20 20 not acceptable 10 2.0 3.0 1.0 2.0 3.0 1.0 2.0 3.0 1.0 2.0 3.0
			2 points plotted correctly ✓		x axis glucose concentration (mmol dm ⁻³) y axis y axis 67 54 47 41 26 16
					Centre of cross or dot within + or – half a small square one error in the plotted points ALPLOWS for glucose concs 1, 3, 5 & 6 mmol dm ⁻³ should be in a straight line. Points for glucose concs 2, 3 & 4 mmol dm ⁻³ should be in a straight line with a shallower gradient Note: A bar chart will only be able to access mp 2
			3 straight line of best fit drawn on graph (not extending beyond the plot points) ✓		

H020/02 Mark Scheme June 2017

(Question		Answer	Mark	Guidance
6	(a)	(ii)	find the absorbance (of the juice using the colorimeter) 🗸	2 max	
			(from the graph) find the concentration that corresponds to this absorbance ✓ follow the , absorbance value / value on y axis , across to , line of best fit / (calibration) curve , and then down to the , concentration / x axis ✓		

Question			Answer		Guidance
6	(b)	(i)	1 taste the fruit juices to see how sweet they are 🗸	4 max	could be in the context of different juices or a series of dilutions of the same juice (to give different glucose concentrations) or a series of glucose concentrations
			2 place a sample of each fruit juice in a biosensor and take the reading or test each fruit juice with , Benedict's / diastix / clinistix / (diagnostic) test strip and observe colour(s) ✓		2 ACCEPT semi-quantitative test for reducing sugar Benedict's tests on each fruit juice and weigh mass of precipitate formed for each juice peAGGEPT plausible way of determining glucose concentration e.g. relative density / specific gravity / mass change as a result of osmosis Benedict's – blue to red with increasing concentration diastix – green/blue to red clinistix _ green/blue to red or pink to (dark) purple
			3 obtain rank order for , sweetness / fruit juice glucose concentration ✓		
			4 compare rank orders (of fruit juices) for sweetness and glucose concentration ✓		4 ACCEPT the use of a statistical test if rank orders for both are numerical
			5 how a variable was controlled during , taste / glucose concentration , test ✓		5 e.g. use same, number of drops / volumes, of fruit juice cleanse palate between juices blind taste test / stated way to avoid bias tasted by a number of subjects (and results pooled) keep test strip in sample for same length of time add excess Benedict's heat for same length of time / at the same temperature (Benedict's only) filter precipitate in same way (semi-quantitative Benedict's only)


H020/02 Mark Scheme June 2017

	Question		Answer	Mark	Guidance
6	(b)	(ii)	tasting is , subjective / (only) qualitative / not quantitative or hard to quantify sweetness or people may have different , judgement / opinion / taste buds colour judgement (in Benedict's) is subjective	1 max	IGNORE accuracy / reliability ACCEPT ref to biased opinion
			(juice) may contain, sucrose / fructose / other (named) sugar / (artificial) sweetener ✓		ACCEPT sensible ref to acidity in juice masking sweetness IGNORE ref to 'other ingredients' unqualified
6	(c)	(i)		2	Mark the first 2 answers IGNORE properties e.g. solubility IGNORE ref to hexagons / rings IGNORE hydrocarbon DO NOT ACCEPT hexose DO NOT ACCEPT ions
			both contain , C / carbon (atoms) and H / hydrogen (atoms) ✓ contain , O / oxygen (atoms) ✓ have , OH / hydroxyl / hydroxide (groups) ✓		DO NOT ACCEPT molecules / groups DO NOT ACCEPT molecules / groups ACCEPT alcohol group DO NOT ACCEPT molecules
6	(c)	(ii)	(glucose is) soluble (in water) ✓	70	ACCEPT polar / dissolves (in water)

Appendix

Level of Response Exemplars

Question 3(c) Explain how alveoli are adapted for efficient gas exchange.



e.g. 2Level 1 with mark for communication = 2 marks

	Explain how alveoli are adapted for efficient gas exchange.
	The alveoli have a moist surface
	and constant blood supply for
	gas exchange. They have a short
	diffusion pathway to trooverwinter
	auow gases to diffuse into the
	blood stream. That Theres a Constant
	diffusion gradient as az and
	co, diffuse in and out to
	They also have a constant
A –	oxygen supply for different gas
adaptation	exchange to take place Have a
_	large surface area for maximum
	gas uptake.
	[6]
	L1

Explanations not clearly in the context of an adaptation.
Adaptation stated but no extra detail.
So only accesses L1.

e.g. 3 Level 2 with mark for


The walls of the alveoli are only one layer of D epithelial cells, short detail of distance for axygen and carbon diaxide adaptation & explanation the blood is created. They also have a to volume ratio so there is a A large area on which diffusion can occur, and a adaptation short diffusion distance is also are highly vascularised good out constant G – adaptation & This maintains the concentration gradient for explanation to these factors, the rate of diffusion of oxygen and carbon dioxide into and out of the [6] alveoti is very fast, so gas exchange is efficient. 1 thin walls : short diff dist. @ large st:v : large area for diff. and) 3 highly vascularised : maintains cone. gradient (good blood supply)+

Explain now alveoli are adapted for efficient gas exchange.

communication = 4 marks

Three adaptations identified, one with extra detail. Explanation supplied for only one adaptation so science only gives it a L2.

e.g. 4Level 3 with communication statement = 6 marks



Three adaptations identified, two with extra detail. Explanation supplied for two adaptations. So can access L3.

Question 4(c) A number of common factors affect the spread of communicable diseases in humans and some of them are relevant to the spread of Ebola.

From the information above, discuss these factors and suggest what actions could have been put in place to address them.

e.g. 1 Level 2 with One ractor is that there is sometimes poor ie cause or the disease. This can be seen in the Ebola outbreak as initially there were not many trained progresionals so the illness was health workers were sent out immediately. Another F1 – action issue is that the illness is not contained for example Also, the residents who fled may dauna people in quarinteen. [6] F5 - action Also, improper disposal or the victims bodies was an issue. Burying the deceased straight away would have reduced the spread or Ebola F6 - action L2

communication mark = 4 marks

Three plausible actions identified.
No discussion expanding any of the factors in the bullet points.
So can access L2 only.


e.g. 2 Level 0 = 0 marks

A lack of hydrene (paor hydrene) increases those the likely hadd of a spread of disease. Appropriate training should should be taken to clear with viral diseases and the training should be offered southout in many countries proportion proximity makes of the disease pread from person to person a lot quicker, so trouses should be build with enough proximity. Also untrained for individuals should not dear with the deceased body of person who ad a disease as they can still eatch the disease.

No plausible actions identified. No discussion expanding any of the factors in the bullet points. So cannot access L1.

e.g. 3
Level 3 with communication mark = 6 marks

A number of common factors affect the spread of communicable diseases in humans and some of them are relevant to the spread of Ebola. From the information above, discuss these factors and suggest what actions could have been put in place to address them.



F5 — discussion and action

L3

gatherings of people close to one another.

Therefore a ring vaccination should have been put in place, to ord give immunity to those at greater risk.

- People left their villages distravelled to near by places. This will spread the pathogen to other places deven nationally or internationally if planes are looked borded. Therefore quarantine the people, por vaccinate, elif they don't show vaccination documentation they cannot leave the village or travelabrecome.

of Ebola can ocar

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998 Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee Registered in England Registered Office; 1 Hills Road, Cambridge, CB1 2EU Registered Company Number: 3484466 OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations) Head office Telephone: 01223 552552

Telephone: 01223 552552 Facsimile: 01223 552553



