ENTRANCE MATS AND TILES

61.55

LOGO MATS

ANTI-FATIGUE MATS

SLIP-RESISTANT MATS

COMMERCIAL MATTING CATALOG 2020



400



## **M+A Matting • Satisfaction Guaranteed**

M+A mats are where design and function come together, where quality isn't compromised to meet a price point, and where solutions to your maintenance and décor problems come first. We promise our customers an unconditional, 100% satisfaction guarantee for the life of the product.

At M+A, we are committed to reducing our environmental impact. We are continually improving our environmental performance as an integral and fundamental part of our business strategy and operating methods. We have reduced waste going to landfills by 80% and recycle most paper, metal, cardboard, plastic, carpet, and rubber waste we generate. Our commitment is also evident in our development of dozens of mat styles that contain recycled raw materials.

For over five decades, M+A Matting has been America's leader in innovative floor protection systems, industrial safety, anti-fatigue products, and high performance entrance matting. If you are looking for better ways to minimize maintenance, prolong floor surface life, reduce cleaning costs, improve safety, or increase worker comfort, ask for M+A Matting.



#### TABLE OF CONTENTS

C	Mat Symbols Preventative Maintenance The Right Mat for the Job			
AGE <b>6</b>	PRODUCT NAME			P۸
TRANCE MATS	SuperScrape™			
ID TILES	SuperScrape Plus®	-		
LLECTION	Flex Tip™	Scraper	Outdoor	
	Frontier	•		
	Brush Hog™	•		
	The Wonderful World of WaterHog WaterHog®			
	WaterHog® Drainable		Indoor/Outdoor Indoor/Outdoor	
	WaterHog® Diamond			
	WaterHog® Legacy			
	WaterHog® Grand	Scraper/Wiper	ndoor/Outdoor	
	WaterHog® Modular Tiles			
	WaterHog <sup>®</sup> Tiles			
	WaterHog®Eco Tiles			
	WaterHog <sup>®</sup> Eco Premier			
	WaterHog® Eco Elite			
	WaterHog® Eco Legacy WaterHog® Eco Grand			
	WaterHog® Eco Elite Roll Goods			
	WaterHog® Plus			
	WaterHog® Diamondcord			
	WaterHog® Masterpiece® Select			
	WaterHog® Low Profile			
	Berber Roll Goods	•		
	MicroLuxx™	•		
	Plush™	P *		
AGE <b>31</b>	ColorStar®			
	Enviro Plus®	•		
GO MAT	Logo Mats Berber Impressions HD			
LLECTION	ColorStar® Impressions			
	Classic Impressions™ HD	•		
	Classic Impressions™ HD Custom Shape	-		
	WaterHog Impressions HD®	•		
	Berber Roll Goods Inlay			
	WaterHog® Eco Elite Roll Goods Inlay	-		
	WaterHog® Inlay	Scraper/Wiper	ndoor/Outdoor	
	WaterHog® Legacy Inlay	Scraper/Wiper	ndoor/Outdoor	
	SuperScrape™ Impressions			
I	Hog Heaven® Impressions	-		
AGE <b>41</b>	Benefits of Anti-Fatigue Matting			
AGE T	GetFit StandUp®	-		
TI-FATIGUE &	Hog Heaven® Plush Hog Heaven® Fashion	0		
P RESISTANT	Hog Heaven®	5		
T COLLECTION	Hog Heaven® Marble			
	Hog Heaven Prime <sup>®</sup>	-		
	Hog Heaven Prime® Décor	-		
	Happy Feet®	-		
	Complete Comfort <sup>™</sup>	0		
	Cushion Max™	Anti-Fatigue	ndoor	
	Cushion Station™	Anti-Fatigue	ndoor	
	Complete Comfort <sup>™</sup> II	-		
	Comfort Flow™			
	Comfort Scrape™	-		
	Comfort Flow™ HD	0		
	Hog Heaven III™ Comfort	-		
	Hog Heaven III™ Traffic Kneeling Comfort™	5		
	kileening connort Safety Scrape™			
	Traction Tread			
	Traction Tread Soft	·		
	Wet Step®			
<b>C</b> 1	Sure Cushion			
AGE <b>61</b>	Sure Stride®			
	Sure Stride® Plush	Slip-Resistant	ndoor	
ECIALTY TTING	Specialty Mats			
LLECTION	Clean Stride®			
	CleanShield® Urinal			
	CleanShield® Commode			
	WaterHog® Forklift			
	WaterHog® Eco Elevator Graze Hog			
	Grease Hog Malt Stan®			
	Melt Step®			
	Message Mats	·		
	Sure Stride® Impressions			
	Stick-and-Stand <sup>™</sup>			
I	Sure Stride <sup>®</sup> Directional			
	StepWell <sup>™</sup> Sanitizing Mat			
	StepWell <sup>™</sup> Sanitizing Tray	Specialty	Indoor	
	Environmental Commitment			

#### **Mat Symbols**



#### Scraper

Scraper mats are heavy-duty mats designed to stop mud and larger particles of dirt from being tracked inside buildings.



#### Scraper/Wiper

Scraper/Wiper mats provide scraping action and wiping to further stop dirt and moisture from entering a facility. These mats are typically made of tough heavy-duty commercial fabrics. They retain dust in recessed grooves while absorbing moisture in the fabric surface.



#### **Carpeted (Wiper)**

Wiper mats are designed to stop any remaining dust and moisture. These mats are made with a variety of carpeted surfaces and colors to compliment a wide range of interiors.



#### **Anti-Fatigue**

Ergonomic mats and floor tiles reduce fatigue by up to 50%. Anti-fatigue mats help increase blood circulation and reduce pressure on the body's musculoskeletal system. They also reduce foot arch pronation, varicose veins, and pain commonly attributed to standing for long periods of time.



#### Anti-Slip

Uniquely designed texturized surfaces prevent slip and fall accidents. Heavy-duty rubber keeps the mats in place and prevents movement on a variety of surfaces.



#### Damp Areas

May be used in areas where moisture is present.



#### Wet Areas

Recommended for use in wet areas. While other mats may be suitable for use in wet areas, mats with the wet icon are the best choice for wet areas. These mats are designed to provide traction even in very wet conditions.



### **Anti-Microbial**

Matting permanently treated with an anti-microbial agent that guards against degradation from micro-organisms and minimizes mats being a source of odors.



#### **Chemical Resistant**

Many M+A Matting mats are manufactured with nitrile rubber which is resistant to most commonly used chemicals.



#### **Oily Environment**

Nitrile rubber mats withstand degradation from oils and grease. These mats are suitable for use in environments with industrial oils, machine lubricants, greases, food grade oils, etc.



### Safety

Matting and tiles with highly visible, colored borders and beveled edges reduce trips and falls.



#### **Welding Safe**

Matting that is suitable for use in locations of high temperatures and welding slag. The temperature resistant rubber can withstand temperatures up to 1742 degrees Fahrenheit from welding slag and hot metal shavings.



### ESD

Matting that dissipates static electricity from people to protect sensitive equipment and small static generated electric shocks.



#### **Cart Traffic** Matting and tiles designed to withstand heavy cart traffic.




**Recycled Content** Contains recycled content.

## **Preventative Maintenance**

Mats are the first defense to stop dirt and moisture from entering your building. Mats filter these contaminants from entering the facility, saving thousands of dollars a year in cleaning costs. Mats also protect interior floor surfaces from excessive damage and wear. Entrance mats are the most effective way of stopping dirt and moisture at the door and keeping building maintenance costs to a minimum.

#### **Consider These Facts...**

- 70% to 80% of dust, grime, and dirt in a building is tracked in from the outside on people's feet—permanently damaging floors.
- One square yard of carpet can accumulate one pound of dirt a week—twice that in inclement weather.
- It is estimated that the cost to find and remove a single pound of dirt from a building can run in excess of \$600 in cleaning costs. As few as 150 people entering a facility can track in one pound of dirt in a 5 day work week costing over \$30,000 dollars annually to remove.
- By utilizing high performance entrance matting of at least 15' to 18' (as recommend by the U.S. Green Building Council and the Carpet and Rug Institute) you can capture as much as 85% to 95% of contaminants that enter the building, saving maintenance dollars and protecting building assets.



## Safety and Ergonomics

Mats are used throughout facilities in numerous other capacities where safety is a must and anti-fatigue comfort is essential to the health and well being of employees.

- Slip and falls are the second leading cause of all workplace injuries according to Liberty Mutual Workplace Index. As many as 25,000 people a day are victims of slip and fall accidents (NSC).
- Compensation and medical costs associated with employee slipand-fall accidents total approximately \$70 billion annually (NSC).
- The average cost of a slip-and-fall injury exceeds \$12,000 (Wausau Insurance).
- The average cost to defend a slip-and-fall lawsuit is \$50,000 (NFSI).
- Back injuries account for 25% of all worker compensation claims annually.
- Cumulative Standing Trauma (CST) causes billions of dollars of loss annually due to reduced productivity, increased worker compensation, higher insurance rates and absenteeism.
- According to the American College of Occupational and Environmental Science, about 38% of workers in the United States suffer from fatigue.

# M+A Matting has

# Scraper Mats

The First Line of Defense

Scraper mats are designed for placement outside to stop mud and large debris from entering your building. These mats provide aggressive scraping action to remove dirt and debris from shoes and trap it in recessed areas.

## WaterHog (Scraper/Wiper) Mats

The Second Step to Keeping Floors Clean & Dry


WaterHog mats feature a unique bilevel design that scrapes dirt and wipes moisture from shoes. These mats are made with durable fibers that quickly dissipate water, while dirt and debris fall to the bottom of the mat, beneath shoe level, to prevent tracking. WaterHog mats are typically used inside, but they may be used outside as well.

## **Carpeted (Wiper) Mats**

The Third Step Against Dirt & Moisture

As entrance mats, carpeted mats are designed to remove any remaining dirt and moisture from shoes. They also provide excellent dust control. Carpet is made in a variety of materials and colors to

suite a variety of needs and blend with virtually any décor. Carpeted mats are designed for indoor use. When used in conjunction with a scraper mat and WaterHog mat, they can stop as much as 85% to 95% of dirt from entering a building.



# the **right mat** for every job.

## Logo Mats

**Promote Your Brand** 


Logos, messages, and artwork add a professional look to any entrance or lobby, in addition to the cleanliness and safety benefits the mat itself provides. M+A can add your logo or custom artwork to mats of all types.



## **Flow-Through Mats**

Wet Area Solutions

Flow-through mats are designed for wet environments. The surface offers extra traction while the holes allow liquid to pass through to help eliminate slipping hazards. Flow-through mats also provide excellent anti-fatigue benefits for workers who stand for long periods of time.



Anti-Fatigue Mats Provide Comfort & Safety

Standing for long periods of time restricts blood flow to the lower extremities, causing soreness and fatigue. Anti-fatigue mats provide support to muscles in the lower legs and back and promote subtle movement in the leg and calf muscles which results in increased blood and oxygen flow. Anti-fatigue mats are available in a wide array of thicknesses and materials to suite a variety of workspaces and environments.



#### Slip-Resistant Mats Protect Against Slips and Falls

With slip-and-fall accidents comprising the majority of worker's compensation claims and a large share of unintended injuries in general, it's more important than ever to ensure that surfaces are as slip resistant as possible. Slip-resistant mats are an ideal solution for providing traction in slippery areas.






Scraper

金装

(ScraperHog WaterHog Wiper)



曲题



#### **ENTRANCE MATTING**

#### <u>Scraper</u>

SuperScrape<sup>™</sup> SuperScrape Plus<sup>®</sup> Flex Tip<sup>™</sup> Frontier Brush Hog<sup>™</sup>

#### **WaterHog**


WaterHog<sup>®</sup> WaterHog® Diamond WaterHog<sup>®</sup> Legacy WaterHog<sup>®</sup> Grand WaterHog<sup>®</sup> Modular Tiles WaterHog<sup>®</sup> Tiles WaterHog<sup>®</sup> Eco Tiles WaterHog<sup>®</sup> Eco Premier WaterHog<sup>®</sup> Eco Elite WaterHog<sup>®</sup> Eco Legacy WaterHog<sup>®</sup> Eco Grand WaterHog<sup>®</sup> Eco Elite Roll Goods WaterHog<sup>®</sup> Plus WaterHog<sup>®</sup> Diamondcord WaterHog<sup>®</sup> Masterpiece<sup>®</sup> Select WaterHog<sup>®</sup> Low Profile

#### **Carpeted**

Berber Roll Goods MicroLuxx™ Plush™ ColorStar® Enviro Plus®

**Did you know**: 85% of dirt, dust, and moisture brought into a building can be contained within the first 15 to 18 feet with mats (ISSA).

Carpeted (Wiper)



### **SUPERSCRAPE**<sup>™</sup>

Scraper · Slip-Resistant

#### 3/16" Product No. <u>555 & 5555</u>

- Clean Surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking
- Safe Slip resistant even in wet environments; certified high-traction by the National Floor Safety Institute (NFSI)
- Suitable for Harsh Environments Grease/oil proof; chemical resistant
- Easy to Clean Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered or autoclave sterilized
- 3/16" thick nitrile rubber

6' x 8' Sizes are approximate.

SIZES

2'5" x 3'

3' x 5'

3' x 10' 4' x 6'

4' x 8'

6' x 6'



Indoor or Outdoor



#### SUPERSCRAPE PLUS®

Scraper · Slip-Resistant

#### 3/16" Product No. 5558

• <b>Clean</b> – Multi-directional surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking; drainable borders filter water off mat	<b>SIZES</b> 2'6" x 3' 3' x 5'
• <b>Safe</b> – Certified high-traction by the National Floor Safety Institute (NFSI)	3 x 5 3' x 10' 4' x 6'
<ul> <li>Suitable for Harsh Environments – Grease/oil proof; chemical resistant</li> </ul>	
• Easy to Clean – Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered or autoclave sterilized	Sizes are
• 3/16" thick nitrile rubber construction	approximate.





#### **FLEX TIP**<sup>™</sup>


Scraper · Slip-Resistant




#### 5/8" Product No. 874

- **Clean** 2,000 finger-like tips per square foot effectively remove dirt while deep wells hold it to minimize tracking
  - SIZES 24" x 32" 32" x 39" 36" x 72"
- **Safe** OSHA-compliant beveled edges ensure a safe transition from floor to mat
- **Comfortable** Finger-like tips provide excellent anti-fatigue qualities
- Easy to Clean Flexible design ensures easy handling and cleaning (shake off soil and hose off)
- 5/8" thick natural rubber construction makes this a substantial mat that is unlikely to move, even with heavy winds









FRONTIER Scraper · Slip-Resistant

#### 3/8" Product No. 437

- Spaghetti-like design filters dirt and moisture away from the surface
- Available with edging (sold separately)

JILLJ	
2' x 3'	4' x 8'
3' x 5'	3' x 60'
3' x 10'	4' x 60'
4' x 6'	
Sizes are	;
approxim	1ate.
Additiona	al lengths
up to 60'	in 3' and
4' widths	


SI7FS







Burgundy



#### BRUSH HOG<sup>™</sup>

Scraper · Slip-Resistant

#### 3/8" Product No. 395

- **Clean** The turf-pile construction aggressively scrapes dirt from shoes and filters moisture and dirt away from the mat surface
- Fade Resistant Solution-dyed nylon will not fade in sunlight
- Safe Certified high-traction by the National Floor Safety Institute (NFSI)
- Comes standard with 78-mil smooth SBR backing, but is available with 78-mil universal cleated SBR backing

SIZES	
2' x 3' 3' x 4' 3' x 5' 3' x 6' 3' x 8' 3' x 10' 3' x 12' 3' x 16' 3' x 20' 4' x 6' Additional up to 60'. S price list fr	See
additional	

Sizes are approximate.



Burgundy

Charcoal





# The Wonderful World of

Since its introduction in 1986, the WaterHog has become American's best-selling mat. Renowned for its bi-level design and water dam border, it's highly effective at stopping dirt and moisture, keeping floors clean and dry.

The WaterHog product line has grown substantially over the last three decades to include a wide array of patterns, colors, and sizes. With so many options and a unique nomenclature, selecting a WaterHog mat can seem challenging at first, but these steps are designed to simplify the selection process.

#### **1. Pick Your Fabric Weight**



Both the 24-ounce *WaterHog* and 30-ounce *WaterHog Eco* product lines are made with PET, an eco-friendly polyester made from 100% post-consumer recycled plastic bottles.

24-ounce PET

d 30-ounce made with nade from astic bottles.

WaterHog<sup>®</sup> Eco

**30-ounce PET** 

### 2. Pick Your Pattern and Color

The WaterHog (24-ounce) line comes in three designs with 19 color options. The WaterHog Eco (30-ounce) line comes in four designs with 8 color options.



# WaterHog<sup>®</sup> Mats



#### **3. Pick Your Border**



**Classic Rubber Border** 

#### **Fashion Fabric Border**

#### 4. Pick Your Backing

All WaterHog mats are backed with rubber. The standard backing is a 78-mil SBR (styrene-butadiene rubber) with either a smooth surface for placement on smooth/hard floors (like marble, tile, or wood) or with a universal cleated surface for placement on carpeted floors. Select WaterHog mats with a classic border are available with Anchor Safe® backing, a 100-mil nitrile backing with a heavy tread design to ensure the mats stays in place, even with heavy traffic.



Smooth Backing 78-mil SBR Recommended for hard floor surfaces



Universal Cleated Backing 78-mil SBR Designed to perform on both carpeted and smooth floors



Anchor Safe® Backing 100-mil nitrile Recommended for surfaces with heavy traffic or cart use

#### 5. Add Some Optional "Grandeur"

If you're interested in adding a little grandeur to your entrance matting, you may want to consider a *WaterHog Grand* or *WaterHog Eco Grand* mat. The luxurious rounded mats can be placed at either or both ends of:

- » WaterHog Diamond
- » WaterHog Legacy
- » WaterHog Eco Elite
- » WaterHog Eco Legacy
- » WaterHog Eco Premier



Half Oval





One End

Two Ends



shion Boro Evergreen

## Waterhog Classic Waterhog Fashion Waterhog Classic Waterhog Fashion Rubber reinforced textile Rubber border Rubber reinforced textile Fabric border



#### WATERHOG® DRAINABLE



This borderless WaterHog mat allows water to freely drain away

### **WATERHOG®**

Scraper/Wiper · Slip-Resistant

## 3/8"Classic BorderProduct No. 2003/8"Fashion BorderProduct No. 280

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly Rubber backing contains 20% postconsumer recycled rubber from car tires; PET surface fabric is made from 100% post-consumer recycled plastic bottles
- Available in 19 colors with choice of classic rubber border or fashion fabric border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing on classic border mat only

#### 18" x 27" 4' x 8' 2' x 3' 4' x 10' 3' x 4' 4' x 12' 3' x 5' 4' x 16' 4' x 20' 3' x 8' 3' x 10' 6' x 8' 6' x 12' 3' x 12' 6' x 16' 3' x 16' 3' x 20' 6' x 20' 4' x 6'

SIZES

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.



IN THE

USA

www.mamatting.com

### WATERHOG® DIAMOND

Scraper/Wiper · Slip-Resistant

3/8"	<b>Classic Border</b>	Product No. 208
3/8"	<b>Fashion Border</b>	Product No. 221

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly Rubber backing contains 20% postconsumer recycled rubber from car tires; PET surface fabric is made from 100% post-consumer recycled plastic bottles
- Available in 19 colors with choice of classic rubber border or fashion fabric border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing on classic border mat only

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

SIZES

2' x 3'

3' x 4' 3' x 5'

3' x 6' 3' x 8.4'

3' x 10'

3' x 20'

4' x 6'

3' x 12.2' 3' x 16'

4' x 8.4'

4' x 10'

4' x 16'

4' x 20'

6' x 6' 6' x 8.4'

6' x 12.2'

6' x 16'

6' x 20'

4' x 12.2'

Sizes are approximate.



Indoor or Outdoor

## WATERHOG® LEGACY

Scraper/Wiper · Slip-Resistant

Classic Border Product No. 201

3/8"

	Indoor or Outdoor



3/8" Fashion Border Product No. 202	
• <b>Clean &amp; Dry</b> - Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square	<b>SIZES</b> 2' x 3' 3' x 4' 3' x 5'
yard) <ul> <li>Durable - Reinforced rubber nubs prevent pile from crushing and</li> </ul>	3' x 8' 3' x 10' 3' x 12'
<ul> <li>extend the performance life of the mat</li> <li>Fade &amp; Stain-Resistant - Solution-dyed PET fabric (24 ounces/ yard<sup>2</sup>) is resistant to staining, dries quickly, and will not fade or rot</li> </ul>	3' x 16' 3' x 20' 4' x 4' 4' x 6'
• <b>Safe</b> - Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)	4' x 8' 4' x 10' 4' x 12'
<ul> <li>Eco-Friendly - SBR rubber backing contains 20% post-consumer recycled rubber from car tires; PET surface is made from 100% post-consumer recycled plastic bottles</li> </ul>	4' x 16' 4' x 20' 6' x 6'
<ul> <li>Available in 19 colors with choice of classic rubber border or fashion fabric border</li> </ul>	6' x 8' 6' x 10' 6' x 12'
<ul> <li>Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe<sup>®</sup> nitrile rubber backing on alcosic backgrout only.</li> </ul>	6' x 16' 6' x 20'
backing on classic border mat only	Sizes are approximate. Additional lengths up to 61'.





\*These colors are ONLY available in 3' and 4' widths.

<image/> <section-header></section-header>		Medium Grego	
National Product No. 272       One End Product No. 273       Two Ends Product No. 274       Two Ends Product No. 274       State A Dry – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it does dift your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)       SIZES         • Durable – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat       • State & Stain Resistant - Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot       • Stafe – Beveled edges provide a safe transition from floor to mat; certified high- traction by the National Floor Safety Institute (NFS)       • Stafe – Beveled edges provide a safe transition from floor to mat; certified high- traction by the National Floor Safety Institute (NFS)       • Stafe – Beveled edges provide a safe transition from floor to mat; certified high- traction by the National Floor Safety Institute (NFS)       • Stafe – Beveled edges provide a safe transition from floor to mat; certified high- traction by the National Floor Safety Institute (NFS)       • Stafe – Beveled edges provide a safe transition from floor to mat; certified high- traction by the National Floor Safety Institute (NFS)       • Stafe – Beveled edges provide a safe transition from floor to mat; certified high- traction by the National Floor Safety Institute (NFS)       • Stafe – Beveled edges provide a safe transition from floor to mat; certified high- traction by the National Floor Safety Institute (NFS)       • Stafe – Beveled edges provide a safe transition from floor to mat; certified high- traction by the National Size of x 7       • Stafe – Beveled edges provide a safe traction by the National Size o		Scraper/Wiper • Slip-Res 3/8" Diamond Half O 3/8" Diamond + One 3/8" Diamond + Two E WaterHog Grand mats feature a beautiful half ov	Sistant Dval: 272 End: 273 nds: 274 al mat that can be placed at
<ul> <li>Fade &amp; Stain Resistant - Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot</li> <li>Safe – Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)</li> <li>Eco-Friendly – Rubber backing contains 20% post-consumer recycled rubber from car tires</li> <li>Available in 19 colors with 78-mil SBR rubber with universal cleated backing or smooth backing. Mats over 40' are only available with smooth backing.</li> <li>Sizes are approximate.</li> </ul>	Product No. 272 One End Two Ends	<ul> <li>and "grand" entrance to your</li> <li>Clean &amp; Dry – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)</li> <li>Durable – Reinforced rubber nubs prevent pile from crushing and extend the</li> </ul>	r facility. SIZES HALF OVAL TWO ENDS 3' x 1.8' 3' x 7' 4' x 2.3' 3' x 11.7' 6' x 3.3' 3' x 15.5' ONE END 3' x 19.4' 3' x 5.5' 3' x 23.2' 3' x 10' 4' x 8' 3' x 13.9' 4' x 12.6' 3' x 17.7' 4' x 16.5' 3' x 21.6' 6' x' 10 1'
20% post-consumer recycled rubber from car tires • Available in 19 colors with 78-mil SBR rubber with universal cleated backing or smooth backing. Sizes are approximate.		<ul> <li>Fade &amp; Stain Resistant - Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot</li> <li>Safe – Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)</li> </ul>	4' x 10.5' 6' x 14.8' 4' x 14.4' 6' x 18.6' 4' x 18.2' 6' x 22.4' 4' x 22' 6' x 7' 6' x 11.6' 6' x 15.4' 6' x 19.3' 6' x 23.1'
	Red/Black	<ul><li>20% post-consumer recycled rubber from car tires</li><li>Available in 19 colors with 78-mil SBR rubber with universal cleated backing or smooth</li></ul>	options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing.

Customer Jativiantion GUARANTEED

Purple\*

IGH-TRACTION

Red/Black

made in the USA Solid Red\*

Orange\*

Medium Grey

Medium Brown

Navy

\*These colors are ONLY available in 3' and 4' widths.

White\*


Yellow\*

#### WATERHOG® MODULAR TILE

Scraper/Wiper · Slip-Resistant

#### 7/16" Product No. 2210


- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking
- Durable Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain-Resistant Solution-dyed fabric (24 ounces/ square yard) is resistant to staining, dries quickly, and will not fade or rot
- Easy to Install Tiles link together easily and are designed to be installed without glue or the need for professional installers
- Tiles are 7/16" thick and available in 18" or 36" tiles with 4 color options
- Feature 200-mil SBR cleated rubber backing
- Side and corner borders (sold separately) securely link to the outer perimeter of the installation



#### SIZES

18" x 18" x 7/16" 18" Side Border 18" Corner Border

36" x 36" x 7/16" 36" Side Border 36" Corner Border



**Medium Grey** 

Charcoal

**Dark Brown** 


**Medium Grey** 





Evergreen





100%

IN THE

USA

www.mamatting.com





#### WATERHOG<sup>®</sup> ECO PREMIER

Scraper/Wiper · Slip-Resistant

Product No. 2295

		1001		
WaterHog Eco Premier	det total	**. //		
Classic Border Grey Ash	and second	- Junt	and the second	
Grey Ash	NOTATE CONTRACTOR		NITE STATE	
		a sarre		- Ka
			ACCOUNT OF A DECISION OF A DECISIONO OF A DECISION OF A DE	603



3/8" **Fashion Border** Product No. 2297 • Clean & Dry - Raised nubs remove dirt and moisture from

**Classic Border** 

shoes and trap it below foot level; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe

3/8"

- Eco-Friendly PET fabric is made from 100% postconsumer recycled plastic from drink bottles, and SBR rubber backing contains 20% recycled rubber from car tires
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Durable Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Available in 8 colors with choice of classic rubber border or fashion fabric border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing on classic border mat only

SIZES	
2' x 3'	4' x 8.4'
3' x 4'	4' x 10'
3' x 5'	4' x 12.2'
3' x 6'	4' x 16'
3' x 8.4'	4' x 20'
3' x 10'	6' x 6'
3' x 12.2'	6' x 8.4'
3' x 16'	6' x 12.2'
3' x 20'	6' x 16'
4' x 6'	6' x 20'

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge

Sizes are approximate.



**Black Smoke** 

Classic Rubber Border

Khaki

Maroon

**Regal Red** 





WATERHOG® ECO ELITE

Scraper/Wiper · Slip-Resistant

3/8"Classic BorderProduct No. 22403/8"Fashion BorderProduct No. 2241

- Clean & Dry Raised nubs remove dirt and moisture from shoes and trap it below foot level; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe
- Eco-Friendly PET fabric is made from 100% postconsumer recycled plastic from drink bottles, and SBR rubber backing contains 20% recycled rubber from car tires
- **Safe** Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Available in 8 colors with choice of classic rubber border or fashion fabric border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe<sup>®</sup> nitrile rubber backing on classic border mat only

SIZES 2' x 3' 4' x 10' 4' x 12.2' 3' x 4' 3' x 5' 4' x 16' 4' x 20' 3' x 6' 3' x 8.4' 6' x 6' 3' x 10' 6' x 8.4' 3' x 12.2' 6' x 12.2' 3' x 16' 6' x 16' 6' x 20' 3' x 20' 4' x 6' 4' x 8.4'

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.



Classic Border Maroon

Indoor or Outdoor

 Black Smoke
 Chestnut Brown
 Grey Ash
 Indigo
 Khaki
 Maroon
 Regal Red
 Southern Pine












#### WATERHOG<sup>®</sup> ECO LEGACY

Scraper/Wiper · Slip-Resistant

3/8"	<b>Classic Border</b>	Product No. 2290
3/8"	Fashion Border	Product No. 2291

- Clean & Dry Raised nubs remove dirt and moisture from shoes and 2' x 3' trap it below foot level; water dam border holds up to 1.5 gallons of 3' x 4' water per square yard, keeping your floors clean, dry, and safe 3' x 5' 3' x 8'
- Eco-Friendly PET fabric is made from 100% post-consumer recycled plastic from drink bottles, and SBR rubber backing contains 20% recycled rubber from car tires
- **Safe** Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Durable Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Available in 8 colors with choice of classic rubber border or fashion fabric border
- · Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing on classic border mat only

**Classic Border** Black Smoke





**Chestnut Brown Grey Ash**  Indigo

Khaki

Maroon

SIZES

3' x 10'

3' x 12'

3' x 16' 3' x 20'

4' x 4' 4' x 6'

4' x 8'

4' x 10' 4' x 12'

4' x 16'

4' x 20' 6' x 6'

6' x 8' 6' x 10'

6' x 12'

6' x 16' 6' x 20'


Sizes are

approximate.

Additional lengths up


to 61'.





WaterHog Eco Elite

WaterHog Eco Premier





- from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Available in 8 colors with 78-mil SBR rubber with universal cleated backing or smooth backing

IN THE

USA

6' x 11.6' 6' x 15.4' 6' x 19.3' 6' x 23.1 See price list for additional size options. Mats up to 40' are available with universal

cleated or smooth backing. Mats over 40' are only available with smooth backing.

Sizes are approximate.





#### WATERHOG<sup>®</sup> ECO ELITE **ROLL GOODS**

Scraper/Wiper · Slip-Resistant

#### 3/8" Product No. 2271\* and 2272\*\*

\*CUSTOM


information.


SIZES

nosing)

6' x 67'

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- Durable & Fade Resistant Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat; solution-dyed polypropylene fabric is fade-resistant
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly PET fabric is made from 100% post-consumer recycled plastic from drink bottles, and SBR rubber backing contains 20% postconsumer recycled rubber from car tires
- Available in 8 colors with 78-mil smooth SBR rubber backing
- Designed to be installed like carpeting or loose-laid like a mat







www.mamatting.com

Indigo


Khaki

Maroon











#### WATERHOG® PLUS

Scraper/Wiper · Slip-Resistant

#### 3/8" Product No. 185

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
   Durable - Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
   Fade & Stain-Resistant - Solution-dyed PET fabric
- (30 ounces/square yard) is resistant to staining, dries quickly, and will not fade or rot
- Eco-Friendly PET fabric is made from 100% postconsumer recycled plastic from drink bottles
- **Safe** Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Available in 8 colors with a classic (rubber) border and durable 90-mil nitrile rubber backing



CALLAN TANKS					A REAL PROPERTY.	
Black Smoke Chestnut Brown	Grey Ash	Indigo	Khaki	Maroon	Regal Red	Southern Pine







#### WATERHOG® DIAMONDCORD

Scraper/Wiper · Slip-Resistant

#### 3/8" Product No. 296





Black

Brown

#### WATERHOG<sup>®</sup> MASTERPIECE SELECT

Scraper/Wiper · Slip-Resistant

#### 3/8" Product No. 265

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain-Resistant Solution-dyed polypropylene fabric is resistant to staining, dries quickly, and will not fade or rot
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly Rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 4 colors with a classic rubber border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; also available with optional Anchor Safe<sup>®</sup> nitrile rubber backing

OILLO	
2' x 3'	4' x 6'
3' x 4'	4' x 8'
3' x 5'	4' x 10'
3' x 8'	6' x 8'
3' x 10'	
Sizes are a	pproximate. See

SI7FS

Sizes are approximate: see price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing. \*Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick nitrile rubber.

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain-Resistant Solution-dyed polypropylene fabric is resistant to staining, dries quickly, and will not fade or rot
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly Rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 2 colors with a classic rubber border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing

SIZES 2' x 3' 4' x 6' 3' x 4' 4' x 8.4' 3' x 5' 4' x 10' 3' x 6' 6' x 6' 3' x 8.4' 6' x 8.4' 3' x 10'

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing. \*Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick nitrile rubber.









Pewter

N THE

USA

Thunderstorm







#### WATERHOG<sup>®</sup> LOW PROFILE

Scraper/Wiper · Slip-Resistant


#### 1/4" Product No. 251

• Clean & Dry – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking

**SIZES** 3' x 5' 3' x 10' 4' x 6' 4' x 10' Sizes are approximate.

- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- Safe Low-profile borders help reduce potential tripping hazards; certified high-traction by the National Floor Safety Institute (NFSI)
- Available in 3 neutral colors to blend with virtually any décor
- Feature Anchor Safe<sup>®</sup> backing (made from durable 100-mil nitrile rubber) designed to keep mats in place









\*These colors are available in 6' width rolls only









Black Smoke

ke Chestnut

Grey Ash

Indigo







#### LOGO MAT COLLECTION

Beber Impressions HD ColorStar® Impressions Classic Impressions<sup>™</sup> HD Classic Impressions<sup>™</sup> HD Custom Shape WaterHog Impressions HD® Berber Roll Goods Inlay WaterHog® Eco Elite Roll Goods Inlay WaterHog® Eco Elite Roll Goods Inlay WaterHog® Inlay WaterHog® Legacy Inlay SuperScrape<sup>™</sup> Impressions Hog Heaven® Impressions

#### M+A Matting offers numerous types of logo mats.

Each of these logo mat processes result in high quality products your customers will be very proud to use. Pricing is calculated by each individual design number and quantity. Different size logo mats and standard mats may not be combined for quantity discount.

#### Ordering Logo Mats is as easy as 1-2-3:

1) Visit www.mamatting.com to submit your logo file using our easy to use web page.

- 2) Select Submit Design from My Account menu and log into your account.
- 3) Complete the necessary information on the submit page, attach your logo file and then click on **"Send your design"**. Artwork should be 300 dpi or greater.

Your proof will be emailed back to you within 24 business hours. Once your proof arrives by email, please take the following simple steps:

1) Approve or make necessary changes to the proof.

2) Return the art proof with any changes or approved art proof with purchase order and quantity of mats to **artwork5@mamatting.com**.

Acceptable	Unacceptable	Marginal
Vector Graphic Files:	Faxes	Color Prints*
AI, EPS, PDF, CDR, SVG	Emblems	Newspaper Ads
Image Files:	Copies of Emblems	Yellow Pages Ads
TIFF (600 DPI/PPI)	Banners	Business Cards
JPG (600 DPI/PPI)	Flags	
PNG (600 DPI/PPI)	Full Size Mats	
Black/White Ad Slicks	Badges	
Letterhead	Shirts	
Brochures	Hats	
Business Literature		

\*Color prints, if available, may be submitted to show color placement for a design.

## Create your own proofs with M+A Matting Mobile App!

Visit your app store and search "M+A Matting" to download app.



#### **M+A MATTING MOBILE APP**

M+A Matting mobile app provides an easy way for users to search and view existing mat designs as well as create proofs using simple tools. Each user will be able to:

- Create proofs using the mobile device camera or by loading an image from their library
- Have access to a personal dashboard that saves all current and former artwork submissions associated with their account
- Get instant artwork approval using e-signature feature
- Track orders of designs that were created via the mobile app
- Filter search results by product category, size or mat orientation

## M+A Matting's user friendly app is compatible with any mobile device. Below is a condensed list of compatible devices:

- Android
- Android tablets
- iPhone\*
- iPad\*
- iPod Touch\*
- \*all Apple products require iOS 6.0 or later



Indoor or Outdoor (Covered)

SIZES

2' x 3' 3' x 4'

3' x 5'

3' x 10' 4' x 6'

4' x 8'

5' x 8'

5' x 10' 6' x 10'

6' x 12'

sizes.

Sizes are

approximate.

See price list for

all additional

#### **BERBER IMPRESSIONS HD**

Logo · Scraper/Wiper · Slip-Resistant

#### Product No. 2838

- **Durable** The tight weave of Berber makes it durable enough to withstand heavy foot traffic while scraping dirt and moisture from shoes to minimize tracking
- **High Definition** The Berber fabric features a smooth surface that allows for crisp printing definition

5/16"

- Eco-Friendly These mats are made with PET (polyethylene terephthalate), a type of polyester yarn that features 85% recycled content reclaimed from plastic drink bottles
- Easy to Clean PET fabric is naturally resistant to staining
- Safe Durable rubber backing helps keep the mat in place to minimize slipping hazards
- 56 standard color options; choice of smooth or universal cleated rubber backing









### **COLORSTAR® IMPRESSIONS**

Logo · Carpeted (Wiper)

#### 3/8" SBR Rubber Backing Product No. 60

- Photographic-Quality Printing Logos and designs are digitally printed at 76 dpi (dots per inch), making fine details, shading, and 3-D images achievable 3' x 4' 3' x 5' 3' x 10'
- Eco-Friendly PET (polyethylene terephthalate) carpet surface contains 100% post-consumer recycled content reclaimed from plastic bottles
- Fade Resistant PET yarn has excellent colorfastness and is resistant to fading from repeated washing/cleaning
- Stain Resistant PET yarn is naturally resistant to staining
- Safe Certified high-traction by the National Floor Safety Institute (NFSI)
- Choose from 60 standard colors
- SBR (48 mil) rubber backing; also available with nitrile rubber backing



4' x 6'

4' x 8' 5' x 8'

5' x 10'

6' x 10'

6' x 12'

sizes

Sizes are approximate.

See price list for all additional

#### **CLASSIC IMPRESSIONS<sup>™</sup> HD**

Logo · Carpeted (Wiper)

#### 3/8" SBR rubber border and backing

#### Product No. 73



**CLASSIC IMPRESSIONS™ HD CUSTOM SHAPE** 

#### 3/8" Nitrile rubber backing

#### Product No. 733

SIZES

2' x 3' 3' x 4' 3' x 5' 3' x 10' 4' x 6' 4' x 8' 5' x 8' 5' x 10' 6' x 10' 6' x 12'

Sizes are approximate. See price list for

all additional sizes. PMS

custom color available at

an additional charge.

- Photographic-Quality Print Logos and designs are digitally printed with photographic quality; fine details, shading, and 3D images can be achieved
- Safe Certified high-traction by the National Floor Safety Institute (NFSI)
- Resilient High-twist, heat-set nylon (32-ounces/square yard) resists crushing to better trap dirt and extend the useful life of the mat
- Choose from 150 standard colors available
- Available with SBR backing; custom shape mats have 90-mil rubber backing
- Available in 10 standard sizes and custom sizes in widths of 3', 4', 5', and 6' and lengths up to 40'
- Custom shape mats are available in sizes up to 6' wide and 23' long



pressions HD Logo e Shan



www.mamatting.com

waterHog	
<b>mpressions HD</b>	wit
Classic Bord	er

# 

Color options

#### WATERHOG IMPRESSIONS HD<sup>®</sup>

Logo · Scraper/Wiper

3/8"	<b>Classic Border</b>	Product No. 2381
3/8"	<b>Fashion Border</b>	Product No. 2380

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- **Safe** Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- 56 standard color options; available with choice of classic rubber border or fashion fabric border
- Features 65-mil nitrile rubber with choice of smooth or universal cleated backing

SIZES	
2' x 3'	4' x 6'
3' x 4'	4' x 8'
3' x 5'	6' x 8'
3' x 10'	6' x 10'
3' x 12'	6' x 12'
3' x 16'	6' x 16'
3' x 20'	6' x 20'
See price	e list for

all additional sizes.

Sizes are approximate.



35

## **BERBER ROLL GOODS INLAY**

Logo · Carpeted (Wiper)

#### 3/8" Product No. 2283

CUSTOM

for additional information.

approximate.

be seamed.

Sizes are

- Durable Heavy 52-ounce solution-dyed fabric is stain resistant and has excellent light fastness; tough enough for outdoor use
- Attractive Loop pile "berber" construction features a hobnail design for an upscale look
- Safe High-performance rubber backing helps hold the mat in place to minimize slipping hazards
- Easy to Clean Polypropylene fabric is naturally resistant to staining and fading
- 17 colors to choose from
- Available in custom sizes up to 12' X 50'
- Designed to be installed like carpeting or loose laid like a mat; available with singed borders or vinyl nosing (sold separately)



Indoor or Outdoor







Waterbase			Indoor or Outdoor	<ul> <li>Clea mois track floor squa</li> <li>Dura pile solut</li> <li>Safe certi</li> <li>17 lo</li> </ul>		apping it beneath der holds moistu an hold up to 1.5 ant - Reinforced re extend the perforr ade-resistant ovide a safe trans y the National Flo ckground colors to	DS INL per/Wiper ct No. 2268 scrapes dirt an shoe level to pr re keeping it off gallons of wate ubber nubs prev nance life of the sition from floor tor Safety Institu o choose from	d event your r per rent e mat; to mat;	CUSTOM States of the second se
					gned to be installed lable for border (sol		loose-laid like a	a mat; vinyl	nosing
		a server and a	BACK	KGROUND COLORS		77.00 <b>-</b> 27	30 <b>8</b> 36		
Black Smoke	Chestnut Brown	Grey Ash	Indigo	Khaki	Mar	oon	Regal Red	Southe	rn Pine
Bright Red	Burgundy	Charcoal	Dark Blue	Dark Brown	Dark Green	Emerald Green	Gold		Grey



Sand

Purple

Light Blue

**Light Yellow** 

Orange

Solid Red

Solid Black

made in the USA White

www.mamatting.com

#### WATERHOG® INLAY

Logo · Scraper/Wiper



3/8"	Classic (rubber border)	Product No. 234
3/8"	Fashion (fabric border)	Product No. 235

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- Durable & Fade Resistant Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat; solution-dyed fabric is fade-resistant
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly Rubber backing contains 20% post-consumer recycled rubber from car tires
- 19 fabric colors to choose from
- · Available with choice of classic rubber border or fashion fabric border



Aquamarine*	Bluestone	Bordeaux	Camel (	Charcoal Dar	k Brown Eve	ergreen Go	ld* Light Gre	en Medium Blue
Medium Bro	wn Medium G	rey Navy	Orange*	Purple*	Red/Black	Solid Red*	White*	Yellow*
			Customer Jacuan GUARANTE		made in the USA	*These cold	rs are ONLY available in	3' and 4' widths.
-					_ (		Indoor or Ou	tdoor

SIZES

2' x 3'

3' x 4'

3' x 5'

4' x 6'

4' x 8'

Sizes are

price list for all additional sizes.

4' x 10'

4' x 12'

4' x 16'

6' x 20'

3' x 10' 4' x 20'

3' x 12' 6' x 8'

3' x 16' 6' x 12' 3' x 20' 6' x 16'

#### WATERHOG® LEGACY INLAY

Logo · Scraper/Wiper

States and	100	11=				LUY	· Sciapei/wipe	÷1
/	VI	1 -	ain	F		Classic (rubber Fashion (fabric		Product No. 261 Product No. 262
uamarine*	Bluestone	UGI Bordeaux	Camel	Charcoal	dirt and shoe leve holds me square y • Durable nubs pre performa is fade-r • Safe - Be	moisture from shoe el to prevent tracki oisture keeping it o n hold up to 1.5 ga arad) & Fade Resistant event pile from crus ance life of the mat resistant	ace effectively scrap es, trapping it benea ng; water dam borde ff your floors (Water- llons of water per - Reinforced rubber shing and extend the ; solution-dyed fabri de a safe transition	$\begin{array}{rcl} & & & & & & & \\ & & & & & & \\ \text{tr} & & & & & & & \\ & & & & & & \\ & & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & &$
k Brown	Evergreen	Gold* Light Gr	reen Medium Blue	Medium Brown		endly - Rubber bac Isumer recycled rub		Sizes are approximate.
穷								
edium Grey	Navy	Orange*	Purple*	Red/Bl	ack	Solid Red*	White*	Yellow*
						*1	These colors are ONLY a	available in 3' and 4' widths.




www.mamatting.com

Aqua

Dark







Visit mamatting.com for imprint area and other design specifications.



#### SUPERSCRAPE<sup>™</sup> IMPRESSIONS

Logo · Scraper

#### 3/16" Product No. 3559

- **Clean** Surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking
- Safe -Certified high-traction by the National Floor Safety Institute (NFSI)
- Easy to Clean Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered

3' x 5' 3' x 10' 4' x 6' 4' x 8' 6' x 6' 6' x 8' Sizes are approximate. PMS custom color available at an additional charge.

SIZES

2.5' x 3'

3' x 4'

• Features 3/16" thick nitrile rubber with circular surface cleats



#### HOG HEAVEN® IMPRESSIONS

Logo · Anti-Fatigue

5/8" Product No. 3422

- Comfortable 5/8" high-density nitrileblended cushion helps eliminate pressure to the lower back and legs, providing superior comfort
- Safe Certified high-traction by the National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- **Durable** Nitrile-blended cushion provides years of useful service life; cushion is molded, not glued, to the nitrile rubber surface so it will not separate
- Versatile Welding safe; grease/oil resistant; chemical resistant

SIZES 2' x 3' 3' x 5' 3' x 12' 4' x 6'

Sizes are approximate.

See price list for all additional sizes. PMS custom color available at an additional charge.





39







#### ANTI-FATIGUE MAT & SLIP RESISTANT MAT COLLECTION

GetFit StandUp® Hog Heaven® Plush Hog Heaven® Fashion Hog Heaven® Hog Heaven® Marble Hog Heaven Prime® Hog Heaven Prime® Decor Happy Feet® Complete Comfort<sup>™</sup> Cushion Max<sup>™</sup> Cushion Station<sup>™</sup> Complete Comfort<sup>™</sup> II Comfort Flow<sup>™</sup> Comfort Scrape<sup>™</sup> Comfort Flow  $HD^{TM}$ Hog Heaven III<sup>™</sup> Comfort Hog Heaven III<sup>™</sup> Traffic Kneeling Comfort<sup>™</sup> Safety Scrape<sup>™</sup> **Traction Tread Traction Tread Soft** Wet Step® Sure Cushion Sure Tread V-Groove Sure Stride<sup>®</sup> Sure Stride® Plush

#### The Benefits of ANTI-FATIGUE MATS



Anti-Fatigue mats alleviate stress to the back and legs by providing a cushioned surface to stand on.


Anti-Fatigue mats are perfect for people who have to stand or work in the same place for continual periods of time.

Anti-Fatigue mats are recommended for a wide variety of industries and are commonly placed in various applications such as:

- Production or assembly lines
- Stand Up Desks or Workstations
- Kitchens
- Cashier Desks
- Laboratories and many more

# M+A Matting Anti-Fatigue mats have been shown to do the following:

- **REDUCE ENERGY CONSUMPTION BY UP TO 50%** in the supporting muscles such as those in the leg and the lower back, when compared to standing on a hard floor
- **REDUCE FATIGUE** by promoting subtle movement in the leg and calf muscles, resulting in increased blood and oxygen flow



#### BALANCED

- Improves structural alignment and joint function
- Improves muscular balance and prevents nerve impingement
- Reduces uneven wear and tear on joints
- Body weight evenly distributed
- Efficient natural movement
- Reduced pressure on organs

#### IMBALANCED

- Neck pain and headaches
- Shoulder restrictions and pain
- Arm and hand pain nerve entrapment
- Bulging discs/back pain
- Uneven pressure/knee pain
- Uneven weight distribution
- Foot and ankle pain




#### Safety and Ergonomics

Mats are used throughout facilities in numerous other capacities where safety is a must and anti-fatigue comfort is essential to the health and well being of employees.

- Slip and falls are the second leading cause of all workplace injuries according to Liberty Mutual Workplace Index. As many as 25,000 people a day are victims of slip and fall accidents (NSC)
- Compensation and medical costs associated with employee slip-and-fall accidents total approximately \$70 billion annually (NSC)
- The average cost of a slip and fall injury exceeds \$12,000 (Wausau Insurance)
- The average cost to defend a slip-and-fall lawsuit is \$50,000 (NFSI)
- · Back injuries account for 25% of all worker compensation claims annually
- Cumulative Standing Trauma (CST) causes billions of dollars of loss annually due to reduced productivity, increased worker compensation, higher insurance rates, and absenteeism
- According to the American College of Occupational and Environmental Science, about 38% of workers in the United States suffer from fatigue

Testing shows that ergonomic matting can reduce worker fatigue.



Coal Black Cobalt Blue Cocoa Brown Granite Red Black Rubber Top



## HOG HEAVEN® PLUSH

Anti-Fatigue





Granite



Coal Black

www.mamatting.com

Cobalt Blue


Cocoa Brown

#### **HOG HEAVEN®**

Anti-Fatigue · Slip-Resistant



5/8" Black Border Product No. 421 5/8" Striped Border Product No. 423 7/8" **Black Border** Product No. 422 7/8" Striped Border Product No. 424 · Comfortable - High-density nitrile-blended SIZES cushion helps eliminate pressure to the lower 2' x 3' back and legs, providing superior comfort 3' x 5' 3' x 12' • Safe - Certified high-traction by the National 4' x 6' Floor Safety Institute (NFSI); sloped edges provide 4.8' x 8' a safe transition from floor to mat Additional lengths up • Durable - Nitrile-blended cushion provides years ----to 60'. of useful service life; cushion is molded, not See price glued, to the nitrile rubber surface so it will not list for all separate; edges will not crack or curl additional sizes. • Versatile - Welding safe; ESD rating of electrically conductive; chemical resistant; surface is grease/oil proof and cushion is grease/oil resistant Sizes are approximate. • Available in 5/8" or 7/8" thicknesses with solid black or with OSHA-approved caution yellow borders on two sides




Caution Yellow

Black Border












#### HOG HEAVEN PRIME®

Anti-Fatique · Slip-Resistant



46



#### **HOG HEAVEN PRIME® DÉCOR**

Anti-Fatigue · Slip-Resistant

#### 5/8" Product No. 4222

- **Comfortable** -5/8" high-density nitrile-blended cushion runs edge-to-edge and helps eliminate pressure to the lower back and legs, providing superior comfort
- SIZES 2' x 3' 3' x 5' 3' x 10' Sizes are

approximate.

- **Safe** Beveled edges provide a safe transition from floor to mat
- **Durable** Nitrile-blended cushion is molded, not glued, to the woven surface so it will not separate; high-heel safe; stain resistant
- Attractive Available in 4 subtle black and black/grey designs to compliment virtually any décor















#### HAPPY FEET®

Anti-Fatigue · Slip-Resistant

BLACK BORDER						
1/2"	Textured Surface	Product No. 465				
1/2"	Grip Surface	Product No. 475				
CAUTION YELLOW BORDER						
1/2"	Textured Surface	Product No. 466				
1/2"	Grip Surface	Product No. 476				

- **Comfortable** 1/2" dense foam cushion encapsulated in nitrile rubber provides excellent anti-fatigue qualities
- **Safe** Certified high-traction by the National Floor Safety Institute (NFSI); low profile beveled edges provide a safe floor-to-mat transition

MAT SIZES

2' x 3' 3' x 5' Sizes are approximate.

LINKABLE SIZES Linkable

End 34" x 59.875"

Linkable

34" x 61.25"

Middle

- **Durable** Borders will not crack or curl; nitrile rubber surface is penetration proof
- Versatile Welding safe; grease/oil proof; chemical resistant; ESD rating of electrically conductive
- Available in two surface types: textured surface for dry/ damp environments or grip surface for wet areas where additional traction is needed; Happy Feet with textured surface can be autoclave sterilized
- Available in solid black or with OSHA-approved caution yellow borders

**Caution Yellow** 

IN THE

USA

Black






#### **COMPLETE COMFORT**<sup>™</sup>

Anti-Fatigue · Slip-Resistant


# 5/8" without holesProduct No. 4945/8" with holesProduct No. 496

- **Comfortable** 5/8" thick nitrile/PVCblended foam provides superior antifatigue properties
- **Clean** Anti-microbial treatment provides lifetime protection from odors and degradation
- **Safe** Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Easy to Clean Lightweight and flexible for easy handling and cleaning
- · Grease and oil resistant; chemical resistant
- Available with drainage holes for use in wet areas









USA



#### www.mamatting.com

49

#### **CUSHION STATION**<sup>™</sup>

Anti-Fatigue · Slip-Resistant

2	$\bigcirc$	$\bigotimes$	$\mathbf{O}$		
		Ind	oor		

		without holes with holes	Product No. 370 Product No. 371
--	--	-----------------------------	------------------------------------

- **Comfortable** 7/16" nitrile foam provides excellent anti-fatigue properties
- **Clean** Anti-microbial treatment provides lifetime protection from odors and degradation
- **Safe** Beveled edges provide a safe transition from the floor to the mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Versatile Grease/oil proof; chemical resistant; welding safe
- Easy to Clean Flexible construction makes this mat easy to clean; can be autoclave sterilized
- Available with drainage holes for wet area application

SIZES
2' x 3.2' 3.2' x 5.3' 3.2' x 8.3' 3.2' x 12.3' 3.2' x 16.1' 3.2' x 20.1' 4' x 5.92' 4' x 8.3' 4' x 12.3' 4' x 16.1'
4' x 20.1'

Sizes are approximate.



#### **COMPLETE COMFORT<sup>™</sup>II**

Anti-Fatigue · Slip-Resistant

#### 1/2" Product No. 594

- **Comfortable** 1/2" thick nitrile foam provides superior anti-fatigue properties
- **Clean** Anti-microbial treatment provides lifetime protection from odors and degradation
- **Safe** Beveled edges provide a safe transition from the floor to the mat
- Versatile Grease/oil proof; chemical resistant; welding safe
- Easy to Clean Flexible construction makes this mat easy to handle and clean







Sizes are approximate.

SIZES

2' x 3'

3' x 4' 3' x 5'


4' x 6'





www.mamatting.com

50






#### **COMFORT FLOW**<sup>™</sup> & COMFORT SCRAPE<sup>™</sup>

Slip-Resistant · Anti-Fatigue

3/8"	Comfort Flow	Product No. 420
3/8"	Comfort Scrape	Product No. 430

- Clean Bi-level design traps dirt/debris to SIZES prevent tracking; lifetime anti-microbial 2' x 3' treatment prevents odors and degradation of 3' x 5' 4' x 6' the mat 3' x 9'
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Comfortable High-density closed-cell nitrile rubber cushion provides excellent antifatigue qualities
- Versatile Grease and oil proof; chemical resistant; welding safe
- Easy to Clean Lightweight flexible design ensures easy handling and cleaning
- Comfort Flow has drainage holes to allow liquids to flow through in wet environments







Sizes are

#### **COMFORT FLOW<sup>™</sup> HD**

Slip-Resistant · Flow Through · Anti-Fatigue

- 1/2" **Comfort Flow HD Modular Tile** Product No. 4430
- 1/2" Comfort Flow HD Linkable Mats Product No. 4434
- Comfort Flow HD Workstation Mat 1/2"
- Product No. 4439
- **Clean** Drainage holes allow liquid to flow-through; lifetime anti-microbial treatment prevents odors and degradation of the mat
- Safe Beveled edges provide a safe transition from floor to mat
- Comfortable High-density closed-cell nitrile rubber cushion provides excellent anti-fatigue qualities
- Versatile Grease and oil proof; chemical resistant; welding safe; ESD rating of electrically conductive
- Easy to Clean Lightweight and flexible design ensures easy handling and cleaning
- Available as modular tiles, linkable mats, and workstation mats

#### MODULAR **TILE SIZES**


Corner tile 19.125" x 19.125" x 5/8" 37.375" x 37.375" x 5/8" Center tile 18" x 19.125" x 5/8" 36" x 37.375" x 5/8" Middle tile 18" x 18" x 5/8" 36" x 36" x 5/8"

LINKABLE MAT SIZES

Mat End 37.125" x 39" x 5/8" Mat Middle 36" x 39" x 5/8"

WORKSTATION MAT SIZES 39" x 39" x 5/8"





USA

www.mamatting.com







IN THE





MAT SIZES

39.875 x 43.75"x 5/8" Mat Middle 36" x 43.75" x 5/8" US Patent 8,919,054

## HOG HEAVEN III™ TRAFFIC TILES & MATS

**HOG HEAVEN III TRAFFIC LINKABLE MATS** 

**Caution Yellow Border** 

End

Middle

End

Black Border

End

Middle

End

Anti-Fatigue · Slip-Resistant

5/8"	Modular Tile 18"x 18"	Product No. 4477
5/8"	Modular Tile 36"x 36"	Product No. 4478
5/8"	Linkable Mats Black Border	Product No. 4491
5/8"	Linkable Mats Yellow Border	Product No. 4492

Hog Heaven III Traffic mats and tiles provide a customizable matting solution for workstations with cart traffic. They offer ergonomic qualities yet are firm enough to support traffic from heavy carts.

- Firm & Durable Solid nitrile rubber foam lasts for years, even under heavy cart traffic
- **Comfortable** High-density, closed-cell nitrile rubber provides anti-fatigue qualities to reduce the pain and fatigue associated with standing for long periods of time
- **Versatile** Grease/oil proof; chemical resistant; welding safe; ESD rating of electrically conductive
- Mats and tiles are 5/8" thick and available with black or OSHAapproved caution yellow border



Corner Caution Yellow Border

773

#### Indoor or Outdoor **KNEELING COMFORT** Anti-Fatigue 7/8" Product No. 433 • Comfortable - 7/8" cushion reduces knee SIZES trauma and lower back stress 12" x 22" 18" x 30" • Clean - Closed-cell nitrile-blended rubber foam will not absorb liquids, and the 100%nitrile rubber surface easily wipes clean with soap and water • **Durable** - welding safe; chemical resistant; surface is grease/oil proof, cushion is grease/oil resistant Made in the USA • Safe - Certified high-traction by the National Floor Safety Institute (NFSI) • **Convenient** - Built-in handle enables easy transportation and storage Sizes are approximate. 18" x 30" • ESD rating of electrically conductive 12" x 22" 18" x 30"



#### **SAFETY SCRAPE**<sup>™</sup>

Slip-Resistant

#### 3/16" Product No. 545

- Clean Surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking
- Safe Certified high-traction by the National Floor Safety Institute (NFSI)
- Suitable for Harsh Environments Grease/oil proof; chemical resistant
- Easy to Clean Lightweight flexible design ensures easy handling and cleaning
- 1/8" nitrile rubber construction



Indoor or Outdoor

)


SIZES


2' x 3' 3' x 5'

3' x 10'

4' x 6' 4' x 10'

Sizes are approximate.





Indoor

#### 1/8" Product No. 50

- Slip-Resistant & Safe Certified high-traction by the National Floor Safety Institute (NFSI)
- **Durable** 1/8" solid nitrile rubber provides years of service life and will not crack or curl
- Versatile Grease/oil proof; chemical resistant; welding safe
- ESD rating of electrically conductive







## **TRACTION TREAD**

Slip-Resistant



SIZES

2' x 3' 3' x 5' 3' x 9'


3' x 12' 4' x 6'

4' x 9'

4' x 12'

www.mamatting.com





#### **TRACTION TREAD SOFT**

Slip-Resistant · Anti-Fatigue

#### 1/4" Product No. 56

<ul> <li>Slip-Resistant &amp; Safe - Certified high-traction by the National Floor Safety Institute (NFSI)</li> <li>Comfortable - 1/4" high-density nitrile rubber foam provides excellent anti-fatigue benefits</li> <li>Odor Resistant - Anti-microbially treated to help prevent odors and degradation</li> <li>Durable - Nitrile rubber foam provides years of service life and will not crack or curl</li> <li>Versatile - Grease/oil resistant; chemical resistant; welding safe</li> </ul>	SIZES 2' x 3' 3' x 5' 3' x 9' 3' x 12' 4' x 6' 4' x 9' 4' x 12'
• ESD rating of static dissipative	Sizes are approximate.





#### WET STEP®

Slip-Resistant · Anti-Fatigue

#### 1/4" Product No. 789

- Slip-Resistant & Safe Drainage holes allow water to freely drain away; certified high traction by the National Floor Safety Institute (NFSI)
- **Comfortable** 1/4" high-density nitrile foam provides excellent anti-fatigue properties and feels great to bare feet
- Clean Anti-microbially treated to help prevent odors and degradation; mold and mildew resistant; anti-fungal
- **Durable** Nitrile rubber foam is UV resistant and lasts considerably longer than PVC (vinyl) foam
- Easy to Clean Can be autoclave sterilized, commercially laundered, or washed by hand
- Available in blue or grey

Sizes are approximate.

3' x 5' 3' x 10'

3' x 20'

Additional lengths

up to 20'.

See price list for all

additional

sizes.







#### Floor Protection · Anti-Fatigue SURE CUSHION RIBBED

#### 3/8" Product No. 415

Ribbed PVC foam\*

SIZES	
2' x 3' 3' x 5' 3' x 12'	2' x 60' 3' x 60' 4' X 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

#### **SURE CUSHION** TEXTURE

#### 3/8" Product No. 425

Textured PVC foam\*

SIZES 2' x 3' 3' x 12' 3' x 5' 3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

#### SURE CUSHION **HEAVY DUTY**

#### Product No. 428 1/2"

• PVC foam for heavy use areas\* • 80 mil solid vinyl surface combined with a non-closed

cell vinyl cushion back

• Beveled on all sides

for safety

- SIZES 2' x 3' 3' x 12' 3' x 5' 3' x 60'
- Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

#### SURE CUSHION **YELLOW BORDER**

#### 3/8" Product No. 427

• PVC foam with yellow border on two sides\*

SIZES 2' x 3' 3' x 12' 3' x 5' 3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

#### SURE TREAD **V-GROOVE**

#### 1/8" Product No. 505

- Solid vinyl
- Chemical resistant
- Provides protection for all types of floors from abuse due to chairs, tables and foot traffic
- Great for walkways, inclines and ramps
- Can be rolled for easy storage

SIZES 3' x 105' 4' x 105' Additional lengths available. Sizes are approximate.

\* NOT guaranteed against damage from high heels, casters or chair legs. Not recommended for use in wet areas.





58

Sure Cushion Texture

e Cushion Heavy Duty

Sure Cushion Yellow Border

#### SURE STRIDE®

Slip-Resistant



3/32" Sure StrideProduct No. 4450Cutting BoardProduct No. 4459Cutting KnifeProduct No. 4460

• **Keeps Floors Dry** - Retains up to 1 gallon of water per 10 linear feet; moisture barrier keeps liquids from soaking through to the floor

**SIZE** 2' x 25' roll 3' x 100' roll

- **Stays in Place** Adhesive backing keeps mat flat and in place, even with heavy cart and buggy traffic
- Safe Certified high-traction by the National Floor Safety Institute (NFSI)
- Odor Resistant Anti-microbially treated for protection from odors
- $\bullet$  Dries Quickly Mat dissipates water quickly for fast drying time
- Easy to Install Cut individual mats from the roll as needed
- Hassle Free Can be left in place during daily cleaning; floor scrubbers, vacuums, and mops will pass right over without causing damage

Tacki Bac

• Will perform for up to 4 months under normal use.

Cutting Board (sold separately

Cutting Kn











#### SURE STRIDE® PLUSH

Slip-Resistant · Carpeted (Wiper)

#### 3/16" Product No. 4457

• **Keeps Floors Dry** - Retains more than a gallon of water per 10 linear feet; moisture barrier keeps liquids from soaking through to the floor

SIZE 3' x 30' roll

- Stays in Place Tacki-Back<sup>™</sup> adhesive keeps mat flat and in place, even with heavy cart and buggy traffic
- **Safe** Certified high-traction by the National Floor Safety Institute (NFSI)
- Odor Resistant Anti-microbially treated for protection from odors
- Dries Quickly Eco-friendly PET fabric dissipates water quickly for fast drying time
- Easy to Install Cut individual mats from the roll as needed
- Hassle Free Can be left in place during daily cleaning; floor scrubbers, vacuums, and mops will pass right over without causing damage
- Will perform up to 4 months under normal use.











www.mamatting.com



#### **SPECIALTY MATS**

Clean Stride® CleanShield® Urinal and Commode WaterHog® Forklift WaterHog® Eco Elevator Grease Hog Melt Step®



Specialty · Scraper/Wiper

3/8" Frame Only	Product No. 410
3/8" Frame with Carpet	Product No. 411
Inserts(60 sheets)	ProductNo.412

The Clean Stride mat features a WaterHog mat followed by an adhesive surface that captures smaller dust and dirt. Just two steps on a Clean Stride adhesive insert removes over 90% of dirt particles, making this mat ideal for clean rooms, healthcare facilities, school gymnasiums, server rooms, and other areas sensitive to dirt and dust particles.

**INSERT SIZES** 

24" x 30"

34" x 44"

• Clean & Dry - Raised nubs on the WaterHog mat remove dirt and moisture from shoes and trap it below foot level while the adhesive insert removes any remaining dirt or dust particles

CARPET/

RUBBER

26.5" x 63.5" 36.5" x 92.5" Clean Stride Mat Frames do not include Clean Stride Inserts

FRAME SIZES

• Not recommended for wet areas

RUBBER

26.5" x 32" 36.5" x 46'

**FRAME SIZES** 

The Clean Stride adhesiv
comprised of 60 layers o
coated film. Each layer w
many times before it mu

vill perform st be peeled away. Each layer is numbered to ensure one sheet at a time removal and to indicate the number of layers remaining.

Indoor

29

ve insert is

f adhesive



N THE USA Red/Black



www.mamatting.com



#### CLEANSHIELD® URINAL & COMMODE MATS

with Seep Guard Tacki Back

#### Urinal No. 4065 Commode No. 4055

- Effective Seep-Guard barrier eliminates urine seepage while the Tacki-Back adhesive keeps the mat in place; anti-microbially treated for lifetime odor protection SIZES
- Eco-Friendly PET fabric is made from 100% post-consumer recycled plastic bottles
- Attractive Surface features an attractive diamond design
- **Safe** Certified high-traction by the National Floor Safety Institute (NFSI)
- Easy-to-read 30-day Timestrip<sup>®</sup> indicates when it is time to replace the mat (step on/push to initially activate)















#### WATERHOG<sup>®</sup> FORKLIFT

Scraper/Wiper · Slip-Resistant

#### 3/8" Product No. 1253 3" x 108' Roll Double Sided Tape Product No. 1049

- Durable Reinforced rubber nubs, backing, and fabric SIZE top are designed to withstand forklift traffic up to 14,000 pounds
  - 4' x 6'

Sizes are approximate.

Red/Black

Indoor

- Clean and Dry Bi-level surface removes dirt and moisture from wheels and trap it to minimize tracking; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe
- Easy to Install Modular mats are easy to install and scalable for large applications; aggressive adhesive taping system (sold separately) keeps tiles from moving
- Available in 6 colors with 100 mil smooth SBR backing

Navy

۵



**Medium Grey** 

Medium Brown

SIZES

67" x 50"

79" x 50"

79" x 56" 79" x 65"

Sizes are

## WATERHOG® ECO ELEVATOR

Dark Brown

Scraper/Wiper · Slip-Resistant

#### 3/8" Product No. 2298

 Clean & Dry - Raised nubs remove dirt, sand, and moisture from shoes and trap it below foot level: water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe

Charcoal

- · Noise-Reducing Durable rubber border allows for easy, quiet transition of carts and luggage
- Eco-Friendly PET fabric is made from 100% post-consumer recycled plastic from drink bottles, and SBR rubber backing contains 20% recycled rubber from car tires
- · Safe Beveled edges provide a safe transition from floor to mat
- Durable Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat; solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Easy to Install Available in four sizes to fit most standard elevators
- Available in 8 colors with a classic rubber border



		11870		TTADIA.	Carl Carl		
Black Smoke	Chestnut Brown	Grey Ash	Indigo	Khaki	Maroon	Regal Red	Southern Pine





tomer satisfaction tomer satisfaction Inight Trace

## COVID-19 Response Products

Size: 3' x 5' Design Number: 3017378

# Social Distancing Runner Mats





Size: 3' x 13' When customizing reference design number 3024244



These mats were designed to promote frequent hand washing/ sanitizing, social distancing, and safety.

- **Photographic-Quality Printing** Designs are digitally printed at 76 dpi (dots per inch), making these mats vibrant and easy-to-read
- **Eco-Friendly** PET (polyethylene terephthalate) carpet surface contains 50% post-consumer recycled content reclaimed from plastic bottles
- Fade & Stain Resistant PET yarn has excellent color-fastness and is resistant to fading from repeated washing/cleaning; PET yarn is naturally resistant to staining
- Safe Certified high-traction by the National Floor Safety Institute (NFSI)







#### **Message Mats**

These mats were designed to promote frequent hand washing/sanitizing, social distancing, and safety.









## PLEASE WAIT HERE



## **Stock designs:** PLEASE WASH







## Sure Stride® Impressions Mats

Logo · Specialty · Indoor

Custom Designs Stock Messages	Product No. 4427 Product No. 4428	
<ul> <li>Provides Clear Messages - Mats can be placed provide important messages or reminders</li> <li>Stays in Place - Adhesive backing keeps the m with heavy cart/buggy traffic</li> </ul>	<b>SIZES</b> 17" x 17" 17" x 23.5"	
• Hassle Free - Mats can be left in place during scrubbers, mops, and brooms will pass right ov damage		
• Won't Leave Residue - Sure Stride mats are les residue than floor decals		
• Odor Resistant - Anti-microbially treated for p		
<ul> <li>Slip Resistant - Low-profile high-traction surfa traction and slip resistance</li> </ul>	ce provides additional	
• Will perform for up to 3 to 4 months under norm	nal use	Sizes are approximate.
• Sold in case/box; 6 mats per case		I



## COVID-19 Response Products



#### Stick-and-Stand<sup>™</sup> Mats

Social Distancing Floor Markers · Specialty · Indoor

#### 3/32" Product No. 4464

- Provides Clear Direction Universal "stop sign" shape with shoe prints marks where customers should stand; mats can be placed at safe intervals in virtually any configuration SIZES
- **Stays in Place** Adhesive backing keeps the mat flat and in place, even with heavy cart/buggy traffic
- Hassle Free Mats can be left in place during daily floor cleaning; floor scrubbers, mops, and brooms will pass right over them without causing damage
- Won't Leave Residue Stick-and-Stand mats are less likely to leave a sticky residue than floor decals
- Odor Resistant Anti-microbially treated for protection from odors
- Slip Resistant Low-profile high-traction surface provides additional traction and slip resistance
- Will perform for up to 3 to 4 months under normal use



## Sure Stride<sup>®</sup> Directional Mats

Floor Marker  $\cdot$  Specialty  $\cdot$  Indoor

Product No. 4466

- Provides Clear Direction Mats can be rotated to provide directional cues in any direction
   Stays in Place Adhesive backing keeps the mat flat and in place, even with heavy cart/buggy traffic
   Hassle Free Mats can be left in place during daily floor cleaning; floor scrubbers, mops, and brooms will pass right over them without causing damage
   Won't Leave Residue Sure Stride mats are less likely to leave a sticky residue than floor decals
   Odor Resistant Anti-microbially treated for protection from odors
  - Slip Resistant Low-profile high-traction surface provides additional traction and slip resistance

3/32"

• Will perform for up to 3 to 4 months under normal use







Sizes are

approximate.

Sizes are approximate.



These mats feature a 2' x 3' well that holds an abrasive insert and your StepWell<sup>™</sup> Sanitizing Mats preferred liquid sanitizer, followed by a 3' x 5' carpeted section to help Specialty · Indoor remove any excess moisture from shoes, reducing the likelihood of slips 3' x 7' Mat with Insert Product No. 835 following sanitation. Wash, wipe, and walk on safely! Inserts Product No. 836 SIZES Available in three designs ER • The insert serves as a splash guard and helps 3' x 7' Mat 20.5" x 33" Inserts dislodge any dirt or debris from the bottom of shoes so the fluid can reach the entire sole surface · Each mat includes one insert; additional inserts are available in packs of four • Well holds one insert and approximately 84 ounces (2.5 L) of sanitizing solution (not included) • Compatible with most sanitizing/disinfecting Sizes are **Nylon Carpet** Well with Insert solutions. Works best with quaternary and approximate. hydrogen peroxide sanitizing solutions. Nylon carpet dries shoes to reduce risk of slip-and-2'x3' well holds liquid sanitizer and abrasive fall accidents and protect floors from moisture insert to clean and disinfect shoes The StepWell Mat and StepWell Tray work best with quaternary StepWell<sup>™</sup> Sanitizing Tray and hydrogen peroxide sanitizing solutions; can be used with chlorine bleach solutions, but failure to adhere to Specialty · Indoor recommended concentrate can damage the product. 2' x 3' Tray with Insert Product No. 834 • Quaternary ammonium should be used per recommended Product No. 836 Inserts dilution instructions on the label (for sanitizing level protection). • 3% hydrogen peroxide solutions can be used without further dilution. Like the StepWell Mat, this product is designed for shoe sanitation. It features a 2' 6% chlorine bleach should be used at a concentration x 3' well that holds an abrasive insert and your preferred liquid sanitizer. A walk-off of 0.4% (0.5 oz. per gallon). Caution: Do not use mat as mat is recommended to follow the StepWell Tray in order to help remove excess a work surface to prepare bleach solution, as undiluted moisture from shoes, reducing the likelihood of slips and falls. bleach may cause permanent color loss. StepWell Mat (#835)



HEBE SHOES

#### M+A Matting Our Environmental Commitment

M+A Matting is dedicated to environmental stewardship and strives to create a culture of conservation as a manufacturer and global supplier. We have funded and will continue to fund the research and development (R&D) of matting designed to keep facilities safe, clean, and comfortable.

As a leading manufacturer of matting, M+A has established R&D priorities intended to create sustainable products made from recycled materials whenever possible, and continually evaluates operational procedures looking for opportunities to implement practices that conserve resources and minimize waste.

## **Conservation Through Innovation**

- Our SBR rubber compound contains 20% recycled rubber from car tires.
- Several of our mats are made with PET (polyethylene terephthalate), a synthetic fiber made from post-consumer recycled plastic bottles.
- » Our 23-ounce PET yarn contains 100% recycled content
- » Our 30-ounce PET fiber contains 100% recycled content; In 2018, M+A transformed more than 298 million plastic bottles (that might have otherwise ended up in a landfill or ocean) into WaterHog Eco mats.
- In 2018-19, we transitioned our 24-ounce polypropylene to a 24-ounce PET fiber with 100% recycled content. Both the original WaterHog line of mats and the WaterHog Eco line of mats are now made with 100% recycled PET.



#### Reuse • Reduce • Recycle



- We recycle nearly 1 million pounds of yarn and other synthetic materials, and approximately 200,000 pounds of paper and cardboard each year.
- Mountville Rubber, M+A Matting's sister company and rubber supplier, recycles approximately 1.25 million pounds of rubber annually.



# **About M+A Matting**

The M+A name represents two powerful brands – Mountville and Andersen – with nearly a century of combined experience developing and manufacturing mats designed to make environments safer, cleaner, and more comfortable.

# **A Brief History**


In 1963, the late Emmet Hart, with his wife Nancy by his side, established Mountville Mills. A little over a decade later, in 1974, the late Walter Andersen established The Andersen Company. Throughout the years, the companies drove innovations in their respective markets; Mountville in the textile rental market, and Andersen in the janitorial/sanitary supply markets. Driven by quality, innovation, and customer service, they paved the way for future generations of Harts and Andersens to expand the business. In 1999, these flagship brands joined forces to become the largest mat manufacturer in the world, and in 2018 we made the union official with a name change to M+A Matting.

For decades, we've been a symbol of quality and customer service. We're the driving force in the mat industry, developing the next generation of mats designed to provide superior safety, cleanliness, and comfort to workers and customers across the world. Whether you need entrance matting, logo matting, or anti-fatigue matting, M+A has you covered.

There are three principles that guide every action we take, every decision we make, and every mat we produce:

- Do the right thing.
- Do what is best for the customer.
- Drive improvements and innovation.

It is these core values that drive us to provide our customers with high-performance, high-quality matting and unparalleled customer satisfaction.





649

64

A. LEA

1201

120

ű.

Pr Cash

A AND

16.8

09/2019

Ser!

La participation

M+A Matting • 340 Cross Plains BLVD • Dalton, GA 30721 800.241.4696 • 706.277.2551

ANTI-FATIGUE MATS

SLIP-RESISTANT MATS

LOGO MATS

ENTRANCE MATS AND TILES

SPECIALTY MATS

INDUSTRIAL MATTING CATALOG

2020





# **M+A Matting · Satisfaction Guaranteed**


M+A mats are where design and function come together, where quality isn't compromised to meet a price point, and where solutions to your maintenance and décor problems come first. We promise our customers an unconditional, 100% satisfaction guarantee for the life of the product.

At M+A, we are committed to reducing our environmental impact. We are continually improving our environmental performance as an integral and fundamental part of our business strategy and operating methods. We have reduced waste going to landfills by 80% and recycle most paper, metal, cardboard, plastic, carpet, and rubber waste we generate. Our commitment is also evident in our development of dozens of mat styles that contain recycled raw materials.

For over five decades, M+A Matting has been America's leader in innovative floor protection systems, industrial safety, anti-fatigue products, and high performance entrance matting. If you are looking for better ways to minimize maintenance, prolong floor surface life, reduce cleaning costs, improve safety, or increase worker comfort, ask for M+A Matting.



#### **TABLE OF CONTENTS**









MAT COLLECTION



# **M+A Matting Product Feature Guide**

		W	at hreas Dam	PHESS DI	Brease Resistant Dill	Proof Cite	enical hni	microbial well	une Sale Her	stically ontorive St	atic ine hit	Static Hon-cont
Item Category	Page Number											
Anti-Fatigue			1			1					1	
Comfort Flow	25	Х			Х	Х	Х	Х		Х		
Comfort Flow HD	39	X			X	Х	X	Х	X			
Comfort Scrape	25	Х			Х	Х	Х	Х		Х		
Complete Comfort	23		X	X		X	X				X	
Complete Comfort II	22	X			Х	Х	Х	Х		Х		
Cushion Max	18		X	X		X					X	
Cushion Station	24	X			Х	Х	Х	Х		Х		
GetFit StandUp (fabric and designer top)	21										X	
Happy Feet	19	Х			Х	Х		Х	Х			
Hog Heaven	17		X		Х*	Х		Х	Х			
Hog Heaven Fashion	21										Х	
Hog Heaven Marble	20										X	
Hog Heaven Prime	20		Х		Х*	Х		Х	Х			
Hog Heaven III Comfort	36, 37		Х		Х*	Х		Х	Х			
Hog Heaven III Traffic	38		Х		Х	Х		Х	Х			
Kneeling Comfort	27		X		Х*	Х		Х	Х			
Sure Cushion Products	28											
Traction Tread Soft	29		X	X		Х	X	Х		X		
Slip Resistant Matting												
Melt Step	62	X			X	Х		Х				
SuperScrape & SuperScrape Plus	63	Х			Х	Х		Х				
Sure Stride & Sure Stride Plush	66, 67		X				X					
Traction Tread	29		Х		Х	Х		Х	Х			
Wet Step	26	X			X	Х	X	Х		X		
Non Conductive Matting												
Switchboard Matting	30-31											X
Logo Mats												
Berber Impressions HD	43		X									
ColorStar Impressions	46		X									х
Classic Impressions HD	45-46		Х							X		
Hog Heaven Impressions	47		Х	X		Х		Х				
SuperScrape Impressions	47		X	X								
WaterHog Impressions HD	43		X								Х	
WaterHog Inlay	44		X								х	

\*The 100% nitrile rubber surface is grease/oil proof; the nitrile-blended cushion is grease/oil resistant

# M+A Matting Product Feature Guide

/

/

/

1 2 1

/

/ .0.

			W	at heas Dat	IN HERS DI	Besistant DI	Broot Che	mical esistant puti	microbial Treated well	uns Sate the	Trically onductive S	atic ine hit	I-Static Non-Co	onductive
ltem	Category	Page Number												
	Entrance Way Mats								1			1		
Brush Hog		-		Х										
Classic Brush		-		X										
ColorStar		64		Х								Х		
Enviro Plus		65		X								Х		
Frontier		63	Х											
MicroLuxx		64		X										
Plush		65		X										
SuperScrape & S	uperScrape Plus	63	Х			X	x		Х					
WaterHog		51		Х								Х		
WaterHog Diamo	nd	52		X								Х		
WaterHog Diamo	ndcord	58		X								Х		
WaterHog Eco Eli	ite	55		X								Х		
WaterHog Eco Gr	and	54		X								Х		
WaterHog Low Pr	rofile	59		X								Х		
WaterHog Master	rpiece Select	58		Х								Х		
WaterHog Plus		59		Х								Х		
WaterHog Tile		60		X								Х		
Victory		-		X										
	Specialty Mats													
Clean Stride		68										Х		
Sure Tread V-Gro	love	28												
WaterHog Forklif	t	61		Х								Х		
			1											

# The Benefits of Anti-Fatigue Mats



Anti-Fatigue mats alleviate stress to the back and legs by providing a cushioned surface to stand on.


Anti-Fatigue mats are perfect for people who have to stand or work in the same place for continual periods of time.

Anti-Fatigue mats are recommended for a wide variety of industries and are commonly placed in various applications such as:

- Production or assembly lines
- Stand Up Desks or Workstations
- Kitchens
- Cashier Desks
- Laboratories and many more

# M+A Matting Anti-Fatigue mats have been shown to do the following:

- REDUCE ENERGY CONSUMPTION BY UP TO 50% in the supporting muscles such as those in the leg and the lower back, when compared to standing on a hard floor
- **REDUCE FATIGUE** by promoting subtle movement in the leg and calf muscles, resulting in increased blood and oxygen flow



#### BALANCED

- Improves structural alignment and joint function
- Improves muscular balance and prevents nerve impingement
- Reduces uneven wear and tear on joints
- Body weight evenly distributed
- Efficient natural movement
- Reduced pressure on organs

#### **IMBALANCED**

- Neck pain and headaches
- Shoulder restrictions and pain
- Arm and hand pain nerve entrapment
- Bulging discs/back pain
- Uneven pressure/knee pain
- Uneven weight distribution
- Foot and ankle pain




# Safety and Ergonomics

Mats are used throughout facilities in numerous other capacities where safety is a must and anti-fatigue comfort is essential to the health and well being of employees.

- Slip and falls are the second leading cause of all workplace injuries according to Liberty Mutual Workplace Index. As many as 25,000 people a day are victims of slip-and-fall accidents (NSC).
- Compensation and medical costs associated with employee slip-and-fall accidents total approximately \$70 Billion annually (NSC).
- The average cost of a slip-and-fall injury exceeds \$12,000 (Wausau Insurance).
- The average cost to defend a slip-and-fall lawsuit is \$50,000 (NFSI).
- Back injuries account for 25% of all worker compensation claims annually
- Cumulative Standing Trauma (CST) causes billions of dollars of loss annually due to reduced productivity, increased worker compensation, higher insurance rates, and absenteeism.
- According to the American College of Occupational and Environmental Science, about 38% of workers in the United States suffer from fatigue.

#### Testing shows that ergonomic matting can reduce worker fatigue.

# **Compression Deflection & Durometer (Hardness) Comparison**



# **Compression Deflection**

**General Principal** 

- 1. This test was designed to assess and compare performance characteristics of a variety of industrial anti-fatigue mats submitted for testing. Two specific load levels were applied to the test samples and the results show the deflection measured. The two specific load levels performed were 20 psi, equal to a 150 pound human and 40 psi, equal to a 600 pound human.
- Readings suggest that less than 20% deflection could be perceived as too hard and readings above 60% deflection could be perceived as too soft. It appears that between 20% and 60% deflection anti-fatigue properties can be felt.

# **Durometer/Hardness**

**Comfort Floy** 

**General Principal** 

The hardness of a test sample is measured by means of a Type A Shore Durometer. The Durometer measures the penetration of its specified indenter forced into the test material under specified conditions. The lower readings indicate softer materials.

**Cushion Statio** 

**TEST RESULTS** 

#### Comfort Flow™ & Cushion Station™

Comfort Flow: 43.8% deflection @20psi 55.7% deflection @40psi

Cushion Station: 41.2% deflection @20psi 57.4% deflection @40psi

> Durometer/Hardness: Comfort Flow: 45 Cushion Station: 45

#### **Cushion Max**

61.7% deflection @20psi 77.5% deflection @40psi

Hog Heaven® 5/8"

47.8% deflection @20psi

61.6% deflection @40psi

Durometer/Hardness: 56

# Diamond Plate 5/8"

COMPETITOR'S

Traditional

**Industrial Red Mat** 

11% deflection @20psi

22% deflection @40psi

Durometer/Hardness: 70

**PVC Foam** 

38% deflection @20psi

59% deflection @40psi

48% deflection @20psi 65% deflection @40psi

Durometer/Hardness: 85

Hog Heaven

5

# **ESD** Matting

# ESD Matting is designed to quickly drain static electricity from people to help protect sensitive equipment from damage.

ESD Matting is divided into three classifications:

- **1. Electrically Conductive** is rated 10^1 to 10^5 and accepts static electricity the quickest. This is the most often used ESD matting.
- 2. Static Dissipative is rated 10^6 to 10^9 and is the middle range of ESD matting.

3. Anti-Static is rated 10^10 to 10^12 and accepts static the slowest.

ESD Matting is rated in ohms, or the measure of resistance. The lower the resistance, the more quickly static is accepted by the matting, i.e., the lower the exponential, the more quickly static is accepted.



Accessories

**Ground Cords** are used to allow static electricity to pass more efficiently to a ground and provide a controlled path. Use the cord to connect all ESD floor mats to a building ground. The terminal can be connected to an electrical outlet using the screw in the outlet cover.



**Heel Grounders** are made for workers wearing rubber soles and other insulating shoes. They allow static electricity to pass around the shoe into the ESD matting. Fasten the Heel Grounder to the heel of the shoe with the Velcro and allow the fabric strip to touch the sock or skin for best performance.



6

# **Chemical Compatibility of Nitrile Rubber Products**

	Chemical Tested	Rating
A	Aliphatic Hydrocarbons - Kerosene, Etc.	1
В	Animal & Vegetable Oils	1
С	Aromatic Hydrocarbons - Benzol, Toluol, Etc.	1
D	Bleach	1
E	Concentrated Alkali	1
F	Cutting Oil	1
G	Denatured Alcohol	1
Н	Diesel	1
I	Dilute Alkali	1
J	Engine Oil	1
К	Gasoline	1
L	Hydraulic Fluid Silicate Ester	1
М	Hydraulic Fluid Water Glycol	1
N	L.P. Gas, Fuel Oils	1
0	Lubricating Oils - High Aniline	1
Р	Lubricating Oils - Low Aniline Point	1
Q	Mineral Spirits	1
R	Muriatic Acid - 30%, 20 Degrees Baume	1
S	Phosphoric Acid	1
T	Pine Cleaner	1
U	Refrigerants, Ammonia	1
V	Sodium Hydroxide, Rayon Grade, 25%	1
W	Sulphuric Acid - 30%	1
Х	Transmission Fluid	1
Y	WD40	1
Z	Water	1
AA	Window Cleaner	1
BB	Anti-Freeze	2
CC	Brake Fluid	2
DD	Calcium Hypochlorite - 12%	2
EE	Chlorine Bleach - 12.5%	2
FF	Hydraulic Fluid - Petroleum Base	2
GG	Steam	2
HH	Butyl Alcohol	3
II	Isopropyl Alcohol - 99%	3
JJ	Acetic Acid - 56%	4
KK	Acetone	4
LL	Cyclohexane	4
MM	Refrigerants, Methyl Chloride	4

Applies to these products:					
Happy Feet	Hog Heaven III Traffic				
Safety Scrape	Hog Heaven				
Hog Heaven III Comfort	Cushion Station				
Comfort Flow	Comfort Flow HD				
Fraction Tread	Fraction Tread Soft				
Hog Heaven Prime	Complete Comfort II				

- 1 = Little or no effect
- 2 = Minor to moderate effect
- 3 = Moderate to severe effect
- 4 = Not recommended

# Mat Symbols



# Anti-Fatigue

Ergonomic mats and floor tiles reduce fatigue by up to 50%. Antifatigue mats help increase blood circulation and reduce pressure on the body's musculoskeletal system. They also reduce foot arch pronation, varicose veins, and pain commonly attributed to standing for long periods of time.



# Safety

Matting and tiles with highly visible, colored borders and beveled edges reduce trips and falls.



# **Chemical Resistant**

Many M+A Matting mats are manufactured with nitrile rubber which is resistant to most commonly used chemicals. Please consult the chemical compatibility chart on page 5 for additional information.



# **Oily Environment**

Nitrile rubber mats withstand degradation from oils and grease. These mats are suitable for use in environments with industrial oils, machine lubricants, greases, food grade oils, etc.



# Wet Areas

Matting recommended for wet areas; mats with this designation will maintain all functionality even in standing water. They have openings designed to let water pass through the mat and keep the work surface dry, or are otherwise designed to be slip-resistant in wet environments.



# **Damp Areas**

Matting that maintains slip-resistance even when surface is damp or wet temporarily.



# ESD

Matting that dissipates static electricity from people to protect sensitive equipment and small static generated electric shocks.



# Welding Safe

Matting that is suitable for use in locations of high temperatures and welding slag. The temperature resistant rubber can withstand temperatures up to 1742 degrees Fahrenheit from welding slag and hot metal shavings.

8

# **Mat Symbols**



# Anti-Slip

Uniquely designed texturized surfaces prevent slip and fall accidents. Heavy-duty rubber keeps the mats in place and prevents movement on a variety of surfaces.



# Non-Conductive

Matting created for Switchboards and high voltage areas. Prevents workers from being grounded and reduces the potential for injuries caused by electrical shock.



# **Cart Traffic**

Matting and tiles designed to withstand heavy cart traffic, and is also an ideal placement around heavy objects.



# **Anti-Microbial**

Matting permanently treated with an anti-microbial agent that guards against degradation from micro-organisms and minimizes mats being a source of odors.



# **Interlocking Floor Tiles / Mats**

Tiles that can be customized to fit large work areas and various shapes around work tables, machinery, conveyors, etc. Interlocking tiles may be easily reconfigured as equipment is moved.



# Scraper

Scraper mats are heavy-duty mats designed to stop mud and larger particles of dirt from being tracked inside buildings.



# Scraper/Wiper

Scraper/Wiper mats provide scraping action and wiping to further stop dirt and moisture from entering a facility. These mats are typically made of tough heavy-duty commercial fabrics. They retain dust in recessed grooves while absorbing moisture in the fabric surface.




# Wiper


Wiper mats are designed to stop any remaining dust and moisture. These mats are made with a variety of carpeted surfaces and colors to compliment a wide range of interiors.



# Mat Selector G



# uide Industrial



Mat		Area				
G,E		Cafeteria/Break				
K,A		Clean Room				
M,L		Dry Assembly				
F,Q		Electric Panel				
R, H		Entrance				
, C,G		Eyewash Stn.				
, G,C		Food Prep				
1,G		Locker Room				
L,M		Mail & Samples				
L,P		Maintenance				
M,L		Manufacturing				
M,L		Molding				
S,J		Offices				
L,M		Quality Control				
O,N		Paint				
L,M		Quality Control				
S,B		Reception				
L,M		Rework				
L,M		Shipping/Receive				
M,L		Stamping				
0,N		Test Lab				
L,M		Tool Stores				
T,U		Vestibule				
L,M		Warehouse				
M,L		Welding				
C,D		Wet Assembly				
LTR	N	/lat Style	Proc	1.		
A	1	lean Stride	#412			
в	-	lassic Solutions	#120			
с	-	omfort Flow	#420			
D	С	omfort Flow Mod. Tile	#4430	)		
E		omfort Scrape	#430			
F	С	orrugated Swtchbrd.	#781			
G	С	ushion Station	#370	37		
н	s	uperScrape	#555			
I	F	rontier	#437			
J	G	ietFit StandUp	#4442	2		
к	Н	appy Feet	#465			
L	н	og Heaven	#424			
м	н	H3 Comfort Mod. Tile	#4473	1		
N	н	H3 Traffic Mod. Tile	#4477	7		
0	н	og Heaven Marble Top	#448			
Р	К	neeling Comfort	#433			
Q	N	ilitary Swtchbrd. Dmnd.	#789			
R	S	uperScrape Plus	#5558	3		
	1					

The first letter denotes **Best** choice, the second letter is a **Good** secondary option for the corresponding areas of the facility.

S

т

U

ColorStar

WaterHog

WaterHog Mod. Tile

These are the most commonly used mats & floor tiles in industrial manufacturing facilities. The letter corresponds with the area chart to the left to help you locate the correct mat for a specific location.

#100

#2210

#200 280

# Are you getting the most from your anti-fatigue mats?





Hog Heaven <sup>®</sup>	vs. Diamond-Plate Select
Durable nitrile rubber surface; nitrile-blended foam cushion	n PVC (vinyl) surface; PVC foam cushion
Slip-resistant, even when wet (0.85 wet per ASTM C1028-96)	S) Slippery when wet (0.17 wet per ASTM C1028-96)
Welding Safe	Not recommended for welding
Oil/grease proof surface; oil/grease resistant cushion	Not recommended for use around oil/chemicals
Electrically conductive	No anti-static benefits
Rubber borders will not ripple or curl	PVC borders will ripple & curl over time
Cushion is permanently molded to surface	Cushion is glued to surface and can delaminate
100% customer satisfaction guarantee	Limited warranties which vary by manufacturer

# Do you want urethane comfort at an affordable price?






Hog Heaven Prime®	VS.	Commercial Grade Urethane
\$75.00	2' x 3' Retail Price	\$120.00
5/8"	Thickness	3/4"
53% at 20 psi, 67.4% at 40 psi	Compression Deflection	12% at 20 psi, 34% at 40 psi
61 grams (-1.92%)	Taber Abrasion	-1.20 grams (-3.22%)
28.44 lbs	Tensile Strength	29.47 lbs
21.7 lbs	Tear Strength	8.8 lbs
18.4 lbs	Puncture Test	18.7 lbs
Yes	<b>Electrically Conductive</b>	No
Yes	Welding Safe	No
Yes	Chemical Resistant	No
Yes	Slip Resistant Backing	No
100% customer satisfaction guaranteed	Warranty	Limited

# Are all industrial mats the same?

VS.



Comfort Flow  ${}^{\scriptscriptstyle{\mathsf{TM}}}$ 



**Traditional Drainable Mats** 

Made of durable nitrile rubber foam	Made of rubber					
Grease/oil proof & chemical resistant	Claims grease/oil proof & chemical resistance (not made of 100% nitrile, meaning grease/oil will degrade mat)					
Superior anti-fatigue properties	Minimal anti-fatigue properties					
Anti-microbially treated for odor control	No anti-microbial treatment					
Light weight, easy to lift, roll, and clean	Heavy, difficult to move/roll					
Beveled edges allow carts to easily roll over	No beveled edges; can create tripping hazard					
100% customer satisfaction guaranteed	Limited warranty					
Similar cost twice the life!						

Cushion Max™	vs. PVC Foam Cushion
Nitrile-blended closed-cell foam	PVC Foam
Durable diamond pattern surface	Ribbed surface (prone to peeling & shaving)
5/8" thickness	3/8" thickness
Drainable; can be used in wet environments	Non-drainable; not suitable for wet environments
Excellent anti-fatigue properties	Minimal anti-fatigue properties
100% customer satisfaction guaranteed	1-year warranty





# ANTI-FATIGUE, SLIP-RESISTANT, & FLOOR PROTECTION MAT COLLECTION

HOG HEAVEN® CUSHION MAX<sup>™</sup> HAPPY FEET® HOG HEAVEN PRIME® HOG HEAVEN<sup>®</sup> MARBLE **GETFIT STANDUP® MAT** HOG HEAVEN® FASHION COMPLETE COMFORT<sup>™</sup> II COMPLETE COMFORT™ CUSHION STATION™ COMFORT FLOW<sup>™</sup> COMFORT SCRAPE™ WET STEP® KNEELING COMFORT™ SURE CUSHION RIBBED SURE CUSHION TEXTURE SURE CUSHION HEAVY DUTY SURE CUSHION YELLOW BORDER SURE TREAD V-GROOVE TRACTION TREAD TRACTION TREAD SOFT CORRUGATED SWITCHBOARD DIAMOND PLATE SWITCHBOARD MILITARY SWITCHBOARD MILITARY SWITCHBOARD SMOOTH



Anti-Fatigue Mats

Provide Comfort and Increase Productivity

Anti-Fatigue mats are available in a wide range of sizes, weights and materials. It has been proven that the proper use of anti-fatigue mats can enhance worker productivity. These mats are designed for use wherever workers spend time standing and will help to eliminate muscular skeletal disorders.

# **Slip Resistant and Safety Mats**

Protect Against Slips and Falls

Slip resistant and safety mats help provide safe working areas for employees and visitors to facilities. 85% of worker's compensation claims are attributed to employees slipping on slick floors. The utilization of slip resistant mats is an ideal solution to prevent such accidents from occurring.



Flow Through Mats Wet Area Solution

Flow through mats allow liquids to pass through them to eliminate slip hazards. Anti-fatigue properties provide comfort when standing for long periods of time. The thick rubber helps alleviate stress on the legs, feet and lower back.



# **Runner and Floor Protection Matting**

Runner matting covers inside walkways and helps reduce slips and falls. Slips and falls are a leading cause of accidents in the workplace and providing sure footing is important to help decrease these types of accidents. Runner matting also protects the floor from parts or other objects being dropped, as well as aids in noise abatement.



# **Switchboard Matting**

Switchboard matting protects workers from dangerous and harmful deadly shocks that can occur with electrical switchboards. This matting keeps the workers from being grounded and insulates them against high voltage. Switchboard matting is commonly referred to as non-conductive matting.

# Mat Thicknesses





# **HOG HEAVEN®**

Anti-Fatigue · Slip-Resistant

- 5/8" Black Border 5/8" Yellow Border 7/8" **Black Border** 7/8" **Yellow Border**
- Product No. 421 Product No. 423 Product No. 422 Product No. 424

SIZES

2' x 3' 3' x 5'

3' x 12'

4' x 6'

to 60'.

See price

list for all

additional

sizes.


Sizes are


approximate.

4.8' x 8' Additional

- Comfortable High-density nitrile-blended cushion helps eliminate pressure to the lower back and legs, providing superior comfort
- Safe Certified high-traction by the National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- Durable Nitrile-blended cushion provides years of useful service life; cushion is molded, not glued, to the nitrile rubber surface so it will not separate
- Versatile Welding safe; grease/oil proof surface (resistant cushion); chemical resistant; ESD rating of electrically conductive
- Available in 5/8" or 7/8" thicknesses with solid black or with OSHA-approved caution yellow borders
- · Can be customized with your logo, design, or message (see Hog Heaven Impressions)










IN THE







**CUSHION MAX<sup>™</sup>** 

Anti-Fatigue · Slip-Resistant · Flow Through

	Product No. 413 Product No. 414

- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Comfortable 5/8" nitrileblended closed-cell foam provides superior anti-fatigue properties
- additional • **Durable** – Diamond-pattern sizes. surface provides increased durability compared to ribbed surfaces which tend to peel and shave; grease/oil resistant; chemical resistant
- Available with drainage holes for wet area applications

Sizes are approximate.

SIZES

2' x 3'

3' x 5'

3' x 12'

4' x 6' Additional


lengths

up to 45'.

See price

list for all







# HAPPY FEET®

Anti-Fatigue · Slip-Resistant

	BLACK B	ORDER
1/2"	Textured Surface	Product No. 465
1/2"	Grip Surface	Product No. 475
	CAUTION YELL	OW BORDER
1/2"	Textured Surface	Product No. 466
1/2"	Grip Surface	Product No. 476

- **Comfortable** 1/2" dense foam cushion encapsulated in nitrile rubber provides excellent anti-fatigue qualities
- **Safe** Certified high-traction by the National Floor Safety Institute (NFSI); low profile beveled edges provide a safe floor-to-mat transition
- MAT SIZES 2' x 3' 3' x 5' Sizes are approximate.
- **Durable** Borders will not crack or curl; nitrile rubber surface is penetration proof
- Versatile Welding safe; grease/oil proof; chemical resistant; ESD rating of electrically conductive
- Available in two surface types: textured surface for dry/ damp environments or grip surface for wet areas where additional traction is needed; Happy Feet with textured surface can be autoclave sterilized
- Available in solid black or with OSHA-approved caution yellow borders
















# Midnight Swirl

Sizes are approximate.

3' x 12'

4' x 6'

to 60'.

See price list for all

additional

sizes.

Additional

lengths up

Granite Dusk

**Midnight Swirl** 

#### • Comfortable - High-density nitrile-SIZES blended cushion helps eliminate 2' x 3' 3' x 5'

**HOG HEAVEN® MARBLE TOP** Anti-Fatigue · Slip-Resistant

Product No. 448

Product No. 449

pressure to the lower back and legs, providing superior comfort; smooth rubber top allows workers to pivot freely • Safe - Certified high-traction by the

5/8"

7/8"


- National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- Durable Rubber surface is molded, not glued, to the nitrile-blended cushion so it will not separate
- Easy to Clean Smooth diamondpatterned rubber surface is easy to clean
- Available in 5/8" or 7/8" thicknesses and 3 neutral colors to blend with any décor



Blue Merle



GETFIT STANDUP® MAT Anti-Fatigue · Slip-Resistant						
5/8" Fabric Top 5/8" Rubber Top	Product No. 444 Product No. 444					
<ul> <li>Comfortable – 5/8" nitrile-blende excellent anti-fatigue properties a from extended standing</li> </ul>		<b>SIZES</b> 22" x 32" 22" x 50"				
 <ul> <li>Safe – Beveled edges provide a se from floor to mat; edges will not cr</li> <li>Stain-Resistant</li> </ul>		22" x 50 22" x 60" 34" x 47" 34" x 60"				
<ul> <li>Available in 2 surface types – an e fabric top (made from recycled pla maximum durability</li> </ul>						
* Rubber top is grease/oil resistant; ESD rating of electrically conducti		ng safe;				







made in the USA



# COMPLETE COMFORT<sup>™</sup>II

Anti-Fatigue · Slip-Resistant

#### 1/2" Product No. 594

SIZES

2' x 3'

3' x 4' 3' x 5'

4' x 6'

Sizes are

approximate.

- Comfortable 1/2" thick nitrile foam provides superior anti-fatigue properties
   Clean – Anti-microbial treatment
- provides lifetime protection from odors and degradation
  Safe - Beveled edges provide a safe transition from floor to mat
- Versatile Grease/oil proof; chemical resistant; welding safe; ESD rating of static dissipative
- Easy to Clean Can be autoclave sterilized; can withstand commercial laundering





# **COMPLETE COMFORT**<sup>™</sup>

Anti-Fatigue · Slip-Resistant · Flow Through

without holes Product No. 494 5/8" 5/8" with holes Product No. 496

- Comfortable 5/8" thick nitrile-blended foam provides superior anti-fatigue properties
- **Clean** Anti-microbial treatment provides lifetime protection from odors and degradation
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Easy to Clean Lightweight and flexible for easy handling and cleaning
- Grease/oil resistant; chemical resistant
- Available with drainage holes for use in wet environments

SIZES 2' x 3' 3' x 4' 3' x 5' 3' x 10' 4' x 6' 4' x 8' 3' and 4' widths available in lengths up to 75' . See price list for all additional sizes. Sizes are approximate.



Dry or Damp / Indoor







# **CUSHION STATION**<sup>™</sup>


Anti-Fatigue · Slip-Resistant · Flow Through

7/16" without holesProduct No. 3707/16" with holesProduct No. 371

- **Comfortable** 7/16" nitrile foam provides excellent anti-fatigue properties
- **Clean** Anti-microbial treatment provides lifetime protection from odors and degradation
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Versatile Grease/oil proof; chemical resistant; welding safe; ESD rating of static dissipative
- Easy to Clean Flexible construction makes this mat easy to clean; can be autoclave sterilized
- Available with drainage holes for wet area applications

SIZES
2' x 3.2'
3.2' x 5.3'
3.2' x 8.3'
3.2' x 12.3'
3.2' x 16.1'
3.2' x 20.1'
4' x 5.92'
4' x 8.3'
4' x 12.3'
4' x 16.1'
4' x 20.1'

Sizes are approximate.





E





#### COMFORT SCRAPE Slip-Resistant · Anti-Fatique

#### **Comfort Scrape** Product No. 430

#### **COMFORT FLOW**<sup>™</sup> Slip-Resistant · Flow Through · Anti-Fatigue

#### 3/8" **Comfort Flow** Product No. 420

• Clean - Lifetime anti-microbial treatment SIZES prevents odors and degradation of the mat 2' x 3'

3/8"

- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Comfortable** High-density closed-cell nitrile rubber cushion provides excellent anti-fatigue qualities
- Versatile Grease and oil proof; chemical resistant; welding safe; ESD rating of static dissipative
- Easy to Clean Lightweight flexible design ensures easy handling and cleaning
- Comfort Flow has drainage holes to allow liquids to flow through. Comfort Scrape has a non-draining surface

4 2 4 4 4 5 6 7 6 6 2 6

Dry or Wet / Indoor or Outdoor



N THE USA

3' x 5' 4' x 6'

3' x 9'




Dry or Wet / Indoor or Outdoor

# WET STEP®

Slip-Resistant · Flow Through · Anti-Fatigue

### 1/4" Product No. 789

- Slip-Resistant & Safe Drainage holes allow water to freely drain away; certified hightraction by the National Floor Safety Institute (NFSI)
- **Comfortable** ¼" thick high-density nitrile rubber foam provides anti-fatigue properties making it very comfortable for bare feet
- **Clean** Anti-microbially treated to help prevent odors and degradation; can be autoclave sterilized
- **Durable** Nitrile rubber foam is UV resistant and provides years of service life
- Recommended for pools, spas, showers, locker rooms, and other wet areas



Sizes are

approximate.









# **KNEELING COMFORT**<sup>M</sup>

Anti-Fatigue · Slip-Resistant

#### 7/8" Product No. 433

- **Comfortable** 7/8" cushion reduces knee trauma and lower back stress
- Clean Closed-cell nitrile rubber foam will not absorb liquids and wipes clean with soap and water
- **Durable** Grease/oil proof surface (resistant cushion); chemical resistant; welding safe
- Safe Certified high-traction by the National Floor Safety Institute (NFSI); ESD rating of electrically conductive
- **Convenient** Built-in handle enables easy transportation and storage













THE RECENTION OF THE

Dry / Indoor \* PVC foam mats are not guaranteed against damage from high heels, casters or chair legs. Not recommended for use in wet areas.

ure Cushion Ribbe

e Cushion Textur

Sure Cushion Heavy Duty

# Floor Protection · Anti-Fatigue SURE CUSHION RIBBED

#### 3/8" Product No. 415

Ribbed PVC foam\*

SIZES	
2' x 3'	2' x 60'
3' x 5'	3' x 60'
3' x 12'	4' X 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

# SURE CUSHION TEXTURE

#### 3/8" Product No. 425

• Textured PVC foam\*

**SIZES** 2' x 3' 3' x 12' 3' x 5' 3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

# SURE CUSHION HEAVY DUTY

#### 1/2" Product No. 428

- PVC foam for heavy use areas\*
- 80 mil solid vinyl surface combined with a non-closed cell vinyl cushion back

• Beveled on all sides

for safety

2' x 3' 3' x 12' 3' x 5' 3' x 60' Additional lengths up

SIZES

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

# SURE CUSHION YELLOW BORDER

#### 3/8" Product No. 427

 PVC foam with yellow border on two sides\* **SIZES** 2' x 3' 3' x 12' 3' x 5' 3' x 60'

Additional lengths up to  $60^{\circ}.$  See price list for all additional sizes. Sizes are approximate.

# SURE TREAD V-GROOVE

#### 1/8" Product No. 505

- Solid vinyl
- Chemical resistant

# • Provides protection for all types of floors from abuse due to chairs, tables and foot traffic

- Great for walkways, inclines, and ramps
- Can be rolled for easy storage

# SIZES

3' x 105' 4' x 105' Additional lengths available. Sizes are approximate.

Sure Cushion Yellow Border





MADE

USA



28

# **TRACTION TREAD**

Slip-Resistant · Floor Protection

### 1/8" Product No. 50

Traction Tread mats are designed to provide slip-resistant floor protection in a variety of settings.

- Slip-Resistant & Safe Certified high-traction by the National Floor Safety Institute (NFSI)
- **Durable** 1/8" solid nitrile rubber provides years of service life and will not crack or curl
- Versatile Grease/oil proof; chemical resistant; welding safe; ESD rating of electrically conductive

2' x 3' 3' x 5' 3' x 9' 3' x 12' 4' x 6' 4' x 9' 4' x 12'

SIZES

Sizes are approximate.





🖄 🔷 🔷 🏈 🏈

Dry or Damp / Indoor

# **TRACTION TREAD SOFT**

Slip-Resistant · Floor Protection · Anti-Fatigue

### 1/4" Product No. 56

- Slip-Resistant & Safe Certified high-traction by the National Floor Safety Institute (NFSI) 2' x 3'
- **Comfortable** ¼" thick high-density nitrile rubber foam provides anti-fatigue properties
- Odor Resistant Anti-microbially treated to help prevent odors and degradation
- **Durable** Nitrile rubber foam provides years of service life and will not crack or curl
- Versatile Grease/oil resistant; chemical resistant; welding safe; static dissipative

Sizes are approximate.

3' x 5'

3' x 9' 3' x 12'

4' x 6'

4' x 9' 4' x 12'

Traction Tread Soft






# CORRUGATED SWITCHBOARD

Dry / Indoor

Non-conductive

# 1/4" Product No. 781

- Non-conductive
- Type II, Class 2 meets additional testing for Flame, Oil and Ozone resistance
- Protects workers from electrical shock by insulating against high voltage
- Corrugated Switchboard matting conforms to ASTM testing D-178-01
- Tested dielectric strength 30,000 volts
- Maximum use voltage is 17,000 volts



SIZES 24" x 75'

36" x 75'

48" x 75'





Diamond Plate Switchboard

# **DIAMOND PLATE** SWITCHBOARD

Non-conductive

#### 1/4" Product No. 783

#### • Non-conductive

- Type II, Class 2 meets additional testing for Flame, Oil and Ozone resistance
- Protects workers from electrical shock by insulating against high voltage
- Diamond Plate Switchboard matting conforms to ASTM testing D-178-01
- Tested dielectric strength 30,000 volts
- Maximum use voltage is 17,000 volts
- Sizes are approximate.

SIZES 36" x 75'





4

# MILITARY SWITCHBOARD DIAMOND

Non-conductive

# 3/16" Product No. 784


- Non-conductive
- Meets strict Military specification standard MIL-DTL 15562G
- Type III PVC runner material protects workers in high voltage use areas
- Dielectric Strength: The floor covering shall not fail at less than 30,000 volts when tested as specified - MIL-DTL 15562G


Sizes are approximate.

SIZES

36" x 75'














#### ERGONOMIC MODULAR TILE MAT COLLECTION

HOG HEAVEN III® COMFORT MODULAR TILE HOG HEAVEN III® COMFORT LINKABLE MATS HOG HEAVEN III® COMFORT WORKSTATION MATS HOG HEAVEN III® TRAFFIC MODULAR TILE HOG HEAVEN III® TRAFFIC LINKABLE MATS COMFORT FLOW<sup>™</sup> HD MODULAR TILE COMFORT FLOW<sup>™</sup> HD LINKABLE MATS

## Site Audit/Assessment





## A Site Audit by an M+A Matting Expert Includes:

- A complete assessment of your facility
- Review of the findings with you
- Development of a plan based on your budget and timeline
- Delivery of a report based on the information above

# Benefits to Employees:

- 1. Reduced fatigue and improved skeletal structure alignment
- 2. Increased productivity
- 3. Improved morale
- 4. Reduced slips, trips, and falls

#### **M+A Matting Modular Tiles vs. The Competition**





Hog Heaven III<sup>®</sup> Comfort Tiles **Ergonomic PVC Tiles** VS. Durable nitrile rubber Material PVC 3/4" Thickness 7/8" 43.9% @ 20 psi; 60.2% @ 40 psi **Compression Deflection** 14.15% Electrically Conductive 9.4 x 10<sup>5</sup> ohms **ESD** Rating No rating Chemical/Oil Resistant Far less resistant than nitrile Yes 0.74 Dry, 0.77 Wet per ASTM C1028-96 **Coefficient of Friction** 0.65 Dry, 0.42 Wet per ASTM F1677 Yes Welding Safe No Yes, nitrile/PVC blended cushion No **Cushion Backing** 



Hog Heaven III<sup>®</sup> Traffic Tiles Durable nitrile rubber 5/8" 12.4% @ 20 psi; 20.5% @ 40 Electrically Conductive 1.7 x 10<sup>5</sup> o Yes .74 Dry, .77 Wet per ASTM C1028 Yes Flammability DOC-FF-1-70: Pas





	VS.	Heavy Duty Hard PVC Tiles
	Material	PVC
	Thickness	7/8"
psi	Compression Deflection	4.84%
ohms	ESD Rating	No rating
	Chemical/Oil Resistant	Far less than nitrile
8-96	Coeffecient of Friction	0.65 Dry, 0.42 Wet per ASTM F1677
	Welding Safe	No
ISS	Flammability	Flammability MVSS 302: 'A' Rating




Comfort Flow<sup>™</sup> HD Modular Tiles

Durable nitrile rubber 1/2" 13.4% @ 20 psi; 22.6% @ 40 psi Electrically Conductive 4.6 x 10<sup>4</sup> ohms Yes 0.87 Dry, 0.83 Wet per ASTM C1028-96 Yes, tested up to 1800°F Flammability DOC-FF-1-70: Pass Prop 65 compliant

VS.

Material Thickness **Compression Deflection** ESD Rating Chemical/Oil Resistant **Coefficient of Friction** Welding Safe Flammability Prop 65



**Ergonomic Drain Through Tiles** 

Durable nitrile rubber 3/4" Unpublished Static Dissipative 10<sup>9</sup> ohms Yes 0.965, 1.08 (with grit) per ASTM D1677 Yes, but no published high temperature Flammability DOC-FF-1-70: Pass Prop 65 warning

#### HOG HEAVEN III® **COMFORT TILES & MATS**

Anti-Fatique · Slip-Resistant

- Modular Tile 18" x 18" 3/4" 3/4" Modular Tile 36" x 36" 3/4" Linkable Mats Black border Linkable Mats Yellow Border 3/4" 3/4" **Workstation Black Border** 3/4" Workstation Yellow Border
- Product No. 4471 Product No. 4472 Product No. 4497 Product No. 4498 Product No. 4493 Product No. 4494
- Comfortable High-density, closed-cell nitrile rubber cushion provides excellent anti-fatigue qualities to reduce the pain and fatigue associated with standing for long periods of time
- Safe Certified high-traction by the National Floor Safety Institute (NFSI); beveled edges provide a safe transition from floor to mat and will not crack or curl
- **Durable** Nitrile-blended cushion provides years of useful life and is molded, not glued, to the nitrile rubber surface so it will not separate
- Versatile Welding safe; grease/oil resistant\*; chemical resistant; ESD rating of electrically conductive
- Mats and tiles are ¾" thick and available with black or OSHA-approved caution yellow border
- Recommended for distribution, manufacturing, and retail facilities for picking lines, assembly lines, workstations, check-out stations, and more
- \*The 100% nitrile rubber surface of Hog Heaven III Comfort is grease/oil proof while the nitrile-blended cushion is grease/oil resistant.

#### **MODULAR TILE** SIZES

#### 18" x 18" Center-01 18" x 18" x 3/4" Side Black-02 18" x 21.875" x 3/4" Corner Black-03 21.875" x 21.875" x 3/4" Side Yellow-04 18" x 21.875" x 3/4" Corner Yellow-05 21.875" x 21.875" x 3/4"

36" x 36" Center-01 36" x 36" x 3/4" Side Black-02 36" x 39.875" x 3/4" Corner Black-03 39.875" x 39.875" x 3/4" Side Yellow-04 36" x 39.875" x 3/4" Corner Yellow-05 39.875" x 39.875" x 3/4"

Color: Black with black border or yellow caution border

#### LINKABLE MAT SIZES

Mat End 39.875 x 43.75" x 3/4" Mat Middle 36" x 43.75" x 3/4" Color: Black with black border or yellow caution border

#### WORKSTATION MAT SIZE 43.75 x 43.75" x 3/4"

US Patent 8,919,054




















37





Hog Heaven III Traffic Modular Tiles

#### HOG HEAVEN III TRAFFIC MODULAR TILES



#### MODULAR TILE Sizes

18" x 18" Center-01 18" x 18" x 5/8" Side-02 18" x 21.875" x 5/8" Corner-03 21.875" x 21.875" x 5/8"

#### **36" x 36"** Center-01 36" x 36" x 5/8"

Side-02 36" x 39.875" x 5/8" Corner-03 39.875" x 39.875" x 5/8"

#### LINKABLE Mat sizes

Mat End 39.875 x 43.75"x 5/8" Mat Middle 36" x 43.75" x 5/8" US Patent 8,919,054

## HOG HEAVEN III TRAFFIC LINKABLE MATS Black Border Caution Yellow Border







End



Middle

## HOG HEAVEN III® TRAFFIC TILES & MATS

Anti-Fatigue · Slip-Resistant

5/8"	Modular Tile 18"x 18"	Product No. 4477
5/8"	Modular Tile 36"x 36"	Product No. 4478
5/8"	Linkable Mats Black Border	Product No. 4491
5/8"	Linkable Mats Yellow Border	Product No. 4492

Hog Heaven III Traffic mats and tiles provide a customizable matting solution for workstations with cart traffic. They offer ergonomic qualities yet are firm enough to support traffic from heavy carts.

- Firm & Durable Solid nitrile rubber foam lasts for years, even under heavy cart traffic
- **Comfortable** High-density, closed-cell nitrile rubber provides anti-fatigue qualities to reduce the pain and fatigue associated with standing for long periods of time
- Versatile Grease/oil proof; chemical resistant; welding safe; ESD rating of electrically conductive
- Mats and tiles are 5/8" thick and available with black or OSHAapproved caution yellow border



#### **COMFORT FLOW<sup>™</sup> HD TILES & MATS**

Slip-Resistant · Flow Through · Anti-Fatigue

- **Comfort Flow HD Modular Tile** 1/2"
- **Comfort Flow HD Linkable Mats** 1/2"
- 1/2"
- Product No. 4430 Product No. 4434 Comfort Flow HD Workstation Mat Product No. 4439
- Clean Bi-level design traps dirt/debris to prevent tracking; lifetime anti-microbial treatment prevents odors and degradation of the mat
- Safe Beveled edges provide a safe transition from floor to mat
- Comfortable High-density closed-cell nitrile rubber cushion provides excellent anti-fatigue qualities
- Versatile Grease and oil proof; chemical resistant; welding safe; ESD rating of electrically conductive
- Easy to Clean Lightweight and flexible design ensures easy handling and cleaning
- Comfort Flow HD has drainage holes to allow liquid to flow through





Side Tile

Center Tile

Corner Tile

WORKSTATION MAT SIZES 39" x 39" x 5/8"

MODULAR

**TILE SIZES** 





Comfort Flow HD Modular Tile











## LOGO MAT COLLECTION

WATERHOG IMPRESSIONS HD® WATERHOG® LOGO INLAY CLASSIC IMPRESSIONS<sup>™</sup> HD GRAND IMPRESSIONS <sup>™</sup> HD SIC IMPRESSIONS<sup>™</sup> HD CUSTOM SHAPE COLORSTAR® IMPRESSIONS HOG HEAVEN® IMPRESSIONS<sup>™</sup>

### M+A Matting offers numerous types of logo mats.

Each of these logo mat processes result in high quality products your customers will be very proud to use. Pricing is calculated by each individual design number and quantity. Different size logo mats and standard mats may not be combined for quantity discount.

## Ordering Logo Mats is as easy as 1-2-3:

- 1) Visit www.mamatting.com to submit your logo file using our easy to use web page.
- 2) Log into your account and select "Submit Design" from the "My Account" menu.
- Complete the necessary information on the submit page, attach your logo file and then click on "Send your design". Artwork should be 300 dpi or greater.

Your proof will be emailed back to you within 24 hours. Once your proof arrives by email, please take the following simple steps:

- 1) Approve or make necessary changes to the proof.
- Return the art proof with any changes or approved art proof with purchase order and quantity of mats to artwork5@mamatting.com.



Acceptable	Unacceptable	Marginal
Vector Graphic Files:	Faxes	Color Prints*
AI, EPS, PDF, CDR, SVG	Emblems	Newspaper Ads
Image Files:	Copies of Emblems	Yellow Pages Ads
TIFF (600 DPI/PPI)	Banners	Business Cards
JPG (600 DPI/PPI)	Flags	
PNG (600 DPI/PPI)	Full Size Mats	
Black/White Ad Slicks	Badges	
Letterhead	Shirts	
Brochures	Hats	
Business Literature		

\*Color prints, if available, may be submitted to show color placement for a design.

## Create your own proofs with The M+A Matting Mobile App!

Visit your app store and search "M+A Matting" to download app.

#### The M+A Matting Mobile App provides an easy way for users to search and view existing mat designs as well as create their own proofs using our simple tools.

Each user will be able to:

- Create proofs using the mobile device camera or by loading an image from their library
- Have access to a personal dashboard that saves all current and former artwork submissions associated with their account
- · Get instant artwork approval using e-signature feature
- Track orders of designs that were created via the mobile app
- Filter search results by product category, size or mat orientation

#### M+A Matting's user friendly app is compatible with any mobile device.

## Below is a condensed list of compatible devices:

- Android
- Android tablets
- iPhone\*
- iPad\*
- iPod Touch\*

\*all Apple products require iOS 6.0 or later





5/16"

Indoor or Outdoor (Covered)

SIZES

2' x 3' 3' x 4'

3' x 5'

3' x 10' 4' x 6'

4' x 8'

5' x 8'

5' x 10' 6' x 10'

6' x 12'

sizes.

Sizes are

approximate.

See price list for

all additional

Product No. 2838

## **BERBER IMPRESSIONS HD**

 $\textbf{Logo} \cdot \textbf{Scraper/Wiper} \cdot \textbf{Slip-Resistant}$ 

- **Durable** The tight weave of Berber makes it durable enough to withstand heavy foot traffic while scraping dirt and moisture from shoes to minimize tracking
- **High Definition** The Berber fabric features a smooth surface that allows for crisp printing definition
- **Eco-Friendly** These mats are made with PET (polyethylene terephthalate), a type of polyester yarn that features 85% recycled content reclaimed from plastic drink bottles
- Easy to Clean PET fabric is naturally resistant to staining
- Safe Durable rubber backing helps keep the mat in place to minimize slipping hazards
- 56 standard color options; choice of smooth or universal cleated rubber backing







Color options



WaterHog Logo Inlay Red/Black Classic border

\*These colors are ONLY available in 3' and 4' widths.

#### WATERHOG® LOGO INLAY Logo · Scraper/Wiper · Slip-Resistant $\checkmark$ Indoor or Outdoor 3/8" Classic Border Product No. 234 3/8" Fashion Border Product No. 235 • Clean & Dry - Bi-level surface effectively scrapes dirt and SIZES moisture from shoes, trapping it beneath shoe level to prevent 2' x 3' 4' x 8' tracking; water dam border holds moisture keeping it off your 3' x 4' 4' x 10' floors (WaterHog mats can hold up to 1.5 gallons of water per 3' x 5' 4' x 12' square yard) 3' x 6' 4' x 16' 3' x 10' 4' x 20' • Durable & Fade Resistant – Reinforced rubber nubs prevent 3' x 12' 6' x 8' pile from crushing and extend the performance life of the mat; 3' x 16' 6' x 12' solution-dyed fabric is fade-resistant 3' x 20' 6' x 16' 4' x 6' 6' x 20' hog Logo • Safe – Beveled edges provide a safe transition from floor to Red/Bla mat; certified high-traction by the National Floor Safety Institute See price list for all • 19 fabric colors to choose from; available with choice of Classic additional sizes. WaterHog Classic Borde WaterHog Fashion Border (rubber) border or Fashion (fabric) border • Features 78-mil SBR rubber with choice of smooth or universal Sizes are approximate. cleated backing Fabric border Rubber reinforced textile Rubber border Rubber reinforced textile Light Green Bluestone Bordeaux Camel Charcoal Dark Brown Evergreen Gold\* Medium Blue Aquamarine\* Red/Black Medium Brown **Medium Grey** Navy Orange\* Purple\* Solid Red\* White<sup>\*</sup> Yellow\*

www.mamatting.com



Classic Impressions HD Logo

#### CLASSIC IMPRESSIONS<sup>™</sup> HD LOGO

Logo · Wiper · Dust Control · Slip-Resistant

SBR Rubber Border and Backing

iven

Product No. 73

Product No. 64

Chevro

#### **GRAND IMPRESSIONS HD LOGO** Logo · Wiper · Dust Control · Slip-Resistant

3/8" Serged Border, SBR Rubber Backing

3/8"

Co medition

- Photographic-Quality Print Logos and designs are digitally printed with photographic quality; fine details, shading, and 3D images can be achieved; 150 standard colors options available
- **Resilient** High-twist, heat-set nylon (32-ounces/square yard) resists crushing to better trap dirt and extend the useful life of the mat
- Classic Impressions HD mats are available with SBR backing; Grand Impressions HD mats are only available with 68-mil SBR smooth backing and serged borders

2' x 3' 3' x 4' 3' x 5' 3' x 10' 4' x 6' 4' x 8' 5' x 10' 6' x 10' 6' x 10' 6' x 10' 6' x 12' See price list for all additional sizes. PMS\_

SIZES

custom color available at an additional charge. Sizes are approximate.

Classic Impressions HD Logo









Logo · Wiper · Dust Control · Slip-Resistant

#### 3/8" Product No. 733

- **Photographic-Quality Print** Logos and designs are digitally printed with photographic quality; fine details, shading, and 3D images can be achieved; 150 standard colors options available
- **Resilient** High-twist, heat-set nylon (32-ounces/square yard) resists crushing to better trap dirt and extend the useful life of the mat
- · Backed with durable nitrile rubber







Moor (1) Indoor

#### **COLORSTAR® IMPRESSIONS**

Logo · Wiper · Dust Control · Slip-Resistant

#### 3/8" SBR Rubber Backing Product No. 60

- Photographic-Quality Printing Logos and designs SIZES are digitally printed at 76 dpi (dots per inch), 2' x 3' 3' x 4' making fine details, shading, and 3-D images 3' x 5' 3' x 10' 4' x 6' • Eco-Friendly – PET (polyethylene terephthalate) 4' x 8' carpet surface contains 100% post-consumer 5' x 8' recycled content reclaimed from plastic bottles 5' x 10' 6' x 10' · Fade Resistant - PET yarn has excellent color-6' x 12' fastness and is resistant to fading from repeated See price list for washing/cleaning all additional • Stain Resistant - PET yarn is naturally resistant to sizes. Sizes are • Safe - Certified high-traction by the National Floor approximate. Safety Institute (NFSI) • Choose from 60 standard colors
- SBR (48 mil) rubber backing





www.mamatting.com

#### **HOG HEAVEN® IMPRESSIONS**

SIZES

2' x 3' 3' x 5' 3' x 12' 4' x 6'


sizes. PMS

custom color

Logo · Anti-Fatigue · Slip-Resistant 5/8" Product No. 3422

- **Comfortable** 5/8" high-density nitrile-blended cushion helps eliminate pressure to the lower back and legs, providing superior comfort
- Safe Certified high-traction by the National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- Durable Nitrile-blended cushion provides years of useful service life; cushion is molded, not glued, to the nitrile rubber surface so it will not separate
- Versatile Welding safe; grease/oil resistant; chemical resistant; ESD rating of electrically conductive









Indoor or Outdoor

## SUPERSCRAPE **IMPRESSIONS<sup>™</sup> LOGO**

Logo · Scraper

#### 3/16" Product No. 3559

- Features your logo or image printed on a SuperScrape mat
- Clean Surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking
- Safe Slip resistant even in wet environments; certified high-traction by the National Floor Safety Institute (NFSI)
- Easy to Clean Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered
- 3/16" thick nitrile rubber with circular surface cleats

N THE USA

۷.	Э	Х	Э
3'	Х	4'	
3'	Х	5'	
3'	Х	1(	)'
4'	Х	6'	
4'	Х	8'	

SIZES

2 5' 2 2'

6' x 6' 6' x 8'

PMS custom color available at an additional

Sizes are approximate.

charge.

# The Wonderful World of

Since its introduction in 1986, the WaterHog has become American's best-selling mat. Renowned for its bi-level design and water dam border, it's highly effective at stopping dirt and moisture, keeping floors clean and dry.

The WaterHog product line has grown substantially over the last three decades to include a wide array of patterns, colors, and sizes. With so many options and a unique nomenclature, selecting a WaterHog mat can seem challenging at first, but these steps are designed to simplify the selection process.

## **1. Pick Your Fabric Weight**



Both the 24-ounce *WaterHog* and 30-ounce *WaterHog Eco* product lines are made with PET, an eco-friendly polyester made from 100% post-consumer recycled plastic bottles.

24-ounce PET

**30-ounce PET** 

WaterHog<sup>®</sup> Eco

### 2. Pick Your Pattern and Color

The WaterHog (24-ounce) line comes in three designs with 19 color options. The WaterHog Eco (30-ounce) line comes in four designs with 8 color options.







#### 4. Pick Your Backing

All WaterHog mats are backed with rubber. The standard backing is a 78-mil SBR (styrene-butadiene rubber) with either a smooth surface for placement on smooth/hard floors (like marble, tile, or wood) or with a universal cleated surface for placement on carpeted floors. Select WaterHog mats with a classic border are available with Anchor Safe® backing, a 100-mil nitrile backing with a heavy tread design to ensure the mats stays in place, even with heavy traffic.



Smooth Backing 78-mil SBR Recommended for hard floor surfaces



Universal Cleated Backing 78-mil SBR Designed to perform on both carpeted and smooth floors



Anchor Safe® Backing 100-mil nitrile Recommended for surfaces with heavy traffic or cart use

#### 5. Add Some Optional "Grandeur"

If you're interested in adding a little grandeur to your entrance matting, you may want to consider a *WaterHog Grand* or *WaterHog Eco Grand* mat. The luxurious rounded mats can be placed at either or both ends of:

- » WaterHog Diamond
- » WaterHog Legacy
- » WaterHog Eco Elite
- » WaterHog Eco Legacy
- » WaterHog Eco Premier



Half Oval





Two Ends



## **Scraper Entrance Mats**

Your First Line of Defense

Scraper mats are designed to stop mud and larger particles of dirt from being tracked inside buildings. These mats provide aggressive scraping action and trap dirt and debris in recessed areas until the mats are cleaned. Scraper mats can be used outside or inside and should be used in conjunction with a Scraper/Wiper mat and a Wiper mat.



### Scraper/Wiper Entrance Mats

The Second Step to Keeping Dirt Outside

Scraper/Wiper mats are designed to provide scraping action and wiping to further stop dirt and moisture from entering a facility. These mats are typically made of tough fabrics. They channel and retain dust in recessed grooves while absorbing moisture in the fabric face. These mats are primarily used inside but may be used outside in covered areas.



### **Wiper Entrance Mats**


The Third Weapon Against Dirt and Moisture

Wiper Entrance Mats are designed to stop any remaining dust and moisture left after using the Scraper mat and Scraper/Wiper mat. These mats are made with carpet facing to complement most interiors. These mats are for indoor use and when used in conjunction with a Scraper mat and Scraper/Wiper mat, they can stop as much as 85% to 95% of dirt and grime from being tracked into a building.

#### **Preventative Maintenance**

# Mats are the first defense to stop dirt and moisture from entering your building.

Mats filter these contaminants from entering the facility, saving thousands of dollars a year in cleaning costs. Mats also protect interior floor surfaces from excessive damage and wear. Entrance mats are the most effective way of stopping dirt and moisture at the door and keeping building maintenance costs to a minimum.




#### **Consider These Facts...**

- 70% to 80% of dust, grime and dirt in a building is tracked in from the outside on people's feet—permanently damaging floors
- One square yard of carpet can accumulate one pound of dirt a week—twice that in inclement weather
- It is estimated that the cost to find and remove a single pound of dirt from a building can run in excess of \$600 in cleaning costs. As few as 150 people entering a facility can track in one pound of dirt in a 5 day work week costing over \$30,000 dollars annually to remove.
- By utilizing high performance entrance matting of at least 10' to 15' (as recommend by the U.S. Green Building Council and the Carpet and Rug Institute) you can capture as much as 85% to 95% of contaminants that enter the building, saving maintenance dollars and protecting building assets

50





3' x 4' 3' x 5' 3' x 8' 3' x 10' 3' x 12' 3' x 16' 3' x 20' 4' x 6'	4' x 12' 4' x 16' 4' x 20' 6' x 8' 6' x 12' 6' x 16' 6' x 20'
See price l additional Mats up to	size options.

SIZES

2' x 3'

18" x 27" 4' x 8'

4' x 10'

available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20' Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.



IN THE

USA

3/8"

Waterhog Classic

Rubber reinforced textile Rubber border

terHog Drainable

Evergreen

Bordeaux



WaterHog Diamond Classic Border Red/Black

#### WATERHOG® DIAMOND

Scraper/Wiper · Slip-Resistant

# 3/8"Classic BorderProduct No. 2083/8"Fashion BorderProduct No. 221

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1 ½ gallons of water per square yard)
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly Rubber backing contains 20% postconsumer recycled rubber from car tires
- Available in 19 colors with choice of Classic (rubber) border or Fashion (fabric) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe<sup>®</sup> nitrile rubber backing on Classic border mat only

SIZES	
2' x 3'	4' x 8.4'
3' x 4'	4' x 10'
3' x 5'	4' x 12.2'
3' x 6'	4' x 16'
3' x 8.4'	4' x 20'
3' x 10'	6' x 6'
3' x 12.2'	6' x 8.4'
3' x 16'	6' x 12.2'
3' x 20'	6' x 16'
4' x 6'	6' x 20'

01750

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.



Evergreen

Indoor or Outdoor



USA

52




100%

IN THE

USA

\*These colors are ONLY available in 3' and 4' widths.





Khak

## WATERHOG<sup>®</sup> ECO GRAND

Scraper/Wiper · Slip-Resistant

3/8" Half Oval: No. 2246	One End: No. 2243	Two Ends:	No. 2244
<ul> <li>Clean &amp; Dry - Raised nubs moisture from shoes and tr level; water dam border hol of water per square yard, k clean, dry, and safe</li> <li>Eco-Friendly - PET fabric i post-consumer recycled pla bottles, and SBR rubber ba recycled rubber from car tin</li> <li>Safe - Beveled edges provi from floor to mat; certified National Floor Safety Institut</li> <li>Durable – Reinforced rubb from crushing and extend t of the mat</li> <li>Fade &amp; Stain Resistant - S</li> </ul>	rap it below foot Ids up to 1.5 gallons eeping your floors s made from 100% astic from drink cking contains 20% res de a safe transition high-traction by the ute (NFSI) er nubs prevent pile the performance life	SIZES HALF OVAL 3' x 1.8' 4' x 2.3' 6' x 3.3' ONE END 3' x 5.5' 3' x 10' 3' x 13.9' 3' x 17.7' 3' x 21.6' 4' x 5.9' 4' x 10.5' 4' x 14.4' 4' x 18.2' 4' x 22' 6' x 7' 6' x 11.6' 6' x 15.4' 6' x 19.3' 6' x 23.1'	TWO ENDS 3' x 7.1' 3' x 11.7' 3' x 15.5' 3' x 19.4' 3' x 23.2' 4' x 8' 4' x 12.6' 4' x 16.5' 4' x 16.5' 4' x 20.3' 6' x 10.1' 6' x 14.8' 6' x 18.6' 6' x 22.4'
fabric is resistant to staini and will not fade or rot	ng, dries quickly,	See price list fo size options. M are available w	lats up to 40'
• Available in 8 colors with 7 with universal cleated back		cleated or smoo Mats over 40' a available with s	

with universal cleated backing or smooth backing

Sizes are approximate.







**Classic Border** Maroon

Indoor or Outdoor

## WATERHOG® ECO ELITE

Scraper/Wiper · Slip-Resistant

3/8" Classic Border Product No. 2240 3/8" **Fashion Border** Product No. 2241

- Clean & Dry Raised nubs remove dirt and moisture from shoes and trap it below foot level; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe
- Eco-Friendly PET fabric is made from 100% postconsumer recycled plastic from drink bottles, and SBR rubber backing contains 20% recycled rubber from car tires
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Durable Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Available in 8 colors with choice of Classic (rubber) border or Fashion (fabric) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing on Classic border mat only

SIZES 2' x 3' 4' x 10' 4' x 12.2' 3' x 4' 4' x 16' 3' x 5' 4' x 20' 3' x 6' 3' x 8.4' 6' x 6' 6' x 8.4' 3' x 10' 3' x 12.2' 6' x 12.2' 3' x 16' 6' x 16' 6' x 20' 3' x 20' 4' x 6' 4' x 8.4'

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.



**Regal Red** Chestnut Brown Grey Ash Southern Pine Black Smoke Indiad Khaki Maroon





55




- Fade & Stain Resistant Solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Available in 8 colors with choice of Classic (rubber) border or Fashion (fabric) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe<sup>®</sup> nitrile rubber backing on Classic border mat only

IN THE

USA

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing, anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.






#### WATERHOG® ECO ELITE **ROLL GOODS**

Scraper/Wiper · Slip-Resistant

#### Product No. 2271\* and 2272\*\* 3/8"



- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- Durable & Fade Resistant Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat; solution-dyed polypropylene fabric is fade-resistant
- **Safe** Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly PET fabric is made from 100% postconsumer recycled plastic from drink bottles, and SBR rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 8 colors with 78-mil smooth SBR rubber backing
- Designed to be installed like carpeting or loose-laid like a mat

\*CUSTOM SIZES See price list for additional information.

#### **\*\*ROLL SIZE**

(Does not include nosing) 6' x 67'

Black Smoke

**Chestnut Brown** 

Grey Ash

Khaki

MADE N THE

Southern Pine



Indigo



#### WATERHOG® DIAMONDCORD

Scraper/Wiper · Slip-Resistant

#### 3/8" Product No. 296

SIZES

2' x 3'

3' x 4'

3' x 5'

3' x 6'

3' x 8.4'

3' x 10'

See price list for

Mats up to 40' are

cleated or smooth

30% upcharge.

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- Durable Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed polypropylene fabric is resistant to staining, dries quickly, and will not fade or rot
- **Safe** Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly Rubber backing contains 20% postconsumer recycled rubber from car tires
- Available in 2 colors with a Classic (rubber) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe<sup>®</sup> nitrile rubber backing







Brown

Indoor



#### WATERHOG® MASTERPIECE® SELECT

#### Scraper/Wiper · Slip-Resistant

Black

#### 3/8" Product No. 265

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1 ½ gallons of water per square yard)
- Durable Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed polypropylene fabric is resistant to staining, dries quickly, and will not fade or rot
- **Safe** Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly Rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 4 colors with a Classic (rubber) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing

SIZES	
2' x 3'	4' x 6'
3' x 4'	4' x 8'
3' x 5'	4' x 10'
3' x 8'	6' x 8'
3' x 10'	

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.


Sizes are approximate.












59

www.mamatting.com



USA



MADE IN THE USA





3' x 5' Sizes are approximate.

www.mamatting.com





$\checkmark$			
		3/16" Product No. 555	
		• <b>Clean</b> – Surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking	
		<ul> <li>Safe – Slip resistant even in wet environments; certified high-traction by the National Floor Safety Institute (NFSI)</li> </ul>	
	and the state of the	• Suitable for Harsh Environments – Grease/oil proof-	

- Suitable for Harsh Environments Grease/oil proof; chemical resistant
- Easy to Clean Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered or autoclave sterilized
- 3/16" thick nitrile rubber

\*6' x 8' Sizes are approximate.

SIZES 2'6" x 3' 3' x 5' 3' x 10' 4' x 6'

\*4' x 8'

\*6' x 6'

Indoor or Outdoor

#### SUPERSCRAPE PLUS® Scraper · Slip-Resistant

#### 3/16" Product No. 5558

• Clean – Multi-directional surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking; drainable borders filter water off mat

SuperScrape

- Safe Certified high-traction by the National Floor Safety Institute (NFSI)
- Suitable for Harsh Environments Grease/oil proof; chemical resistant
- Easy to Clean Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered or autoclave sterilized
- 3/16" thick nitrile rubber construction

SIZES

2'6" x 3'	
3' x 5'	
3' x 10'	
4' x 6'	

Sizes are approximate.





#### MICROLUXX™ Wiper · Dust Control · Slip-Resistant

3/8" Product No. 1201

Features traditional nylon fibers blended with finer denier fibers that work together to absorb high levels of dirt and moisture.

- Superior dust and moisture control Absorbs and retains 2.5 times more moisture than standard carpeted mats
- Fade resistant Solution-dyed nylon won't fade in sunlight or with repeated washing; impervious to bleach
- Safe Beveled edges provide a safe transition from mat to floor; certified high-traction by the National Floor Safety Institute (NFSI)
- Durable nitrile rubber backing (available in 52, 65, or 90 mil)

SIZES	l
2'x 3' 4'x 8' 2.5'x 3' 5'x 8' 2.5'x 4' 5'x 10' 3'x 4' 5'x 12' 3'x 5' 6'x 8' 3'x 10' 6'x 10' 4'x 6' 6'x 12'	11 12
Custom sizes up to 40' Sizes are approximate.	-

Black



**Midnight Grey** 


**Red Pepper** 

**Slate Grey** 



Blue/Black

Brown/Black



Charcoal Chocolate **Dark Granite Emerald Green** Grey **Midnight Blue Cabot Grey** Cranberry **Glen Green** Navv Red/Black Solid Red Platinum Silver Slate Solid Black Stardust Grey Steel Blue Suede





#### **ENVIRO PLUS®** Wiper · Dust Control · Slip-Resistant

#### 3/8" Product No. 2202

- Clean Stops dirt and moisture at your door
- Environmentally-friendly Made with 100% postconsumer recycled PET fabric reclaimed from plastic drink bottles; crumb rubber backing contains postconsumer recycled tires
- Durable PET fabric is stain-resistant and faderesistant
- Available with smooth backing only

Sizes are approximate. See price list for any additional sizes.





SIZES

2' x 3'

3' x 4'

3' x 5'

3' x 8'

3' x 10' 6' x 8' 3' x 12' 6' x 12'

4' x 6'

4' x 8'

4' x 10'

4' x 12'

C 2 C Indoor	<b>PLUSH</b> <sup>™</sup> Wiper • Dust Control • Slip-Resistant	
	3/8" Product No. 180	
<image/>	<ul> <li>Superior Moisture &amp; Dust Control – Heavy carpet pile absorbs and retains 50% more moisture and dust than standard mats</li> <li>Resilient – High-twist, heat-set nylon resists crushing to better trap dirt and extend the useful life of the mat</li> <li>Fade Resistant – Solution-dyed nylon won't fade in sunlight or with repeated washing; impervious to bleach</li> <li>Safe – Certified high-traction by the National Floor Safety Institute (NFSI)</li> <li>Available in 8 color options backed with durable 90-mil nitrile rubber</li> </ul>	SIZES 2' × 3' 3' × 4' 3' × 10' 4' × 6' 4' × 8' See price list for all additional sizes Sizes are approximate.

**Red Pepper** Brown/Black Dark Green **Golden Brown Midnight Grey** Slate Grey Black **Deeper Navy** 





www.mamatting.com

## SURE STRIDE®



Slip-Resistant


3/32"	Product No. 4450
<b>Cutting Board</b>	Product No. 4459
Cutting Knife	Product No. 4460

- Keeps Floors Dry Moisture barrier keeps liquids from soaking SIZE through to the floor
- 2' x 25' 3' x 100' • Stays in Place – Tacki-Back adhesive keeps mat flat and in place, even with cart and buggy traffic rolls
- Dries Quickly Mat dissipates water quickly for fast drying time
- Easy to Install Cut individual mats as needed from the roll
- Safe Certified high-traction by the National Floor Safety Institute (NFSI)
- Odor Resistant Fabric is treated with an anti-microbial agent to help prevent odors
- Will perform up to 4 months under normal use





# Moor 🐼 🚫 Indoor





## SURE STRIDE<sup>®</sup> PLUSH

Slip-Resistant

#### 3/16" Product No. 4457

• Keeps Floors Dry – Retains more than 1 gallon of water per SIZE 10 linear feet; moisture barrier keeps liquids from soaking through to the floor roll

3' x 30'

- Stays in Place Tacki-Back adhesive system keeps mat flat and in place, even with wheelchair, cart, and buggy traffic
- Dries Quickly Eco-friendly PET fabric dissipates water quickly for fast drying time
- Odor Resistant Fabric is treated with an anti-microbial agent to help prevent odors
- Easy to Install Cut individual mats as needed from the roll
- Safe Certified high-traction by the National Floor Safety Institute
- Will perform for up to 4 months under normal use

FREE **CUTTING KNIFE** with Each Roll!





#### **CLEAN STRIDE®**




Indoor

3/8" Frame Only 3/8" Frame with Carpet Inserts (60 sheets) Product No. 410 Product No. 411 Product No. 412

- Clean & Dry Raised nubs on the WaterHog mat remove dirt and moisture from shoes and trap it below foot level while the adhesive insert removes any remaining dirt or dust particles
- Not recommended for wet areas

The Clean Stride adhesive insert is comprised of 60 layers of adhesive coated film. Each layer will perform many times before it must be peeled away. Each layer is numbered to ensure one sheet at a time removal and to indicate the number of layers remaining.





Bordeaux Charcoal Dark Brown Gold Light Green Medium Blue Aquamarine Bluestone Camel Evergreen Medium Grey Red/Black Solid Red White **Medium Brown** Navy Orange Purple Yellow



# **About M+A Matting**

The M+A name represents two powerful brands – Mountville and Andersen – with nearly a century of combined experience developing and manufacturing mats designed to make environments safer, cleaner, and more comfortable.

#### **A Brief History**


In 1963, the late Emmet Hart, with his wife Nancy by his side, established Mountville Mills. A little over a decade later, in 1974, the late Walter Andersen established The Andersen Company. Throughout the years, the companies drove innovations in their respective markets; Mountville in the textile rental market, and Andersen in the janitorial/sanitary supply markets. Driven by quality, innovation, and customer service, they paved the way for future generations of Harts and Andersens to expand the business. In 1999, these flagship brands joined forces to become the largest mat manufacturer in the world, and in 2018 we made the union official with a name change to M+A Matting.

For decades, we've been a symbol of quality and customer service. We're the driving force in the mat industry, developing the next generation of mats designed to provide superior safety, cleanliness, and comfort to workers and customers across the world. Whether you need entrance matting, logo matting, or anti-fatigue matting, M+A has you covered.

There are three principles that guide every action we take, every decision we make, and every mat we produce:

- Do the right thing.
- Do what is best for the customer.
- Drive improvements and innovation.

It is these core values that drive us to provide our customers with high-performance, high-quality matting and unparalleled customer satisfaction.



## COVID-19 Response Products

Size: 3' x 5' Design Number: 3017378

# Social Distancing Runner Mats



number 3024244



#### Message Mats

These mats were designed to promote frequent hand washing/ sanitizing, social distancing, and safety.

- **Photographic-Quality Printing** Designs are digitally printed at 76 dpi (dots per inch), making these mats vibrant and easy-to-read
- **Eco-Friendly** PET (polyethylene terephthalate) carpet surface contains 50% post-consumer recycled content reclaimed from plastic bottles
- Fade & Stain Resistant PET yarn has excellent color-fastness and is resistant to fading from repeated washing/cleaning; PET yarn is naturally resistant to staining
- **Safe** Certified high-traction by the National Floor Safety Institute (NFSI)







#### **Message Mats**

These mats were designed to promote frequent hand washing/sanitizing, social distancing, and safety.









## PLEASE WAIT HERE



#### **Stock designs:** PLEASE WASH







#### Sure Stride® Impressions Mats

 $Logo \cdot Specialty \cdot Indoor$ 

Custom Designs Stock Messages	Product No. 4427 Product No. 4428	
<ul> <li>Provides Clear Messages - Mats can be placed a provide important messages or reminders</li> <li>Stays in Place – Adhesive backing keeps the mar with heavy cart/buggy traffic</li> </ul>	<b>SIZES</b> 17" x 17" 17" x 23.5"	
<ul> <li>Hassle Free - Mats can be left in place during da scrubbers, mops, and brooms will pass right over damage</li> </ul>		
• Won't Leave Residue - Sure Stride mats are less residue than floor decals		
• Odor Resistant - Anti-microbially treated for prot	ection from odors	
<ul> <li>Slip Resistant - Low-profile high-traction surface traction and slip resistance</li> <li>Will perform for up to 3 to 4 months under norma</li> </ul>		Sizes are
	1 436	approximate.

• Sold in case/box; 6 mats per case



## COVID-19 Response Products



#### Stick-and-Stand<sup>™</sup> Mats

Social Distancing Floor Markers · Specialty · Indoor

#### 3/32" Product No. 4464

- Provides Clear Direction Universal "stop sign" shape with shoe prints marks where customers should stand; mats can be placed at safe intervals in virtually any configuration SIZES
- Stays in Place Adhesive backing keeps the mat flat and in place, even with heavy cart/buggy traffic
- **Hassle Free** Mats can be left in place during daily floor cleaning; floor scrubbers, mops, and brooms will pass right over them without causing damage
- Won't Leave Residue Stick-and-Stand mats are less likely to leave a sticky residue than floor decals
- Odor Resistant Anti-microbially treated for protection from odors
- Slip Resistant Low-profile high-traction surface provides additional traction and slip resistance
- Will perform for up to 3 to 4 months under normal use





#### Sure Stride<sup>®</sup> Directional Mats

Floor Marker  $\cdot$  Specialty  $\cdot$  Indoor

Product No. 4466



- Provides Clear Direction Mats can be rotated to provide directional cues in any direction
   SIZES
   17" x 17"
- **Stays in Place** Adhesive backing keeps the mat flat and in place, even with heavy cart/buggy traffic

3/32"

- Hassle Free Mats can be left in place during daily floor cleaning; floor scrubbers, mops, and brooms will pass right over them without causing damage
- Won't Leave Residue Sure Stride mats are less likely to leave a sticky residue than floor decals
- Odor Resistant Anti-microbially treated for protection from odors
- Slip Resistant Low-profile high-traction surface provides additional traction and slip resistance
- Will perform for up to 3 to 4 months under normal use







Sizes are

approximate.

Sizes are approximate.



These mats feature a 2' x 3' well that holds an abrasive insert and your StepWell<sup>™</sup> Sanitizing Mats preferred liquid sanitizer, followed by a 3' x 5' carpeted section to help Specialty · Indoor remove any excess moisture from shoes, reducing the likelihood of slips 3' x 7' Mat with Insert Product No. 835 following sanitation. Wash, wipe, and walk on safely! Product No. 836 Inserts ш • Available in three designs SIZES ER • The insert serves as a splash guard and helps 3' x 7' Mat 20.5" x 33" Inserts dislodge any dirt or debris from the bottom of shoes so the fluid can reach the entire sole surface · Each mat includes one insert; additional inserts are available in packs of four • Well holds one insert and approximately 84 ounces (2.5 L) of sanitizing solution (not included) Compatible with most sanitizing/disinfecting Sizes are solutions. Works best with quaternary and **Nylon Carpet** Well with Insert approximate. hydrogen peroxide sanitizing solutions. Nylon carpet dries shoes to reduce risk of slip-and-2'x3' well holds liquid sanitizer and abrasive fall accidents and protect floors from moisture insert to clean and disinfect shoes The StepWell Mat and StepWell Tray work best with quaternary **StepWell<sup>™</sup> Sanitizing Tray** and hydrogen peroxide sanitizing solutions; can be used with chlorine bleach solutions, but failure to adhere to Specialty · Indoor recommended concentrate can damage the product. 2' x 3' Tray with Insert Product No. 834 • Quaternary ammonium should be used per recommended Product No. 836 Inserts dilution instructions on the label (for sanitizing level protection). • 3% hydrogen peroxide solutions can be used without further dilution. Like the StepWell Mat, this product is designed for shoe sanitation. It features a 2' • 6% chlorine bleach should be used at a concentration x 3' well that holds an abrasive insert and your preferred liquid sanitizer. A walk-off of 0.4% (0.5 oz. per gallon). Caution: Do not use mat as mat is recommended to follow the StepWell Tray in order to help remove excess a work surface to prepare bleach solution, as undiluted moisture from shoes, reducing the likelihood of slips and falls. bleach may cause permanent color loss. StepWell Mat (#835) неы JOHS



ZILINUS





www.mamatting.com

M+A MATTING • 340 CROSS PLAINS BLVD • DALTON, GA 30721 Toll Free 800.241.4696 • 706.277.2551 • Fax 706.277.3170

ANTI-FATIGUE MATS

SLIP-RESISTANT MATS

LOGO MATS

ENTRANCE MATS AND TILES

SPECIALTY MATS

INDUSTRIAL MATTING CATALOG

2020





# **M+A Matting · Satisfaction Guaranteed**


M+A mats are where design and function come together, where quality isn't compromised to meet a price point, and where solutions to your maintenance and décor problems come first. We promise our customers an unconditional, 100% satisfaction guarantee for the life of the product.

At M+A, we are committed to reducing our environmental impact. We are continually improving our environmental performance as an integral and fundamental part of our business strategy and operating methods. We have reduced waste going to landfills by 80% and recycle most paper, metal, cardboard, plastic, carpet, and rubber waste we generate. Our commitment is also evident in our development of dozens of mat styles that contain recycled raw materials.

For over five decades, M+A Matting has been America's leader in innovative floor protection systems, industrial safety, anti-fatigue products, and high performance entrance matting. If you are looking for better ways to minimize maintenance, prolong floor surface life, reduce cleaning costs, improve safety, or increase worker comfort, ask for M+A Matting.



#### **TABLE OF CONTENTS**









MAT COLLECTION



#### **M+A Matting Product Feature Guide**

		W	at hreas Dam	PHESS DI	Brease Resistant Dill	Proof Cite	enical hni	microbial well	une Sale Her	stically ontorive St	atic ine hit	Static Hon-cont
Item Category	Page Number											
Anti-Fatigue			1			1					1	
Comfort Flow	25	X			Х	Х	Х	Х		Х		
Comfort Flow HD	39	X			X	Х	X	Х	X			
Comfort Scrape	25	Х			Х	Х	Х	Х		Х		
Complete Comfort	23		X	X		X	X				X	
Complete Comfort II	22	X			Х	Х	Х	Х		Х		
Cushion Max	18		X	X		X					X	
Cushion Station	24	X			Х	Х	Х	Х		Х		
GetFit StandUp (fabric and designer top)	21										X	
Happy Feet	19	Х			Х	Х		Х	Х			
Hog Heaven	17		X		Х*	Х		Х	Х			
Hog Heaven Fashion	21										Х	
Hog Heaven Marble	20										X	
Hog Heaven Prime	20		Х		Х*	Х		Х	Х			
Hog Heaven III Comfort	36, 37		Х		Х*	Х		Х	Х			
Hog Heaven III Traffic	38		Х		Х	Х		Х	Х			
Kneeling Comfort	27		X		Х*	Х		Х	Х			
Sure Cushion Products	28											
Traction Tread Soft	29		X	X		Х	X	Х		X		
Slip Resistant Matting												
Melt Step	62	X			X	Х		Х				
SuperScrape & SuperScrape Plus	63	X			Х	Х		Х				
Sure Stride & Sure Stride Plush	66, 67		X				X					
Traction Tread	29		Х		Х	Х		Х	Х			
Wet Step	26	X			X	Х	X	Х		X		
Non Conductive Matting												
Switchboard Matting	30-31											X
Logo Mats												
Berber Impressions HD	43		X									
ColorStar Impressions	46		X									X
Classic Impressions HD	45-46		Х							X		
Hog Heaven Impressions	47		Х	X		Х		Х				
SuperScrape Impressions	47		X	X								
WaterHog Impressions HD	43		X								Х	
WaterHog Inlay	44		X								х	

\*The 100% nitrile rubber surface is grease/oil proof; the nitrile-blended cushion is grease/oil resistant

#### M+A Matting Product Feature Guide

/

/

/

1 2 1

/

/ .0.

			W	at heas Dat	IN HERS DI	Besistant DI	Broot Che	mical esistant puti	microbial Treated well	uns Sate the	Trically onductive S	atic ine hit	I-Static Non-Co	onductive
ltem	Category	Page Number												
	Entrance Way Mats								1			1		
Brush Hog		-		Х										
Classic Brush		-		X										
ColorStar		64		Х								Х		
Enviro Plus		65		X								Х		
Frontier		63	Х											
MicroLuxx		64		X										
Plush		65		X										
SuperScrape & S	uperScrape Plus	63	Х			X	x		Х					
WaterHog		51		Х								Х		
WaterHog Diamo	nd	52		X								Х		
WaterHog Diamo	ndcord	58		X								Х		
WaterHog Eco Eli	ite	55		X								Х		
WaterHog Eco Gr	and	54		X								Х		
WaterHog Low Pr	rofile	59		X								Х		
WaterHog Master	rpiece Select	58		Х								Х		
WaterHog Plus		59		Х								Х		
WaterHog Tile		60		X								Х		
Victory		-		X										
	Specialty Mats													
Clean Stride		68										Х		
Sure Tread V-Gro	love	28												
WaterHog Forklif	t	61		Х								Х		
			1											

#### The Benefits of Anti-Fatigue Mats



Anti-Fatigue mats alleviate stress to the back and legs by providing a cushioned surface to stand on.


Anti-Fatigue mats are perfect for people who have to stand or work in the same place for continual periods of time.

Anti-Fatigue mats are recommended for a wide variety of industries and are commonly placed in various applications such as:

- Production or assembly lines
- Stand Up Desks or Workstations
- Kitchens
- Cashier Desks
- Laboratories and many more

#### M+A Matting Anti-Fatigue mats have been shown to do the following:

- REDUCE ENERGY CONSUMPTION BY UP TO 50% in the supporting muscles such as those in the leg and the lower back, when compared to standing on a hard floor
- **REDUCE FATIGUE** by promoting subtle movement in the leg and calf muscles, resulting in increased blood and oxygen flow



#### BALANCED

- Improves structural alignment and joint function
- Improves muscular balance and prevents nerve impingement
- Reduces uneven wear and tear on joints
- Body weight evenly distributed
- Efficient natural movement
- Reduced pressure on organs

#### **IMBALANCED**

- Neck pain and headaches
- Shoulder restrictions and pain
- Arm and hand pain nerve entrapment
- Bulging discs/back pain
- Uneven pressure/knee pain
- Uneven weight distribution
- Foot and ankle pain




#### Safety and Ergonomics

Mats are used throughout facilities in numerous other capacities where safety is a must and anti-fatigue comfort is essential to the health and well being of employees.

- Slip and falls are the second leading cause of all workplace injuries according to Liberty Mutual Workplace Index. As many as 25,000 people a day are victims of slip-and-fall accidents (NSC).
- Compensation and medical costs associated with employee slip-and-fall accidents total approximately \$70 Billion annually (NSC).
- The average cost of a slip-and-fall injury exceeds \$12,000 (Wausau Insurance).
- The average cost to defend a slip-and-fall lawsuit is \$50,000 (NFSI).
- Back injuries account for 25% of all worker compensation claims annually
- Cumulative Standing Trauma (CST) causes billions of dollars of loss annually due to reduced productivity, increased worker compensation, higher insurance rates, and absenteeism.
- According to the American College of Occupational and Environmental Science, about 38% of workers in the United States suffer from fatigue.

#### Testing shows that ergonomic matting can reduce worker fatigue.

#### **Compression Deflection & Durometer (Hardness) Comparison**



#### **Compression Deflection**

**General Principal** 

- 1. This test was designed to assess and compare performance characteristics of a variety of industrial anti-fatigue mats submitted for testing. Two specific load levels were applied to the test samples and the results show the deflection measured. The two specific load levels performed were 20 psi, equal to a 150 pound human and 40 psi, equal to a 600 pound human.
- Readings suggest that less than 20% deflection could be perceived as too hard and readings above 60% deflection could be perceived as too soft. It appears that between 20% and 60% deflection anti-fatigue properties can be felt.

#### **Durometer/Hardness**

**Comfort Floy** 

**General Principal** 

The hardness of a test sample is measured by means of a Type A Shore Durometer. The Durometer measures the penetration of its specified indenter forced into the test material under specified conditions. The lower readings indicate softer materials.

**Cushion Statio** 

**TEST RESULTS** 

#### Comfort Flow™ & Cushion Station™

Comfort Flow: 43.8% deflection @20psi 55.7% deflection @40psi

Cushion Station: 41.2% deflection @20psi 57.4% deflection @40psi

> Durometer/Hardness: Comfort Flow: 45 Cushion Station: 45

#### **Cushion Max**

61.7% deflection @20psi 77.5% deflection @40psi

Hog Heaven® 5/8"

47.8% deflection @20psi

61.6% deflection @40psi

Durometer/Hardness: 56

#### Diamond Plate 5/8"

COMPETITOR'S

Traditional

**Industrial Red Mat** 

11% deflection @20psi

22% deflection @40psi

Durometer/Hardness: 70

**PVC Foam** 

38% deflection @20psi

59% deflection @40psi

48% deflection @20psi 65% deflection @40psi

Durometer/Hardness: 85

Hog Heaven

5

#### **ESD** Matting

# ESD Matting is designed to quickly drain static electricity from people to help protect sensitive equipment from damage.

ESD Matting is divided into three classifications:

- **1. Electrically Conductive** is rated 10^1 to 10^5 and accepts static electricity the quickest. This is the most often used ESD matting.
- 2. Static Dissipative is rated 10^6 to 10^9 and is the middle range of ESD matting.

3. Anti-Static is rated 10^10 to 10^12 and accepts static the slowest.

ESD Matting is rated in ohms, or the measure of resistance. The lower the resistance, the more quickly static is accepted by the matting, i.e., the lower the exponential, the more quickly static is accepted.



Accessories

**Ground Cords** are used to allow static electricity to pass more efficiently to a ground and provide a controlled path. Use the cord to connect all ESD floor mats to a building ground. The terminal can be connected to an electrical outlet using the screw in the outlet cover.



**Heel Grounders** are made for workers wearing rubber soles and other insulating shoes. They allow static electricity to pass around the shoe into the ESD matting. Fasten the Heel Grounder to the heel of the shoe with the Velcro and allow the fabric strip to touch the sock or skin for best performance.



6

#### **Chemical Compatibility of Nitrile Rubber Products**

	Chemical Tested	Rating
A	Aliphatic Hydrocarbons - Kerosene, Etc.	1
В	Animal & Vegetable Oils	1
С	Aromatic Hydrocarbons - Benzol, Toluol, Etc.	1
D	Bleach	1
E	Concentrated Alkali	1
F	Cutting Oil	1
G	Denatured Alcohol	1
Н	Diesel	1
I	Dilute Alkali	1
J	Engine Oil	1
К	Gasoline	1
L	Hydraulic Fluid Silicate Ester	1
М	Hydraulic Fluid Water Glycol	1
N	L.P. Gas, Fuel Oils	1
0	Lubricating Oils - High Aniline	1
Р	Lubricating Oils - Low Aniline Point	1
Q	Mineral Spirits	1
R	Muriatic Acid - 30%, 20 Degrees Baume	1
S	Phosphoric Acid	1
T	Pine Cleaner	1
U	Refrigerants, Ammonia	1
V	Sodium Hydroxide, Rayon Grade, 25%	1
W	Sulphuric Acid - 30%	1
Х	Transmission Fluid	1
Y	WD40	1
Z	Water	1
AA	Window Cleaner	1
BB	Anti-Freeze	2
CC	Brake Fluid	2
DD	Calcium Hypochlorite - 12%	2
EE	Chlorine Bleach - 12.5%	2
FF	Hydraulic Fluid - Petroleum Base	2
GG	Steam	2
HH	Butyl Alcohol	3
II	Isopropyl Alcohol - 99%	3
JJ	Acetic Acid - 56%	4
KK	Acetone	4
LL	Cyclohexane	4
MM	Refrigerants, Methyl Chloride	4

Applies to these products:				
Happy Feet	Hog Heaven III Traffic			
Safety Scrape	Hog Heaven			
Hog Heaven III Comfort	Cushion Station			
Comfort Flow	Comfort Flow HD			
Fraction Tread	Fraction Tread Soft			
Hog Heaven Prime	Complete Comfort II			

- 1 = Little or no effect
- 2 = Minor to moderate effect
- 3 = Moderate to severe effect
- 4 = Not recommended

#### **Mat Symbols**



#### Anti-Fatigue

Ergonomic mats and floor tiles reduce fatigue by up to 50%. Antifatigue mats help increase blood circulation and reduce pressure on the body's musculoskeletal system. They also reduce foot arch pronation, varicose veins, and pain commonly attributed to standing for long periods of time.



#### Safety

Matting and tiles with highly visible, colored borders and beveled edges reduce trips and falls.



#### **Chemical Resistant**

Many M+A Matting mats are manufactured with nitrile rubber which is resistant to most commonly used chemicals. Please consult the chemical compatibility chart on page 5 for additional information.



#### **Oily Environment**

Nitrile rubber mats withstand degradation from oils and grease. These mats are suitable for use in environments with industrial oils, machine lubricants, greases, food grade oils, etc.



#### Wet Areas

Matting recommended for wet areas; mats with this designation will maintain all functionality even in standing water. They have openings designed to let water pass through the mat and keep the work surface dry, or are otherwise designed to be slip-resistant in wet environments.



#### **Damp Areas**

Matting that maintains slip-resistance even when surface is damp or wet temporarily.



#### ESD

Matting that dissipates static electricity from people to protect sensitive equipment and small static generated electric shocks.



#### Welding Safe

Matting that is suitable for use in locations of high temperatures and welding slag. The temperature resistant rubber can withstand temperatures up to 1742 degrees Fahrenheit from welding slag and hot metal shavings.

8

#### **Mat Symbols**



#### Anti-Slip

Uniquely designed texturized surfaces prevent slip and fall accidents. Heavy-duty rubber keeps the mats in place and prevents movement on a variety of surfaces.



#### Non-Conductive

Matting created for Switchboards and high voltage areas. Prevents workers from being grounded and reduces the potential for injuries caused by electrical shock.



#### **Cart Traffic**

Matting and tiles designed to withstand heavy cart traffic, and is also an ideal placement around heavy objects.



#### **Anti-Microbial**

Matting permanently treated with an anti-microbial agent that guards against degradation from micro-organisms and minimizes mats being a source of odors.



#### **Interlocking Floor Tiles / Mats**

Tiles that can be customized to fit large work areas and various shapes around work tables, machinery, conveyors, etc. Interlocking tiles may be easily reconfigured as equipment is moved.



#### Scraper

Scraper mats are heavy-duty mats designed to stop mud and larger particles of dirt from being tracked inside buildings.



#### Scraper/Wiper

Scraper/Wiper mats provide scraping action and wiping to further stop dirt and moisture from entering a facility. These mats are typically made of tough heavy-duty commercial fabrics. They retain dust in recessed grooves while absorbing moisture in the fabric surface.




#### Wiper


Wiper mats are designed to stop any remaining dust and moisture. These mats are made with a variety of carpeted surfaces and colors to compliment a wide range of interiors.



# Mat Selector G



# uide Industrial



Mat		Area			
G,E		Cafeteria/Break			
K,A		Clean Room			
M,L		Dry Assembly			
F,Q		Electric Panel			
R, H		Entrance			
, C,G		Eyewash Stn.			
, G,C		Food Prep			
1,G		Locker Room			
L,M		Mail & Samples			
L,P		Maintenance			
M,L		Manufacturing			
M,L		Molding			
S,J		Offices			
L,M		Quality Control			
O,N		Paint			
L,M		Quality Control			
S,B		Reception			
L,M		Rework			
L,M		Shipping/Receive			
M,L		Stamping			
0,N		Test Lab			
L,M		Tool Stores			
T,U		Vestibule			
L,M		Warehouse			
M,L		Welding			
C,D		Wet Assembly			
LTR	N	/lat Style	Proc	1.	
A	1	lean Stride	#412		
в	-	lassic Solutions	#120		
с	-	omfort Flow	#420		
D	С	omfort Flow Mod. Tile	#4430	)	
E		omfort Scrape	#430		
F	С	orrugated Swtchbrd.	#781		
G	С	ushion Station	#370	37	
н	s	uperScrape	#555		
I	F	rontier	#437		
J	G	ietFit StandUp	#4442	2	
к	Н	appy Feet	#465		
L	Н	og Heaven	#424		
м	н	H3 Comfort Mod. Tile	#4473	1	
N	н	H3 Traffic Mod. Tile	#4477	7	
0	н	og Heaven Marble Top	#448		
Р	К	neeling Comfort	#433		
Q	N	ilitary Swtchbrd. Dmnd.	#789		
R	S	uperScrape Plus	#5558	3	
	1				

The first letter denotes **Best** choice, the second letter is a **Good** secondary option for the corresponding areas of the facility.

S

т

U

ColorStar

WaterHog

WaterHog Mod. Tile

These are the most commonly used mats & floor tiles in industrial manufacturing facilities. The letter corresponds with the area chart to the left to help you locate the correct mat for a specific location.

#100

#2210

#200 280

#### Are you getting the most from your anti-fatigue mats?





Hog Heaven <sup>®</sup>	vs. Diamond-Plate Select
Durable nitrile rubber surface; nitrile-blended foam cushion	n PVC (vinyl) surface; PVC foam cushion
Slip-resistant, even when wet (0.85 wet per ASTM C1028-96)	S) Slippery when wet (0.17 wet per ASTM C1028-96)
Welding Safe	Not recommended for welding
Oil/grease proof surface; oil/grease resistant cushion	Not recommended for use around oil/chemicals
Electrically conductive	No anti-static benefits
Rubber borders will not ripple or curl	PVC borders will ripple & curl over time
Cushion is permanently molded to surface	Cushion is glued to surface and can delaminate
100% customer satisfaction guarantee	Limited warranties which vary by manufacturer

#### Do you want urethane comfort at an affordable price?






Hog Heaven Prime®	VS.	Commercial Grade Urethane
\$75.00	2' x 3' Retail Price	\$120.00
5/8"	Thickness	3/4"
53% at 20 psi, 67.4% at 40 psi	Compression Deflection	12% at 20 psi, 34% at 40 psi
61 grams (-1.92%)	Taber Abrasion	-1.20 grams (-3.22%)
28.44 lbs	Tensile Strength	29.47 lbs
21.7 lbs	Tear Strength	8.8 lbs
18.4 lbs	Puncture Test	18.7 lbs
Yes	<b>Electrically Conductive</b>	No
Yes	Welding Safe	No
Yes	Chemical Resistant	No
Yes	Slip Resistant Backing	No
100% customer satisfaction guaranteed	Warranty	Limited

#### Are all industrial mats the same?

VS.



Comfort Flow  ${}^{\scriptscriptstyle{\mathsf{TM}}}$ 



**Traditional Drainable Mats** 

Made of durable nitrile rubber foam	Made of rubber			
Grease/oil proof & chemical resistant	Claims grease/oil proof & chemical resistance (not made of 100% nitrile, meaning grease/oil will degrade mat)			
Superior anti-fatigue properties	Minimal anti-fatigue properties			
Anti-microbially treated for odor control	No anti-microbial treatment			
Light weight, easy to lift, roll, and clean	Heavy, difficult to move/roll			
Beveled edges allow carts to easily roll over	No beveled edges; can create tripping hazard			
100% customer satisfaction guaranteed	Limited warranty			
Similar cost twice the life!				

Cushion Max™	vs. PVC Foam Cushion
Nitrile-blended closed-cell foam	PVC Foam
Durable diamond pattern surface	Ribbed surface (prone to peeling & shaving)
5/8" thickness	3/8" thickness
Drainable; can be used in wet environments	Non-drainable; not suitable for wet environments
Excellent anti-fatigue properties	Minimal anti-fatigue properties
100% customer satisfaction guaranteed	1-year warranty





#### ANTI-FATIGUE, SLIP-RESISTANT, & FLOOR PROTECTION MAT COLLECTION

HOG HEAVEN® CUSHION MAX<sup>™</sup> HAPPY FEET® HOG HEAVEN PRIME® HOG HEAVEN<sup>®</sup> MARBLE **GETFIT STANDUP® MAT** HOG HEAVEN® FASHION COMPLETE COMFORT<sup>™</sup> II COMPLETE COMFORT™ CUSHION STATION™ COMFORT FLOW<sup>™</sup> COMFORT SCRAPE™ WET STEP® KNEELING COMFORT™ SURE CUSHION RIBBED SURE CUSHION TEXTURE SURE CUSHION HEAVY DUTY SURE CUSHION YELLOW BORDER SURE TREAD V-GROOVE TRACTION TREAD TRACTION TREAD SOFT CORRUGATED SWITCHBOARD DIAMOND PLATE SWITCHBOARD MILITARY SWITCHBOARD MILITARY SWITCHBOARD SMOOTH



Anti-Fatigue Mats

Provide Comfort and Increase Productivity

Anti-Fatigue mats are available in a wide range of sizes, weights and materials. It has been proven that the proper use of anti-fatigue mats can enhance worker productivity. These mats are designed for use wherever workers spend time standing and will help to eliminate muscular skeletal disorders.

#### **Slip Resistant and Safety Mats**

Protect Against Slips and Falls

Slip resistant and safety mats help provide safe working areas for employees and visitors to facilities. 85% of worker's compensation claims are attributed to employees slipping on slick floors. The utilization of slip resistant mats is an ideal solution to prevent such accidents from occurring.



Flow Through Mats Wet Area Solution

Flow through mats allow liquids to pass through them to eliminate slip hazards. Anti-fatigue properties provide comfort when standing for long periods of time. The thick rubber helps alleviate stress on the legs, feet and lower back.



#### **Runner and Floor Protection Matting**

Runner matting covers inside walkways and helps reduce slips and falls. Slips and falls are a leading cause of accidents in the workplace and providing sure footing is important to help decrease these types of accidents. Runner matting also protects the floor from parts or other objects being dropped, as well as aids in noise abatement.



#### **Switchboard Matting**

Switchboard matting protects workers from dangerous and harmful deadly shocks that can occur with electrical switchboards. This matting keeps the workers from being grounded and insulates them against high voltage. Switchboard matting is commonly referred to as non-conductive matting.

#### Mat Thicknesses





#### **HOG HEAVEN®**

Anti-Fatigue · Slip-Resistant

- 5/8" Black Border 5/8" Yellow Border 7/8" **Black Border** 7/8" **Yellow Border**
- Product No. 421 Product No. 423 Product No. 422 Product No. 424

SIZES

2' x 3' 3' x 5'

3' x 12'

4' x 6'

to 60'.

See price

list for all

additional

sizes.


Sizes are


approximate.

4.8' x 8' Additional

- Comfortable High-density nitrile-blended cushion helps eliminate pressure to the lower back and legs, providing superior comfort
- Safe Certified high-traction by the National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- Durable Nitrile-blended cushion provides years of useful service life; cushion is molded, not glued, to the nitrile rubber surface so it will not separate
- Versatile Welding safe; grease/oil proof surface (resistant cushion); chemical resistant; ESD rating of electrically conductive
- Available in 5/8" or 7/8" thicknesses with solid black or with OSHA-approved caution yellow borders
- · Can be customized with your logo, design, or message (see Hog Heaven Impressions)










IN THE







**CUSHION MAX<sup>™</sup>** 

Anti-Fatigue · Slip-Resistant · Flow Through

	Product No. 413 Product No. 414

- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Comfortable 5/8" nitrileblended closed-cell foam provides superior anti-fatigue properties
- additional • **Durable** – Diamond-pattern sizes. surface provides increased durability compared to ribbed surfaces which tend to peel and shave; grease/oil resistant; chemical resistant
- Available with drainage holes for wet area applications

Sizes are approximate.

SIZES

2' x 3'

3' x 5'

3' x 12'

4' x 6' Additional


lengths

up to 45'.

See price

list for all







#### HAPPY FEET®

Anti-Fatigue · Slip-Resistant

	BLACK B	ORDER
1/2"	Textured Surface	Product No. 465
1/2"	Grip Surface	Product No. 475
	CAUTION YELL	OW BORDER
1/2"	Textured Surface	Product No. 466
1/2"	Grip Surface	Product No. 476

- **Comfortable** 1/2" dense foam cushion encapsulated in nitrile rubber provides excellent anti-fatigue qualities
- **Safe** Certified high-traction by the National Floor Safety Institute (NFSI); low profile beveled edges provide a safe floor-to-mat transition
- MAT SIZES 2' x 3' 3' x 5' Sizes are approximate.
- **Durable** Borders will not crack or curl; nitrile rubber surface is penetration proof
- Versatile Welding safe; grease/oil proof; chemical resistant; ESD rating of electrically conductive
- Available in two surface types: textured surface for dry/ damp environments or grip surface for wet areas where additional traction is needed; Happy Feet with textured surface can be autoclave sterilized
- Available in solid black or with OSHA-approved caution yellow borders
















# Midnight Swirl

Sizes are approximate.

3' x 12'

4' x 6'

to 60'.

See price list for all

additional

sizes.

Additional

lengths up

Granite Dusk

**Midnight Swirl** 

#### • Comfortable - High-density nitrile-SIZES blended cushion helps eliminate 2' x 3' 3' x 5'

**HOG HEAVEN® MARBLE TOP** Anti-Fatigue · Slip-Resistant

Product No. 448

Product No. 449

pressure to the lower back and legs, providing superior comfort; smooth rubber top allows workers to pivot freely • Safe - Certified high-traction by the

5/8"

7/8"


- National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- Durable Rubber surface is molded, not glued, to the nitrile-blended cushion so it will not separate
- Easy to Clean Smooth diamondpatterned rubber surface is easy to clean
- Available in 5/8" or 7/8" thicknesses and 3 neutral colors to blend with any décor



Blue Merle



GETFIT STANDUP® MAT Anti-Fatigue · Slip-Resistant		
5/8" Fabric Top 5/8" Rubber Top	Product No. 4443 Product No. 4447	
<ul> <li>Comfortable – 5/8" nitrile-blended cushion provides excellent anti-fatigue properties and alleviates pain from extended standing</li> </ul>		<b>SIZES</b> 22" x 32" 22" x 50"
<ul> <li>Safe – Beveled edges provide a sea from floor to mat; edges will not cra</li> <li>Stain-Resistant</li> </ul>	mless transition 22" x 60	0" 7"
<ul> <li>Available in 2 surface types – an environmentally-friendly PET fabric top (made from recycled plastic bottles) and a rubber top* for maximum durability</li> </ul>		
* Rubber top is grease/oil resistant; c ESD rating of electrically conductive		







made in the USA



#### COMPLETE COMFORT<sup>™</sup>II

Anti-Fatigue · Slip-Resistant

#### 1/2" Product No. 594

SIZES

2' x 3'

3' x 4' 3' x 5'

4' x 6'

Sizes are

approximate.

- Comfortable 1/2" thick nitrile foam provides superior anti-fatigue properties
   Clean – Anti-microbial treatment
- provides lifetime protection from odors and degradation
  Safe - Beveled edges provide a safe transition from floor to mat
- Versatile Grease/oil proof; chemical resistant; welding safe; ESD rating of static dissipative
- Easy to Clean Can be autoclave sterilized; can withstand commercial laundering





#### **COMPLETE COMFORT**<sup>™</sup>

Anti-Fatigue · Slip-Resistant · Flow Through

without holes Product No. 494 5/8" 5/8" with holes Product No. 496

- Comfortable 5/8" thick nitrile-blended foam provides superior anti-fatigue properties
- **Clean** Anti-microbial treatment provides lifetime protection from odors and degradation
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Easy to Clean Lightweight and flexible for easy handling and cleaning
- Grease/oil resistant; chemical resistant
- Available with drainage holes for use in wet environments

SIZES 2' x 3' 3' x 4' 3' x 5' 3' x 10' 4' x 6' 4' x 8' 3' and 4' widths available in lengths up to 75' . See price list for all additional sizes. Sizes are approximate.



Dry or Damp / Indoor







#### **CUSHION STATION**<sup>™</sup>


Anti-Fatigue · Slip-Resistant · Flow Through

7/16" without holesProduct No. 3707/16" with holesProduct No. 371

- **Comfortable** 7/16" nitrile foam provides excellent anti-fatigue properties
- **Clean** Anti-microbial treatment provides lifetime protection from odors and degradation
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Versatile Grease/oil proof; chemical resistant; welding safe; ESD rating of static dissipative
- Easy to Clean Flexible construction makes this mat easy to clean; can be autoclave sterilized
- Available with drainage holes for wet area applications

SIZES
2' x 3.2'
3.2' x 5.3'
3.2' x 8.3'
3.2' x 12.3'
3.2' x 16.1'
3.2' x 20.1'
4' x 5.92'
4' x 8.3'
4' x 12.3'
4' x 16.1'
4' x 20.1'

Sizes are approximate.





E





#### COMFORT SCRAPE Slip-Resistant · Anti-Fatique

#### **Comfort Scrape** Product No. 430

#### **COMFORT FLOW**<sup>™</sup> Slip-Resistant · Flow Through · Anti-Fatigue

#### 3/8" **Comfort Flow** Product No. 420

• Clean - Lifetime anti-microbial treatment SIZES prevents odors and degradation of the mat 2' x 3'

3/8"

- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Comfortable** High-density closed-cell nitrile rubber cushion provides excellent anti-fatigue qualities
- Versatile Grease and oil proof; chemical resistant; welding safe; ESD rating of static dissipative
- Easy to Clean Lightweight flexible design ensures easy handling and cleaning
- Comfort Flow has drainage holes to allow liquids to flow through. Comfort Scrape has a non-draining surface

4 2 4 4 4 5 6 7 6 6 2 6

Dry or Wet / Indoor or Outdoor



N THE USA

3' x 5' 4' x 6'

3' x 9'




Dry or Wet / Indoor or Outdoor

#### WET STEP®

Slip-Resistant · Flow Through · Anti-Fatigue

#### 1/4" Product No. 789

- Slip-Resistant & Safe Drainage holes allow water to freely drain away; certified hightraction by the National Floor Safety Institute (NFSI)
- **Comfortable** ¼" thick high-density nitrile rubber foam provides anti-fatigue properties making it very comfortable for bare feet
- **Clean** Anti-microbially treated to help prevent odors and degradation; can be autoclave sterilized
- **Durable** Nitrile rubber foam is UV resistant and provides years of service life
- Recommended for pools, spas, showers, locker rooms, and other wet areas



Sizes are

approximate.









#### **KNEELING COMFORT**<sup>M</sup>

Anti-Fatigue · Slip-Resistant

#### 7/8" Product No. 433

- **Comfortable** 7/8" cushion reduces knee trauma and lower back stress
- Clean Closed-cell nitrile rubber foam will not absorb liquids and wipes clean with soap and water
- **Durable** Grease/oil proof surface (resistant cushion); chemical resistant; welding safe
- Safe Certified high-traction by the National Floor Safety Institute (NFSI); ESD rating of electrically conductive
- **Convenient** Built-in handle enables easy transportation and storage













THE RECENTION OF THE

Dry / Indoor \* PVC foam mats are not guaranteed against damage from high heels, casters or chair legs. Not recommended for use in wet areas.

ure Cushion Ribbe

e Cushion Textur

Sure Cushion Heavy Duty

#### Floor Protection · Anti-Fatigue SURE CUSHION RIBBED

#### 3/8" Product No. 415

Ribbed PVC foam\*

SIZES	
2' x 3'	2' x 60'
3' x 5'	3' x 60'
3' x 12'	4' X 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

#### SURE CUSHION TEXTURE

#### 3/8" Product No. 425

• Textured PVC foam\*

**SIZES** 2' x 3' 3' x 12' 3' x 5' 3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

#### SURE CUSHION HEAVY DUTY

#### 1/2" Product No. 428

- PVC foam for heavy use areas\*
- 80 mil solid vinyl surface combined with a non-closed cell vinyl cushion back

• Beveled on all sides

for safety

2' x 3' 3' x 12' 3' x 5' 3' x 60' Additional lengths up

SIZES

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

#### SURE CUSHION YELLOW BORDER

#### 3/8" Product No. 427

 PVC foam with yellow border on two sides\* **SIZES** 2' x 3' 3' x 12' 3' x 5' 3' x 60'

Additional lengths up to  $60^{\circ}.$  See price list for all additional sizes. Sizes are approximate.

#### SURE TREAD V-GROOVE

#### 1/8" Product No. 505

- Solid vinyl
- Chemical resistant

# • Provides protection for all types of floors from abuse due to chairs, tables and foot traffic

- Great for walkways, inclines, and ramps
- Can be rolled for easy storage

#### SIZES

3' x 105' 4' x 105' Additional lengths available. Sizes are approximate.

Sure Cushion Yellow Border





MADE

USA



28

#### **TRACTION TREAD**

Slip-Resistant · Floor Protection

#### 1/8" Product No. 50

Traction Tread mats are designed to provide slip-resistant floor protection in a variety of settings.

- Slip-Resistant & Safe Certified high-traction by the National Floor Safety Institute (NFSI)
- **Durable** 1/8" solid nitrile rubber provides years of service life and will not crack or curl
- Versatile Grease/oil proof; chemical resistant; welding safe; ESD rating of electrically conductive

2' x 3' 3' x 5' 3' x 9' 3' x 12' 4' x 6' 4' x 9' 4' x 12'

SIZES

Sizes are approximate.





2

Dry or Damp / Indoor

# **TRACTION TREAD SOFT**

Slip-Resistant · Floor Protection · Anti-Fatigue

#### 1/4" Product No. 56

- Slip-Resistant & Safe Certified high-traction by the National Floor Safety Institute (NFSI) 2' x 3'
- **Comfortable** ¼" thick high-density nitrile rubber foam provides anti-fatigue properties
- Odor Resistant Anti-microbially treated to help prevent odors and degradation
- **Durable** Nitrile rubber foam provides years of service life and will not crack or curl
- Versatile Grease/oil resistant; chemical resistant; welding safe; static dissipative

Sizes are approximate.

3' x 5'

3' x 9' 3' x 12'

4' x 6'

4' x 9' 4' x 12'

Traction Tread Soft






#### CORRUGATED SWITCHBOARD

Dry / Indoor

Non-conductive

#### 1/4" Product No. 781

- Non-conductive
- Type II, Class 2 meets additional testing for Flame, Oil and Ozone resistance
- Protects workers from electrical shock by insulating against high voltage
- Corrugated Switchboard matting conforms to ASTM testing D-178-01
- Tested dielectric strength 30,000 volts
- Maximum use voltage is 17,000 volts



SIZES 24" x 75'

36" x 75'

48" x 75'





Diamond Plate Switchboard

#### **DIAMOND PLATE** SWITCHBOARD

Non-conductive

#### 1/4" Product No. 783

#### • Non-conductive

- Type II, Class 2 meets additional testing for Flame, Oil and Ozone resistance
- Protects workers from electrical shock by insulating against high voltage
- Diamond Plate Switchboard matting conforms to ASTM testing D-178-01
- Tested dielectric strength 30,000 volts
- Maximum use voltage is 17,000 volts
- Sizes are approximate.

SIZES 36" x 75'





4

#### MILITARY SWITCHBOARD DIAMOND

Non-conductive

#### 3/16" Product No. 784


- Non-conductive
- Meets strict Military specification standard MIL-DTL 15562G
- Type III PVC runner material protects workers in high voltage use areas
- Dielectric Strength: The floor covering shall not fail at less than 30,000 volts when tested as specified - MIL-DTL 15562G


Sizes are approximate.

SIZES

36" x 75'














#### ERGONOMIC MODULAR TILE MAT COLLECTION

HOG HEAVEN III® COMFORT MODULAR TILE HOG HEAVEN III® COMFORT LINKABLE MATS HOG HEAVEN III® COMFORT WORKSTATION MATS HOG HEAVEN III® TRAFFIC MODULAR TILE HOG HEAVEN III® TRAFFIC LINKABLE MATS COMFORT FLOW<sup>™</sup> HD MODULAR TILE COMFORT FLOW<sup>™</sup> HD LINKABLE MATS

# Site Audit/Assessment





# A Site Audit by an M+A Matting Expert Includes:

- A complete assessment of your facility
- Review of the findings with you
- Development of a plan based on your budget and timeline
- Delivery of a report based on the information above

# Benefits to Employees:

- 1. Reduced fatigue and improved skeletal structure alignment
- 2. Increased productivity
- 3. Improved morale
- 4. Reduced slips, trips, and falls

#### **M+A Matting Modular Tiles vs. The Competition**





Hog Heaven III<sup>®</sup> Comfort Tiles **Ergonomic PVC Tiles** VS. Durable nitrile rubber Material PVC 3/4" Thickness 7/8" 43.9% @ 20 psi; 60.2% @ 40 psi **Compression Deflection** 14.15% Electrically Conductive 9.4 x 10<sup>5</sup> ohms **ESD** Rating No rating Chemical/Oil Resistant Far less resistant than nitrile Yes 0.74 Dry, 0.77 Wet per ASTM C1028-96 **Coefficient of Friction** 0.65 Dry, 0.42 Wet per ASTM F1677 Yes Welding Safe No Yes, nitrile/PVC blended cushion No **Cushion Backing** 



Hog Heaven III<sup>®</sup> Traffic Tiles Durable nitrile rubber 5/8" 12.4% @ 20 psi; 20.5% @ 40 Electrically Conductive 1.7 x 10<sup>5</sup> o Yes .74 Dry, .77 Wet per ASTM C1028 Yes Flammability DOC-FF-1-70: Pas





	VS.	Heavy Duty Hard PVC Tiles
	Material	PVC
	Thickness	7/8"
psi	Compression Deflection	4.84%
ohms	ESD Rating	No rating
	Chemical/Oil Resistant	Far less than nitrile
8-96	Coeffecient of Friction	0.65 Dry, 0.42 Wet per ASTM F1677
	Welding Safe	No
ISS	Flammability	Flammability MVSS 302: 'A' Rating




Comfort Flow<sup>™</sup> HD Modular Tiles

Durable nitrile rubber 1/2" 13.4% @ 20 psi; 22.6% @ 40 psi Electrically Conductive 4.6 x 10<sup>4</sup> ohms Yes 0.87 Dry, 0.83 Wet per ASTM C1028-96 Yes, tested up to 1800°F Flammability DOC-FF-1-70: Pass Prop 65 compliant

VS.

Material Thickness **Compression Deflection** ESD Rating Chemical/Oil Resistant **Coefficient of Friction** Welding Safe Flammability Prop 65



**Ergonomic Drain Through Tiles** 

Durable nitrile rubber 3/4" Unpublished Static Dissipative 10<sup>9</sup> ohms Yes 0.965, 1.08 (with grit) per ASTM D1677 Yes, but no published high temperature Flammability DOC-FF-1-70: Pass Prop 65 warning

#### HOG HEAVEN III® **COMFORT TILES & MATS**

Anti-Fatique · Slip-Resistant

- Modular Tile 18" x 18" 3/4" 3/4" Modular Tile 36" x 36" 3/4" Linkable Mats Black border Linkable Mats Yellow Border 3/4" 3/4" **Workstation Black Border** 3/4" Workstation Yellow Border
- Product No. 4471 Product No. 4472 Product No. 4497 Product No. 4498 Product No. 4493 Product No. 4494
- Comfortable High-density, closed-cell nitrile rubber cushion provides excellent anti-fatigue qualities to reduce the pain and fatigue associated with standing for long periods of time
- Safe Certified high-traction by the National Floor Safety Institute (NFSI); beveled edges provide a safe transition from floor to mat and will not crack or curl
- **Durable** Nitrile-blended cushion provides years of useful life and is molded, not glued, to the nitrile rubber surface so it will not separate
- Versatile Welding safe; grease/oil resistant\*; chemical resistant; ESD rating of electrically conductive
- Mats and tiles are ¾" thick and available with black or OSHA-approved caution yellow border
- Recommended for distribution, manufacturing, and retail facilities for picking lines, assembly lines, workstations, check-out stations, and more
- \*The 100% nitrile rubber surface of Hog Heaven III Comfort is grease/oil proof while the nitrile-blended cushion is grease/oil resistant.

#### **MODULAR TILE** SIZES

#### 18" x 18" Center-01 18" x 18" x 3/4" Side Black-02 18" x 21.875" x 3/4" Corner Black-03 21.875" x 21.875" x 3/4" Side Yellow-04 18" x 21.875" x 3/4" Corner Yellow-05 21.875" x 21.875" x 3/4"

36" x 36" Center-01 36" x 36" x 3/4" Side Black-02 36" x 39.875" x 3/4" Corner Black-03 39.875" x 39.875" x 3/4" Side Yellow-04 36" x 39.875" x 3/4" Corner Yellow-05 39.875" x 39.875" x 3/4"

Color: Black with black border or yellow caution border

#### LINKABLE MAT SIZES

Mat End 39.875 x 43.75" x 3/4" Mat Middle 36" x 43.75" x 3/4" Color: Black with black border or yellow caution border

#### WORKSTATION MAT SIZE 43.75 x 43.75" x 3/4"

US Patent 8,919,054




















37





Hog Heaven III Traffic Modular Tiles

#### HOG HEAVEN III TRAFFIC MODULAR TILES



#### MODULAR TILE Sizes

18" x 18" Center-01 18" x 18" x 5/8" Side-02 18" x 21.875" x 5/8" Corner-03 21.875" x 21.875" x 5/8"

#### **36" x 36"** Center-01 36" x 36" x 5/8"

Side-02 36" x 39.875" x 5/8" Corner-03 39.875" x 39.875" x 5/8"

#### LINKABLE Mat sizes

Mat End 39.875 x 43.75"x 5/8" Mat Middle 36" x 43.75" x 5/8" US Patent 8,919,054

# HOG HEAVEN III TRAFFIC LINKABLE MATS Black Border Caution Yellow Border







End



Middle

# HOG HEAVEN III® TRAFFIC TILES & MATS

Anti-Fatigue · Slip-Resistant

5/8"	Modular Tile 18"x 18"	Product No. 4477
5/8"	Modular Tile 36"x 36"	Product No. 4478
5/8"	Linkable Mats Black Border	Product No. 4491
5/8"	Linkable Mats Yellow Border	Product No. 4492

Hog Heaven III Traffic mats and tiles provide a customizable matting solution for workstations with cart traffic. They offer ergonomic qualities yet are firm enough to support traffic from heavy carts.

- Firm & Durable Solid nitrile rubber foam lasts for years, even under heavy cart traffic
- **Comfortable** High-density, closed-cell nitrile rubber provides anti-fatigue qualities to reduce the pain and fatigue associated with standing for long periods of time
- Versatile Grease/oil proof; chemical resistant; welding safe; ESD rating of electrically conductive
- Mats and tiles are 5/8" thick and available with black or OSHAapproved caution yellow border



#### **COMFORT FLOW<sup>™</sup> HD TILES & MATS**

Slip-Resistant · Flow Through · Anti-Fatigue

- **Comfort Flow HD Modular Tile** 1/2"
- **Comfort Flow HD Linkable Mats** 1/2"
- 1/2"
- Product No. 4430 Product No. 4434 Comfort Flow HD Workstation Mat Product No. 4439
- Clean Bi-level design traps dirt/debris to prevent tracking; lifetime anti-microbial treatment prevents odors and degradation of the mat
- Safe Beveled edges provide a safe transition from floor to mat
- Comfortable High-density closed-cell nitrile rubber cushion provides excellent anti-fatigue qualities
- Versatile Grease and oil proof; chemical resistant; welding safe; ESD rating of electrically conductive
- Easy to Clean Lightweight and flexible design ensures easy handling and cleaning
- · Comfort Flow HD has drainage holes to allow liquid to flow through





Side Tile

Center Tile

Corner Tile

WORKSTATION MAT SIZES 39" x 39" x 5/8"

MODULAR

**TILE SIZES** 





Comfort Flow HD Modular Tile











# LOGO MAT COLLECTION

WATERHOG IMPRESSIONS HD® WATERHOG® LOGO INLAY CLASSIC IMPRESSIONS<sup>™</sup> HD GRAND IMPRESSIONS <sup>™</sup> HD SIC IMPRESSIONS<sup>™</sup> HD CUSTOM SHAPE COLORSTAR® IMPRESSIONS HOG HEAVEN® IMPRESSIONS<sup>™</sup>

# M+A Matting offers numerous types of logo mats.

Each of these logo mat processes result in high quality products your customers will be very proud to use. Pricing is calculated by each individual design number and quantity. Different size logo mats and standard mats may not be combined for quantity discount.

# Ordering Logo Mats is as easy as 1-2-3:

- 1) Visit www.mamatting.com to submit your logo file using our easy to use web page.
- 2) Log into your account and select "Submit Design" from the "My Account" menu.
- Complete the necessary information on the submit page, attach your logo file and then click on "Send your design". Artwork should be 300 dpi or greater.

Your proof will be emailed back to you within 24 hours. Once your proof arrives by email, please take the following simple steps:

- 1) Approve or make necessary changes to the proof.
- Return the art proof with any changes or approved art proof with purchase order and quantity of mats to artwork5@mamatting.com.



Acceptable	Unacceptable	Marginal
Vector Graphic Files:	Faxes	Color Prints*
AI, EPS, PDF, CDR, SVG	Emblems	Newspaper Ads
Image Files:	Copies of Emblems	Yellow Pages Ads
TIFF (600 DPI/PPI)	Banners	Business Cards
JPG (600 DPI/PPI)	Flags	
PNG (600 DPI/PPI)	Full Size Mats	
Black/White Ad Slicks	Badges	
Letterhead	Shirts	
Brochures	Hats	
Business Literature		

\*Color prints, if available, may be submitted to show color placement for a design.

# Create your own proofs with The M+A Matting Mobile App!

Visit your app store and search "M+A Matting" to download app.

#### The M+A Matting Mobile App provides an easy way for users to search and view existing mat designs as well as create their own proofs using our simple tools.

Each user will be able to:

- Create proofs using the mobile device camera or by loading an image from their library
- Have access to a personal dashboard that saves all current and former artwork submissions associated with their account
- · Get instant artwork approval using e-signature feature
- Track orders of designs that were created via the mobile app
- Filter search results by product category, size or mat orientation

#### M+A Matting's user friendly app is compatible with any mobile device.

# Below is a condensed list of compatible devices:

- Android
- Android tablets
- iPhone\*
- iPad\*
- iPod Touch\*

\*all Apple products require iOS 6.0 or later





5/16"

Indoor or Outdoor (Covered)

SIZES

2' x 3' 3' x 4'

3' x 5'

3' x 10' 4' x 6'

4' x 8'

5' x 8'

5' x 10' 6' x 10'

6' x 12'

sizes.

Sizes are

approximate.

See price list for

all additional

Product No. 2838

# **BERBER IMPRESSIONS HD**

 $\textbf{Logo} \cdot \textbf{Scraper/Wiper} \cdot \textbf{Slip-Resistant}$ 

- **Durable** The tight weave of Berber makes it durable enough to withstand heavy foot traffic while scraping dirt and moisture from shoes to minimize tracking
- **High Definition** The Berber fabric features a smooth surface that allows for crisp printing definition
- **Eco-Friendly** These mats are made with PET (polyethylene terephthalate), a type of polyester yarn that features 85% recycled content reclaimed from plastic drink bottles
- Easy to Clean PET fabric is naturally resistant to staining
- Safe Durable rubber backing helps keep the mat in place to minimize slipping hazards
- 56 standard color options; choice of smooth or universal cleated rubber backing







Color options



WaterHog Logo Inlay Red/Black Classic border

\*These colors are ONLY available in 3' and 4' widths.

#### WATERHOG® LOGO INLAY Logo · Scraper/Wiper · Slip-Resistant $\checkmark$ Indoor or Outdoor 3/8" Classic Border Product No. 234 3/8" Fashion Border Product No. 235 • Clean & Dry - Bi-level surface effectively scrapes dirt and SIZES moisture from shoes, trapping it beneath shoe level to prevent 2' x 3' 4' x 8' tracking; water dam border holds moisture keeping it off your 3' x 4' 4' x 10' floors (WaterHog mats can hold up to 1.5 gallons of water per 3' x 5' 4' x 12' square yard) 3' x 6' 4' x 16' 3' x 10' 4' x 20' • Durable & Fade Resistant – Reinforced rubber nubs prevent 3' x 12' 6' x 8' pile from crushing and extend the performance life of the mat; 3' x 16' 6' x 12' solution-dyed fabric is fade-resistant 3' x 20' 6' x 16' 4' x 6' 6' x 20' hog Logo • Safe – Beveled edges provide a safe transition from floor to Red/Bla mat; certified high-traction by the National Floor Safety Institute See price list for all • 19 fabric colors to choose from; available with choice of Classic additional sizes. WaterHog Classic Borde WaterHog Fashion Border (rubber) border or Fashion (fabric) border • Features 78-mil SBR rubber with choice of smooth or universal Sizes are approximate. cleated backing Fabric border Rubber reinforced textile Rubber border Rubber reinforced textile Light Green Bluestone Bordeaux Camel Charcoal Dark Brown Evergreen Gold\* Medium Blue Aquamarine\* Red/Black Medium Brown **Medium Grey** Navy Orange\* Purple\* Solid Red\* White<sup>\*</sup> Yellow\*

www.mamatting.com



Classic Impressions HD Logo

### CLASSIC IMPRESSIONS<sup>™</sup> HD LOGO

Logo · Wiper · Dust Control · Slip-Resistant

SBR Rubber Border and Backing

iven

Product No. 73

Product No. 64

Chevro

#### **GRAND IMPRESSIONS HD LOGO** Logo · Wiper · Dust Control · Slip-Resistant

3/8" Serged Border, SBR Rubber Backing

3/8"

Co medition

- Photographic-Quality Print Logos and designs are digitally printed with photographic quality; fine details, shading, and 3D images can be achieved; 150 standard colors options available
- **Resilient** High-twist, heat-set nylon (32-ounces/square yard) resists crushing to better trap dirt and extend the useful life of the mat
- Classic Impressions HD mats are available with SBR backing; Grand Impressions HD mats are only available with 68-mil SBR smooth backing and serged borders

2' x 3' 3' x 4' 3' x 5' 3' x 10' 4' x 6' 4' x 8' 5' x 10' 6' x 10' 6' x 10' 6' x 10' 6' x 12' See price list for all additional sizes. PMS\_

SIZES

custom color available at an additional charge. Sizes are approximate.

Classic Impressions HD Logo









Logo · Wiper · Dust Control · Slip-Resistant

#### 3/8" Product No. 733

- **Photographic-Quality Print** Logos and designs are digitally printed with photographic quality; fine details, shading, and 3D images can be achieved; 150 standard colors options available
- **Resilient** High-twist, heat-set nylon (32-ounces/square yard) resists crushing to better trap dirt and extend the useful life of the mat
- · Backed with durable nitrile rubber







Moor (1) Indoor

#### **COLORSTAR® IMPRESSIONS**

Logo · Wiper · Dust Control · Slip-Resistant

#### 3/8" SBR Rubber Backing Product No. 60

- Photographic-Quality Printing Logos and designs SIZES are digitally printed at 76 dpi (dots per inch), 2' x 3' 3' x 4' making fine details, shading, and 3-D images 3' x 5' 3' x 10' 4' x 6' • Eco-Friendly – PET (polyethylene terephthalate) 4' x 8' carpet surface contains 100% post-consumer 5' x 8' recycled content reclaimed from plastic bottles 5' x 10' 6' x 10' · Fade Resistant - PET yarn has excellent color-6' x 12' fastness and is resistant to fading from repeated See price list for washing/cleaning all additional • Stain Resistant - PET yarn is naturally resistant to sizes. Sizes are • Safe - Certified high-traction by the National Floor approximate. Safety Institute (NFSI) • Choose from 60 standard colors
- SBR (48 mil) rubber backing





www.mamatting.com

#### **HOG HEAVEN® IMPRESSIONS**

SIZES

2' x 3' 3' x 5' 3' x 12' 4' x 6'


sizes. PMS

custom color

Logo · Anti-Fatigue · Slip-Resistant 5/8" Product No. 3422

- **Comfortable** 5/8" high-density nitrile-blended cushion helps eliminate pressure to the lower back and legs, providing superior comfort
- Safe Certified high-traction by the National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- Durable Nitrile-blended cushion provides years of useful service life; cushion is molded, not glued, to the nitrile rubber surface so it will not separate
- Versatile Welding safe; grease/oil resistant; chemical resistant; ESD rating of electrically conductive









Indoor or Outdoor

# SUPERSCRAPE **IMPRESSIONS<sup>™</sup> LOGO**

Logo · Scraper

#### 3/16" Product No. 3559

- Features your logo or image printed on a SuperScrape mat
- Clean Surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking
- Safe Slip resistant even in wet environments; certified high-traction by the National Floor Safety Institute (NFSI)
- Easy to Clean Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered
- 3/16" thick nitrile rubber with circular surface cleats

N THE USA

۷.	Э	Х	Э
3'	Х	4'	
3'	Х	5'	
3'	Х	1(	)'
4'	Х	6'	
4'	Х	8'	

SIZES

2 5' 2 2'

6' x 6' 6' x 8'

PMS custom color available at an additional

Sizes are approximate.

charge.

# The Wonderful World of

Since its introduction in 1986, the WaterHog has become American's best-selling mat. Renowned for its bi-level design and water dam border, it's highly effective at stopping dirt and moisture, keeping floors clean and dry.

The WaterHog product line has grown substantially over the last three decades to include a wide array of patterns, colors, and sizes. With so many options and a unique nomenclature, selecting a WaterHog mat can seem challenging at first, but these steps are designed to simplify the selection process.

# **1. Pick Your Fabric Weight**



Both the 24-ounce *WaterHog* and 30-ounce *WaterHog Eco* product lines are made with PET, an eco-friendly polyester made from 100% post-consumer recycled plastic bottles.

24-ounce PET

**30-ounce PET** 

WaterHog<sup>®</sup> Eco

# 2. Pick Your Pattern and Color

The WaterHog (24-ounce) line comes in three designs with 19 color options. The WaterHog Eco (30-ounce) line comes in four designs with 8 color options.







#### 4. Pick Your Backing

All WaterHog mats are backed with rubber. The standard backing is a 78-mil SBR (styrene-butadiene rubber) with either a smooth surface for placement on smooth/hard floors (like marble, tile, or wood) or with a universal cleated surface for placement on carpeted floors. Select WaterHog mats with a classic border are available with Anchor Safe® backing, a 100-mil nitrile backing with a heavy tread design to ensure the mats stays in place, even with heavy traffic.



Smooth Backing 78-mil SBR Recommended for hard floor surfaces



Universal Cleated Backing 78-mil SBR Designed to perform on both carpeted and smooth floors



Anchor Safe® Backing 100-mil nitrile Recommended for surfaces with heavy traffic or cart use

### 5. Add Some Optional "Grandeur"

If you're interested in adding a little grandeur to your entrance matting, you may want to consider a *WaterHog Grand* or *WaterHog Eco Grand* mat. The luxurious rounded mats can be placed at either or both ends of:

- » WaterHog Diamond
- » WaterHog Legacy
- » WaterHog Eco Elite
- » WaterHog Eco Legacy
- » WaterHog Eco Premier



Half Oval





Two Ends



# **Scraper Entrance Mats**

Your First Line of Defense

Scraper mats are designed to stop mud and larger particles of dirt from being tracked inside buildings. These mats provide aggressive scraping action and trap dirt and debris in recessed areas until the mats are cleaned. Scraper mats can be used outside or inside and should be used in conjunction with a Scraper/Wiper mat and a Wiper mat.



# Scraper/Wiper Entrance Mats

The Second Step to Keeping Dirt Outside

Scraper/Wiper mats are designed to provide scraping action and wiping to further stop dirt and moisture from entering a facility. These mats are typically made of tough fabrics. They channel and retain dust in recessed grooves while absorbing moisture in the fabric face. These mats are primarily used inside but may be used outside in covered areas.



# **Wiper Entrance Mats**


The Third Weapon Against Dirt and Moisture

Wiper Entrance Mats are designed to stop any remaining dust and moisture left after using the Scraper mat and Scraper/Wiper mat. These mats are made with carpet facing to complement most interiors. These mats are for indoor use and when used in conjunction with a Scraper mat and Scraper/Wiper mat, they can stop as much as 85% to 95% of dirt and grime from being tracked into a building.

#### **Preventative Maintenance**

# Mats are the first defense to stop dirt and moisture from entering your building.

Mats filter these contaminants from entering the facility, saving thousands of dollars a year in cleaning costs. Mats also protect interior floor surfaces from excessive damage and wear. Entrance mats are the most effective way of stopping dirt and moisture at the door and keeping building maintenance costs to a minimum.




#### **Consider These Facts...**

- 70% to 80% of dust, grime and dirt in a building is tracked in from the outside on people's feet—permanently damaging floors
- One square yard of carpet can accumulate one pound of dirt a week—twice that in inclement weather
- It is estimated that the cost to find and remove a single pound of dirt from a building can run in excess of \$600 in cleaning costs. As few as 150 people entering a facility can track in one pound of dirt in a 5 day work week costing over \$30,000 dollars annually to remove.
- By utilizing high performance entrance matting of at least 10' to 15' (as recommend by the U.S. Green Building Council and the Carpet and Rug Institute) you can capture as much as 85% to 95% of contaminants that enter the building, saving maintenance dollars and protecting building assets

50





3' x 4' 3' x 5' 3' x 8' 3' x 10' 3' x 12' 3' x 16' 3' x 20' 4' x 6'	4' x 12' 4' x 16' 4' x 20' 6' x 8' 6' x 12' 6' x 16' 6' x 20'
See price l additional Mats up to	size options.

SIZES

2' x 3'

18" x 27" 4' x 8'

4' x 10'

available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20' Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.



IN THE

USA

3/8"

Waterhog Classic

Rubber reinforced textile Rubber border

terHog Drainable

Evergreen

Bordeaux



WaterHog Diamond Classic Border Red/Black

#### WATERHOG® DIAMOND

Scraper/Wiper · Slip-Resistant

# 3/8"Classic BorderProduct No. 2083/8"Fashion BorderProduct No. 221

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1 ½ gallons of water per square yard)
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly Rubber backing contains 20% postconsumer recycled rubber from car tires
- Available in 19 colors with choice of Classic (rubber) border or Fashion (fabric) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe<sup>®</sup> nitrile rubber backing on Classic border mat only

SIZES	
2' x 3'	4' x 8.4'
3' x 4'	4' x 10'
3' x 5'	4' x 12.2'
3' x 6'	4' x 16'
3' x 8.4'	4' x 20'
3' x 10'	6' x 6'
3' x 12.2'	6' x 8.4'
3' x 16'	6' x 12.2'
3' x 20'	6' x 16'
4' x 6'	6' x 20'

01750

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.



Evergreen

Indoor or Outdoor



USA

52




100%

IN THE

USA

\*These colors are ONLY available in 3' and 4' widths.





Khak

# WATERHOG<sup>®</sup> ECO GRAND

Scraper/Wiper · Slip-Resistant

3/8" Half Oval: No. 2246	One End: No. 2243	Two Ends:	No. 2244
<ul> <li>Clean &amp; Dry - Raised nubs moisture from shoes and tr level; water dam border hol of water per square yard, k clean, dry, and safe</li> <li>Eco-Friendly - PET fabric i post-consumer recycled pla bottles, and SBR rubber ba recycled rubber from car tin</li> <li>Safe - Beveled edges provi from floor to mat; certified National Floor Safety Institut</li> <li>Durable – Reinforced rubb from crushing and extend t of the mat</li> <li>Fade &amp; Stain Resistant - S</li> </ul>	rap it below foot Ids up to 1.5 gallons eeping your floors s made from 100% astic from drink cking contains 20% res de a safe transition high-traction by the ute (NFSI) er nubs prevent pile the performance life	SIZES HALF OVAL 3' x 1.8' 4' x 2.3' 6' x 3.3' ONE END 3' x 5.5' 3' x 10' 3' x 13.9' 3' x 17.7' 3' x 21.6' 4' x 5.9' 4' x 10.5' 4' x 14.4' 4' x 18.2' 4' x 22' 6' x 7' 6' x 11.6' 6' x 15.4' 6' x 19.3' 6' x 23.1'	TWO ENDS 3' x 7.1' 3' x 11.7' 3' x 15.5' 3' x 19.4' 3' x 23.2' 4' x 8' 4' x 12.6' 4' x 16.5' 4' x 16.5' 4' x 20.3' 6' x 10.1' 6' x 14.8' 6' x 18.6' 6' x 22.4'
fabric is resistant to staini and will not fade or rot	ng, dries quickly,	See price list fo size options. M are available w	lats up to 40'
• Available in 8 colors with 7 with universal cleated back		cleated or smoo Mats over 40' a available with s	

with universal cleated backing or smooth backing

Sizes are approximate.







**Classic Border** Maroon

Indoor or Outdoor

# WATERHOG® ECO ELITE

Scraper/Wiper · Slip-Resistant

3/8" Classic Border Product No. 2240 3/8" **Fashion Border** Product No. 2241

- Clean & Dry Raised nubs remove dirt and moisture from shoes and trap it below foot level; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe
- Eco-Friendly PET fabric is made from 100% postconsumer recycled plastic from drink bottles, and SBR rubber backing contains 20% recycled rubber from car tires
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Durable Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Available in 8 colors with choice of Classic (rubber) border or Fashion (fabric) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing on Classic border mat only

SIZES 2' x 3' 4' x 10' 4' x 12.2' 3' x 4' 4' x 16' 3' x 5' 4' x 20' 3' x 6' 3' x 8.4' 6' x 6' 6' x 8.4' 3' x 10' 3' x 12.2' 6' x 12.2' 3' x 16' 6' x 16' 6' x 20' 3' x 20' 4' x 6' 4' x 8.4'

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.



**Regal Red** Chestnut Brown Grey Ash Southern Pine Black Smoke Indiad Khaki Maroon





55




- Fade & Stain Resistant Solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Available in 8 colors with choice of Classic (rubber) border or Fashion (fabric) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe<sup>®</sup> nitrile rubber backing on Classic border mat only

IN THE

USA

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing, anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.






#### WATERHOG® ECO ELITE **ROLL GOODS**

Scraper/Wiper · Slip-Resistant

#### Product No. 2271\* and 2272\*\* 3/8"



- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- Durable & Fade Resistant Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat; solution-dyed polypropylene fabric is fade-resistant
- **Safe** Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly PET fabric is made from 100% postconsumer recycled plastic from drink bottles, and SBR rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 8 colors with 78-mil smooth SBR rubber backing
- Designed to be installed like carpeting or loose-laid like a mat

\*CUSTOM SIZES See price list for additional information.

#### **\*\*ROLL SIZE**

(Does not include nosing) 6' x 67'

Black Smoke

**Chestnut Brown** 

Grey Ash

Khaki

MADE N THE

Southern Pine



Indigo



#### WATERHOG® DIAMONDCORD

Scraper/Wiper · Slip-Resistant

#### 3/8" Product No. 296

SIZES

2' x 3'

3' x 4'

3' x 5'

3' x 6'

3' x 8.4'

3' x 10'

See price list for

Mats up to 40' are

cleated or smooth

30% upcharge.

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- Durable Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed polypropylene fabric is resistant to staining, dries quickly, and will not fade or rot
- **Safe** Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly Rubber backing contains 20% postconsumer recycled rubber from car tires
- Available in 2 colors with a Classic (rubber) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe<sup>®</sup> nitrile rubber backing







Brown

Indoor



#### WATERHOG® MASTERPIECE® SELECT

#### Scraper/Wiper · Slip-Resistant

Black

#### 3/8" Product No. 265

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1 ½ gallons of water per square yard)
- Durable Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed polypropylene fabric is resistant to staining, dries quickly, and will not fade or rot
- **Safe** Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly Rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 4 colors with a Classic (rubber) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing

SIZES	
2' x 3'	4' x 6'
3' x 4'	4' x 8'
3' x 5'	4' x 10'
3' x 8'	6' x 8'
3' x 10'	

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.


Sizes are approximate.












59

www.mamatting.com



USA



MADE IN THE USA





3' x 5' Sizes are approximate.

www.mamatting.com





$\checkmark$			
		3/16" Product No. 555	
		• <b>Clean</b> – Surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking	
		<ul> <li>Safe – Slip resistant even in wet environments; certified high-traction by the National Floor Safety Institute (NFSI)</li> </ul>	
	and the state of the	• Suitable for Harsh Environments – Grease/oil proof-	

- Suitable for Harsh Environments Grease/oil proof; chemical resistant
- Easy to Clean Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered or autoclave sterilized
- 3/16" thick nitrile rubber

\*6' x 8' Sizes are approximate.

SIZES 2'6" x 3' 3' x 5' 3' x 10' 4' x 6'

\*4' x 8'

\*6' x 6'

Indoor or Outdoor

#### SUPERSCRAPE PLUS® Scraper · Slip-Resistant

#### 3/16" Product No. 5558

• Clean – Multi-directional surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking; drainable borders filter water off mat

SuperScrape

- Safe Certified high-traction by the National Floor Safety Institute (NFSI)
- Suitable for Harsh Environments Grease/oil proof; chemical resistant
- Easy to Clean Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered or autoclave sterilized
- 3/16" thick nitrile rubber construction

SIZES

2'6" x 3'	
3' x 5'	
3' x 10'	
4' x 6'	

Sizes are approximate.





#### MICROLUXX™ Wiper · Dust Control · Slip-Resistant

3/8" Product No. 1201

Features traditional nylon fibers blended with finer denier fibers that work together to absorb high levels of dirt and moisture.

- Superior dust and moisture control Absorbs and retains 2.5 times more moisture than standard carpeted mats
- Fade resistant Solution-dyed nylon won't fade in sunlight or with repeated washing; impervious to bleach
- Safe Beveled edges provide a safe transition from mat to floor; certified high-traction by the National Floor Safety Institute (NFSI)
- Durable nitrile rubber backing (available in 52, 65, or 90 mil)

SIZES	l
2' x 3' 4' x 8' 2.5' x 3' 5' x 8' 2.5' x 4' 5' x 10' 3' x 4' 5' x 12' 3' x 5' 6' x 8' 3' x 10' 6' x 10' 4' x 6' 6' x 12'	11 11
Custom sizes up to 40' Sizes are approximate.	-

Black



**Midnight Grey** 


**Red Pepper** 

**Slate Grey** 



Blue/Black

Brown/Black



Charcoal Chocolate **Dark Granite Emerald Green** Grey **Midnight Blue Cabot Grey** Cranberry **Glen Green** Navv Red/Black Solid Red Platinum Silver Slate Solid Black Stardust Grey Steel Blue Suede





#### **ENVIRO PLUS®** Wiper · Dust Control · Slip-Resistant

#### 3/8" Product No. 2202

- Clean Stops dirt and moisture at your door
- Environmentally-friendly Made with 100% postconsumer recycled PET fabric reclaimed from plastic drink bottles; crumb rubber backing contains postconsumer recycled tires
- Durable PET fabric is stain-resistant and faderesistant
- Available with smooth backing only

Sizes are approximate. See price list for any additional sizes.





SIZES 2' x 3'

3' x 4'

3' x 5'

4' x 6'

4' x 8'

3' x 10' 6' x 8' 3' x 12' 6' x 12'

C 2 2 Indoor	<b>PLUSH</b> <sup>™</sup> Wiper • Dust Control • Slip-Resistant	
	3/8" Product No. 180	
<image/>	<ul> <li>Superior Moisture &amp; Dust Control – Heavy carpet pile absorbs and retains 50% more moisture and dust than standard mats</li> <li>Resilient – High-twist, heat-set nylon resists crushing to better trap dirt and extend the useful life of the mat</li> <li>Fade Resistant – Solution-dyed nylon won't fade in sunlight or with repeated washing; impervious to bleach</li> <li>Safe – Certified high-traction by the National Floor Safety Institute (NFSI)</li> <li>Available in 8 color options backed with durable 90-mil nitrile rubber</li> </ul>	SIZES 2' x 3' 3' x 4' 3' x 10' 4' x 6' 4' x 8' See price list for all additional sizes Sizes are approximate.

				and a	1.24		
Black	Brown/Black	Dark Green	Deeper Navy	Golden Brown	Midnight Grey	Red Pepper	Slate Grey





www.mamatting.com

#### SURE STRIDE® Slip-Resistant



3/32"	Product No. 4450
Cutting Board	Product No. 4459
Cutting Knife	Product No. 4460

- Keeps Floors Dry Moisture barrier keeps liquids from soaking SIZE through to the floor
- 2' x 25' 3' x 100' • Stays in Place – Tacki-Back adhesive keeps mat flat and in place, even with cart and buggy traffic rolls
- Dries Quickly Mat dissipates water quickly for fast drying time
- Easy to Install Cut individual mats as needed from the roll
- Safe Certified high-traction by the National Floor Safety Institute (NFSI)
- Odor Resistant Fabric is treated with an anti-microbial agent to help prevent odors


FREE

• Will perform up to 4 months under normal use





# Moor 🐼 🚫 Indoor





# SURE STRIDE<sup>®</sup> PLUSH

Slip-Resistant

#### 3/16" Product No. 4457

• Keeps Floors Dry – Retains more than 1 gallon of water per SIZE 10 linear feet; moisture barrier keeps liquids from soaking through to the floor roll

3' x 30'

- Stays in Place Tacki-Back adhesive system keeps mat flat and in place, even with wheelchair, cart, and buggy traffic
- Dries Quickly Eco-friendly PET fabric dissipates water quickly for fast drying time
- Odor Resistant Fabric is treated with an anti-microbial agent to help prevent odors
- Easy to Install Cut individual mats as needed from the roll
- Safe Certified high-traction by the National Floor Safety Institute
- Will perform for up to 4 months under normal use

FREE **CUTTING KNIFE** with Each Roll!





#### **CLEAN STRIDE®**



Indoor

3/8" Frame Only 3/8" Frame with Carpet Inserts(60 sheets)

Product No. 410 Product No. 411 ProductNo.412

- Clean & Dry Raised nubs on the WaterHog mat remove dirt and moisture from shoes and trap it below foot level while the adhesive insert removes any remaining dirt or dust particles
- Not recommended for wet areas

The Clean Stride adhesive insert is comprised of 60 layers of adhesive coated film. Each layer will perform many times before it must be peeled away. Each layer is numbered to ensure one sheet at a time removal and to indicate the number of layers remaining.





Bordeaux Charcoal Dark Brown Gold Light Green Medium Blue Aquamarine Bluestone Camel Evergreen Medium Grey Red/Black Solid Red White **Medium Brown** Navy Orange Purple Yellow



# **About M+A Matting**

The M+A name represents two powerful brands – Mountville and Andersen – with nearly a century of combined experience developing and manufacturing mats designed to make environments safer, cleaner, and more comfortable.

# **A Brief History**


In 1963, the late Emmet Hart, with his wife Nancy by his side, established Mountville Mills. A little over a decade later, in 1974, the late Walter Andersen established The Andersen Company. Throughout the years, the companies drove innovations in their respective markets; Mountville in the textile rental market, and Andersen in the janitorial/sanitary supply markets. Driven by quality, innovation, and customer service, they paved the way for future generations of Harts and Andersens to expand the business. In 1999, these flagship brands joined forces to become the largest mat manufacturer in the world, and in 2018 we made the union official with a name change to M+A Matting.

For decades, we've been a symbol of quality and customer service. We're the driving force in the mat industry, developing the next generation of mats designed to provide superior safety, cleanliness, and comfort to workers and customers across the world. Whether you need entrance matting, logo matting, or anti-fatigue matting, M+A has you covered.

There are three principles that guide every action we take, every decision we make, and every mat we produce:

- Do the right thing.
- Do what is best for the customer.
- Drive improvements and innovation.

It is these core values that drive us to provide our customers with high-performance, high-quality matting and unparalleled customer satisfaction.



# COVID-19 Response Products

Size: 3' x 5' Design Number: 3017378

# Social Distancing Runner Mats



number 3024244



# Message Mats

These mats were designed to promote frequent hand washing/ sanitizing, social distancing, and safety.

- **Photographic-Quality Printing** Designs are digitally printed at 76 dpi (dots per inch), making these mats vibrant and easy-to-read
- **Eco-Friendly** PET (polyethylene terephthalate) carpet surface contains 50% post-consumer recycled content reclaimed from plastic bottles
- Fade & Stain Resistant PET yarn has excellent color-fastness and is resistant to fading from repeated washing/cleaning; PET yarn is naturally resistant to staining
- **Safe** Certified high-traction by the National Floor Safety Institute (NFSI)







#### **Message Mats**

These mats were designed to promote frequent hand washing/sanitizing, social distancing, and safety.









# PLEASE WAIT HERE



# **Stock designs:** PLEASE WASH







# Sure Stride® Impressions Mats

 $Logo \cdot Specialty \cdot Indoor$ 

Product No. 4427 Product No. 4428					
<ul> <li>Provides Clear Messages - Mats can be placed at pivotal locations to provide important messages or reminders</li> <li>Stays in Place – Adhesive backing keeps the mat flat and in place, even with heavy cart/buggy traffic</li> </ul>					
• Hassle Free - Mats can be left in place during daily floor cleaning; floor scrubbers, mops, and brooms will pass right over them without causing damage					
s likely to leave a sticky					
otection from odors					
<ul> <li>Slip Resistant - Low-profile high-traction surface provides additional traction and slip resistance</li> <li>Will perform for up to 3 to 4 months under normal use</li> </ul>					
	Product No. 4428 at pivotal locations to at flat and in place, even laily floor cleaning; floor er them without causing s likely to leave a sticky otection from odors ee provides additional				

• Sold in case/box; 6 mats per case



# COVID-19 Response Products



#### Stick-and-Stand<sup>™</sup> Mats

Social Distancing Floor Markers · Specialty · Indoor

#### 3/32" Product No. 4464

- Provides Clear Direction Universal "stop sign" shape with shoe prints marks where customers should stand; mats can be placed at safe intervals in virtually any configuration SIZES
- Stays in Place Adhesive backing keeps the mat flat and in place, even with heavy cart/buggy traffic
- **Hassle Free** Mats can be left in place during daily floor cleaning; floor scrubbers, mops, and brooms will pass right over them without causing damage
- Won't Leave Residue Stick-and-Stand mats are less likely to leave a sticky residue than floor decals
- Odor Resistant Anti-microbially treated for protection from odors
- Slip Resistant Low-profile high-traction surface provides additional traction and slip resistance
- Will perform for up to 3 to 4 months under normal use



# î

# Sure Stride<sup>®</sup> Directional Mats

Floor Marker · Specialty · Indoor

Product No. 4466

- Provides Clear Direction Mats can be rotated to provide directional cues in any direction
   SIZES
   17" x 17"
- **Stays in Place** Adhesive backing keeps the mat flat and in place, even with heavy cart/buggy traffic

3/32"

- Hassle Free Mats can be left in place during daily floor cleaning; floor scrubbers, mops, and brooms will pass right over them without causing damage
- Won't Leave Residue Sure Stride mats are less likely to leave a sticky residue than floor decals
- Odor Resistant Anti-microbially treated for protection from odors
- Slip Resistant Low-profile high-traction surface provides additional traction and slip resistance
- Will perform for up to 3 to 4 months under normal use







Sizes are

approximate.

Sizes are approximate.



These mats feature a 2' x 3' well that holds an abrasive insert and your StepWell<sup>™</sup> Sanitizing Mats preferred liquid sanitizer, followed by a 3' x 5' carpeted section to help Specialty · Indoor remove any excess moisture from shoes, reducing the likelihood of slips 3' x 7' Mat with Insert Product No. 835 following sanitation. Wash, wipe, and walk on safely! Product No. 836 Inserts ш • Available in three designs SIZES ER • The insert serves as a splash guard and helps 3' x 7' Mat 20.5" x 33" Inserts dislodge any dirt or debris from the bottom of shoes so the fluid can reach the entire sole surface · Each mat includes one insert; additional inserts are available in packs of four • Well holds one insert and approximately 84 ounces (2.5 L) of sanitizing solution (not included) Compatible with most sanitizing/disinfecting Sizes are solutions. Works best with quaternary and **Nylon Carpet** Well with Insert approximate. hydrogen peroxide sanitizing solutions. Nylon carpet dries shoes to reduce risk of slip-and-2'x3' well holds liquid sanitizer and abrasive fall accidents and protect floors from moisture insert to clean and disinfect shoes The StepWell Mat and StepWell Tray work best with quaternary **StepWell<sup>™</sup> Sanitizing Tray** and hydrogen peroxide sanitizing solutions; can be used with chlorine bleach solutions, but failure to adhere to Specialty · Indoor recommended concentrate can damage the product. 2' x 3' Tray with Insert Product No. 834 • Quaternary ammonium should be used per recommended Product No. 836 Inserts dilution instructions on the label (for sanitizing level protection). • 3% hydrogen peroxide solutions can be used without further dilution. Like the StepWell Mat, this product is designed for shoe sanitation. It features a 2' • 6% chlorine bleach should be used at a concentration x 3' well that holds an abrasive insert and your preferred liquid sanitizer. A walk-off of 0.4% (0.5 oz. per gallon). Caution: Do not use mat as mat is recommended to follow the StepWell Tray in order to help remove excess a work surface to prepare bleach solution, as undiluted moisture from shoes, reducing the likelihood of slips and falls. bleach may cause permanent color loss. StepWell Mat (#835) неы JOHS



ZILINUS



73



www.mamatting.com

M+A MATTING • 340 CROSS PLAINS BLVD • DALTON, GA 30721 Toll Free 800.241.4696 • 706.277.2551 • Fax 706.277.3170