



Rev. Date 11/20/2020

1 - PRODUCT IDENTIFICATION

PRODUCT NAME:......PTG CS-300 1414

CHEMICAL NAME/SYNONYMS:..........Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides

UN/NA NUMBER: UN2924

CHEMICAL FAMILY: Unregistered quaternary ammonium compound

CAS NUMBER: 61789-77-3

COMPANY: © Price Tech Group, LLC | 11691 Caleri Court,

ADDRESS: Fort Myers, FL 33913 | 330-518-8323

EMERGENCY PHONE:.....For Chemical Emergency:

Spill, Leak, Fire, Exposure or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300 Outside USA and Canada: 1-703-527-3887

(collect calls accepted)

2 - HAZARDS IDENTIFICATION

GHS Classification and Label Elements:

Health	Physical	Environmental
Serious eye damage/eye irritation (2) Skin corrosion/irritation (2B) Acute toxicity, oral (4)	Flammable Liquids (3)	Aquatic toxicity, acute (2)

Hazard Statements:

H226: Flammable liquid and vapor

H302: Harmful if swallowed

H315: Causes skin irriation

H319: Causes serious eye irritation

H401: Toxic to aquatic life

Precautionary Statements:

Prevention

P210: Keep away from heat, hot surfaces, sparks, open flames and other ingnitions sources. No smoking.

P240: Ground/bond container and receiving equipment

P241: Use explosion-proof electrical/ventilating/lighting equipment

P264: Wash any affected areas of skin thoroughly after handling

P270: Do not eat, drink or smoke when using this product

P280: Wear protective gloves/protective clothing/eye protection/face protection

Response

P301+P310+P331: IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce vomiting.

P302+P352: IF ON SKIN: Wash with plenty of soap and water

P301+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

Storage

P273: Avoid release to the environment

P501: Dispose of contents and container to an approved waste disposal plant





Page **2** of **8** PTG CS-300 1414

Rev. Date 11/20/2020

Signal Word: Danger







3 - COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS	GHS Classification	Concentration,
	number(s)		%
Quaternary ammonium	61789-77-3	Serious eye damage/eye irritation: Category 2,	70 - 80
compounds, dicoco		Skin corrosion/irritation: Category 2B, Acute	
alkyldimethyl, chlorides		toxicity (oral): Category 4; H301, H314, H318	
Propan-2-ol	67-63-0	Flammable liquids: Category 2; Serious eye	15 - 20
		damage/eye irritation: Category 2B; H225,	
		H320, H336	
Amines, dicoco alkylmethyl	61788-62-3	Serious eye damage/eye irritation: Category 2,	2 Max
		Skin corrosion/irritation: Category 2B, Acute	
		toxicity (oral): Category 4; H301, H314, H318	
Other components		Not classified	5 - 10

4 - FIRST-AID MEASURES

Description of first-aid measures

General advice: Show this material safety data sheet to medical personnel. Do not leave affected person

unattended. Isolate exposed apparel for laundry before re-use.

Eye contact: Rinse eyes with water. Remove any contact lenses, and continue flushing eyes with running water

for at least 15 minutes. Hold eyelids apart to ensure rinsing of the entire surface of the eyes and

lids with water. Seek medical attention if irritation develops or persists.

Skin contact: Take off contaminated clothing and shoes immediately. Wash affected areas with plenty of water.

Seek medical attention if irritation develops or persists.

Ingestion: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water.

Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If

vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

Inhalation: Remove from area to fresh air. Seek medical attention if respiratory irritation develops or if

breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Risks: The most important known symptoms and effects are described in the labeling (section 2.2) and/or


in section 11. Prolonged or repeated skin contact may aggravate existing skin conditions. Inhalation of mists may aggravate existing chronic respiratory conditions such as asthma,

emphysema or bronchitis.

Indication of any immediate medical attention and special treatment needed

Note to physician: All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. Treat symptomatically.







Rev. Date 11/20/2020

5 - FIRE-FIGHTING MEASURES

Flash Point and Method: 30 °C closed cup

Flammability class: Flammable

Extinguishing media

Suitable extinguishing media: Water spray, foam, multipurpose powders, carbon dioxide

(CO2)

Use media suitable for the material that is burning

No data available Unsuitable extinguishing media:

Special hazards arising from the substance or mixture

Special hazards during fire fighting: Container may rupture on heating

On combustion or on thermal decomposition: May include carbon oxides, nitrogen oxides

Advice for firefighters

Special protective equipment for firefighters: As in any fire, wear NIOSH/MSHA approved, pressure-

demand self-contained breathing apparatus and full protective

Specific firefighting methods: No special methods required. Move containers from area if it

can be done without risk. Cool fire-exposed containers with water from side. Contain the extinguishing fluids by diking.

6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Spill area may be slippery. Wear appropriate protective equipment (See Section 8).

Environmental precautions

Avoid contact of spilled material and runoff with soil and surface waterways

Methods and material for containment and cleaning up

Recovery: Stop leak if safe to do so. Absorb spills with vermiculite, fuller's earth, or sand. Shovel up

> and place in a non-metal waste container for disposal. Dike large spills with soil or sandbags to contain it and prevent its spread. Keep in suitable, properly labeled, closed

containers for disposal.

Decontamination/

Wash non-recoverable remainder with large amounts of water. Clean contaminated cleaning:

surfaces thoroughly. Recover the cleaning water for subsequent disposal.

Dispose of in accordance with local regulations Disposal:

Additional advice: Spill area may be slippery

Reference to other sections

No information available

7 - HANDLING and STORAGE

Precautions for safe handling

Technical measures: Does not require any specific or particular measures

Advice on safe handling and usage: Wear appropriate protective equipment. Handle in accordance with good

industrial hygiene and safety practice

Conditions for safe storage, including any incompatibilities

Technical measures for storage: Does not require any specific or particular measures

Storage conditions

Recommended: Keep container tightly closed. Keep away from heat, and sunlight. Storage

temperature range: 5-30°C. If material freezes, gently thaw prior to use. Mild

agitation may be required.



Page **4** of **8** PTG CS-300 1414

Rev. Date 11/20/2020

Incompatible products:

Hazardous reactions may occur on contact with certain chemicals. Refer to the list of incompatible materials section 10: "Incompatible materials"

Specific end use(s)

No information available

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Introductory remarks:

These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and piping systems for maintenance and repairs. Waste resulting from these procedures should he handled in accordance with Section 13: Disposal considerations.

Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers

Control parameters

Components with workplace control parameters

Components	Value type	Value	Basis	
Propan-2-ol	TWA	200 ppm	ACGIH Threshold Limit Values (TLV)	
CAS#67-63-0	STEL	400 ppm		
	TWA	400 ppm	Occupational Exposure Limits (OSHA)	
		980 mg/m3		
	TWA	400 ppm	NIOSH Recommended Exposure Limits	
		980 mg/m3		
	ST	500 ppm		
		1,225		
		mg/m3		
	Central Nervous System impairment. Upper Respiratory Tract			
	irritation. Eye irritation. Substances for which there is a Biological			
	Exposure Index or Indices (see section below). Not classifiable as a			
	human carcinogen.			

Exposure controls Control measures

Engineering measures: Good general ventilation should be sufficient to control airborne levels.

Respiratory protection is not required if good ventilation is maintained.

Personal protective equipment

Respiratory protection: In operations where mists are generated, wear a NIOSH/MSHA approved

respirator that has been selected by a technically qualified person for the specific

work conditions.

Hand protection: Wear long chemical resistant gloves. Observe instructions regarding

permeability and breakthrough time provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion and contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical

breakthrough.

Eye protection: Wear chemical splash goggles.

Skin and body protection: Wear footwear protecting against chemicals, and impervious clothing. Choose

body protection according to the amount and concentration of the substances in

the workplace.



Page **5** of **8** PTG CS-300 1414

Safety Data Sheet

Rev. Date 11/20/2020

Hygiene measures: Personal hygiene is an important work practice exposure control measure and

the following general measures should be taken when working with or handling

this material:

1) Do not store, use, and/or consume foods, beverages, tobacco products, or

cosmetics in areas where this material is stored.

2) Wash hands and face carefully before eating, drinking, using tobacco,

applying cosmetics, or using the toilet.

3) Wash exposed skin promptly to remove accidental splashes or contact with

material.

Protective measures: Ensure that eyewash stations and safety showers are close to the workstation

location, and that emergency equipment is immediately accessible with

instructions for use.

The protective equipment must be selected in accordance with current local standards and in following proper use instructions from the supplier of the

protective equipment.

Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and

the potential hazards, and/or risks that may occur during use.

9 - PHYSICAL / CHEMICAL PROPERTIES

Physical and chemical properties listed represent typical properties and should not be considered product specifications. Refer to product Certificate of Analysis for Product Specifications or contact The Lewis Chemical Company for additional information.

Information on basic physical and chemical properties

Appearance: Amber liquid

Odor: Mild characteristic alcohol

Odor Threshold: No data available

pH (3% in water): 6-9

Freezing point: No information available Melting point/range: No information available

Boiling point/boiling range: 80°C

Flash point: 30°C closed cup

Evaporation rate: No information available Flammability (solid, gas): No information available Flammability/Explosive limit: No information available Auto-ignition temperature: No information available Vapor pressure: No information available Vapor density: No information available

Density: $0.88 \text{ g/ml} (25^{\circ}\text{C})$

Solubility: Water solubility: dispersible

Solubility in other solvents: Alcohols: soluble

Partition Coef.: n-octanol/water: Not applicable Surface-Active Thermal decomposition: No information available

Viscosity: slightly viscous


Explosive properties: No information available

Oxidizing properties: Not considered as oxidizing, Structure-activity relationship (SAR)

Other information

Ionic character: Cationic







Rev. Date 11/20/2020

10 - STABILITY and REACTIVITY

Reactivity: No information available

Chemical stability: Stable and non-reactive under normal conditions of use, storage and

transport

Possibility of hazardous reactions:No information availableConditions to avoid:No information availableIncompatible materials:Strong oxidizing agentsHazardous decomposition products:Oxides of carbon

11 - TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

Acute oral: LD_{50} Rat 960 mg/kg Acute dermal: No information available Acute inhalation: No information available Acute toxicity (other): No information available

Skin corrosion/irritation

Skin irritation: Causes skin irritation

Serious eye damage/eye irritation

Eye irritation: Causes serious eye irritation

Respiratory or skin sensitization

Sensitization: Not classified as sensitizing by skin contact

Mutagenicity

Genotoxicity in vitro: No information available Genotoxicity in vivo: No information available

Carcinogenicity

Carcinogenicity: This product does not contain any ingredient designated as

probable or suspected human carcinogens by IARC, ACGIH

Toxicity for reproduction and development

Toxicity to reproduction/fertility: No information available

Developmental toxicity/teratogenicity: No information available

Specific Target Organ Toxicity (STOT)

STOT-single exposure: No information available STOT-repeated exposure: No information available

Aspiration toxicity

Aspiration toxicity: No information available

12 - ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: Bacteria (*Pseudomonas putida*): EC₅₀ 480 mg/L, 16hrs.

Invertebrate (*Daphnia magna*): EC₅₀ 12.1 mg/L, 48hrs. Fish (*Oncorhynchus mykiss*): LC₅₀ 5.7 mg/L, 96hrs Category 2 Acute aquatic toxicity: Toxic to aquatic life

Persistence and degradability

Biodegradation: No information available

Bioaccumulative potential

Partition Coef.: n-octanol/water: No bioaccumulation is to be expected (log Pow<=4)

Bioconcentration factor (BCF): No information available





Page **7** of **8** PTG CS-300 1414

Rev. Date 11/20/2020

Mobility in soil

Known distribution to

environmental compartments: No information available

Results of PBT and vPvB assessment

No information available

Other adverse effects

Environmental assessment: No other adverse environmental effects (e.g. ozone depletion,

photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

13 - DISPOSAL CONSIDERATIONS

Waste treatment methods

RCRA Waste Code: Code: D001 Ignitable waste

Product disposal: Observe all applicable federal, state, and local regulations

Packaging: Remove all residue when emptying

14 - TRANSPORTATION INFORMATION

DOT Hazard Classification:

UN Number: UN 2924

Dangerous Good Description: UN 2924 Flammable Liquids, Corrosive, n.o.s. (Propan-2-ol,

Quaternary ammonium salts), 3, III

Transport hazard class: 3
Packing group: III

Environmental hazards: Marine pollutant

Special precautions for user: For personal protection see section 8

15 - REGULATIONS

Contents of this SDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

Safety, health and environmental regulations/legislation specific for the substance or mixture

Notification status:

Country	Regulatory list	Notification
USA	TSCA	Listed or in compliance with the requirements the inventory
Canada	DSL	Listed or in compliance with the requirements the inventory
EU	EINECS	Listed or in compliance with the requirements the inventory; 263-087-6
Australia	AICS	Listed or in compliance with the requirements the inventory
China	IECSC	Listed or in compliance with the requirements the inventory
Korea	ECL	Listed or in compliance with the requirements the inventory; KE-30024
New Zealand	NZIoC	Listed or in compliance with the requirements the inventory
Philippines	PICCS	Listed or in compliance with the requirements the inventory
Country	Regulatory list	Notification
USA	TSCA	Listed or in compliance with the requirements the inventory





Page **8** of **8** PTG CS-300 1414

Rev. Date 11/20/2020

OSHA Hazard Communication Standard (26 CFR 1910.1200): Hazardous

CERCLA (RQ)

Ingredient(s)	CAS#	Weight	CERCLA RQ	Section 302 TPQ
Not listed				

SARA/EPCRA Extremely Hazardous Substances (302/304/313)

Ingredient(s)	CAS#	Weight	RQ	TPQ
Not listed				

CAA (301/307/311)

Ingredient(s)	CAS#	Weight	RQ
Propan-2-ol	67-63-0	15-20%	

CWA (301/307/311)

Ingredient(s)	CAS#	Weight	RQ
Not listed			

SARA Hazard Categories (40 CFR 370)

Acute	Chronic	Fire	Pressure	Reactivity
Yes	No	Yes	No	No

State regulations

California Prop 65 Components. Carcinogens & Reproductive Toxicity (CRT): Not listed

Other regulations

WHMIS Classification

This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR

Classification: Toxic material causing other toxic effects

16 - OTHER INFORMATION

NFPA-Classification		HMIS-Classification	
Health	2 moderate	Health	2 moderate
Flammability	3 high	Flammability	3 high
Instability or Reactivity	0 insignificant	Reactivity	0 insignificant
		HMIS PPE	В
		B=Safety glasses, Gloves	

Nothing contained herein grants or extends a license, express or implied, in connection with patents, issued or pending, of the manufacturer or others and is correct to the best of our knowledge, information, and belief at the date of publication. The information contained herein is based on the manufacturer's own study and the works of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be held liable (regardless of fault) to the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such information. The buyer assumes all risks of the use and/or handling as such information is only given as guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification.

