



Let The
World
Enjoy
Sports



FABRIEK VAN SPORT- EN
TURTOESTELLEN - FITNESS
SPORTKLEDIJ - SPEELTUIGEN

FABRIQUE D'APPAREILS DE SPORTS /
DE GYMNASTIQUE ET DE FITNESS
VETEMENTS - JOUETS SPORTIFS

SPORTA DE WAELE

GENTSESTEENWEG 190, 9240 ZELE/BELGIE Tel. (052) 44 43 38 - 44 52 07
Fax (052) 44 92 18

GYMNASTICS

(Version 2019001)

TaiShan

Shandong Taishan Sports Equipment Co., Ltd.



LET THE WORLD ENJOY SPORTS

SPORTS

COMPANY PROFILE

Shandong Taishan Sports Equipment Co., Ltd. (hereinafter referred to as the Taishan) was founded in July 2010 and is located in the economic and technological development zone of Leling City Shandong Province. Taishan Equipment Company is a subsidiary of Taishan Sports Industry group, and has offices in cities like Beijing, Shanghai, Shenzhen, Chengdu, Jinan, Xi 'An etc. In the United States and Japan we own international affiliates and R&D centers. The main products and services include a full range of competitive sports equipment, all kinds of training equipment, civilian fitness equipment, school equipment, XPE Hi-tech sports&leisure mats, winter sports products and operation and service of sports events.

Taishan is a world-known sports equipment manufacturer, with the pioneered CD2S mode (consulting, design, supply and service). Taishan has successfully served several Olympic Games, youth Olympic Games, Asian games and nearly 1000 world individual championships and domestic sports events, all achieving "Zero Fault, Zero Breakdown, Zero Complaint".

Taishan has grown into a world-renowned sports event equipment supplier and service provider and is called "the miracle in the history of Olympic games" by former president of International Olympics Committee and "National Brand and Chinese Honor" by various circles of the society.

Relying on a number of national-level R&D platforms such as "National Engineering Technology Research Center for Sports Goods", "National Industrial Design Center", "National Recognized Enterprise Technology Center", "Postdoctoral Programme", Taishan is equipped with national-level research strength and international-level testing capability for sports goods. Taishan owns more than 300 patents and is involved in making international and domestic standards for more than 19 items, and more than 100 products were approved by the IAAF, FIG, IFF, WTF, IWUF, FIFA, FHI and UCI, etc. Taishan owns the most approved products than any other enterprises in China and its multi-functional XPE mats are listed in China torch program. Based on technology innovation, Taishan has produced a series of carbon fiber gymnastic equipment, the upgrade of the material is revolutionary. At the same time, we continue to popularize gymnastic equipment, develop gymnastic equipment for children and elderly people, realizing "Olympic quality, enjoyed by all".

Over the years, taishan equipment company has maintained good exchanges and cooperation with the IOC, SportAccord, FISU, and associations for international individual sports event. Taishan has already established the premier global strategic partnership with FISU and SportAccord. In the future, under the guidance of "One Belt, One Road" initiative, we will put the best effort to introduce Taishan as a national brand to the world and bring sports enjoyment to the world.

STRENGTH

QUALIFICATIONS



R&D Strength of Taishan

Taishan Group wins many titles including the "Deputy Director Unit of National Technical Committee for Standardization of Sporting Goods", "Director Unit of Fitness and Sports Equipment Committee of CSSGA", "National Light Industry Advanced Collectives", "Champion Demonstration Enterprise for Sports Goods Manufacturing" and Taishan is honored among the top ten "Light Industries for sports goods". Taishan owns the only "National Engineering Technology Research Center for Sports Goods" in China, and owns "Competitive Sports Product Testing Laboratory". Taishan also has a number of national R&D platforms including "National Industrial Design Center", "Postdoctoral Programme".

Taishan has presided over and participated in formulating more than 40 domestic standards, has 1000 professional and full-time R&D staffs and over 100 products are approved by IAAF, FIG, IJF, UWW, WT, AIBA, IWUF, FIFA, etc.



Taishan is the first and only company in China to get all FIG apparatus certificates



Competition Horizontal Bar

Model: TQ1002

1. The bar is made of $\varnothing 2.8\text{cm}$ elastic material , and bar length is 240cm.
2. Column is made of $\varnothing 6\text{cm} \times 0.4\text{cm}$ high-quality seamless steel pipe.
3. Adjusting rod is made of $\varnothing 5\text{cm} \times 1\text{cm}$ high-quality seamless steel pipe with specially treated surface to ensure the flexibility during adjusting.
4. Tension cables are made of $\varnothing 0.6\text{cm}$ stainless steel wire with two Clamping bolts.
5. Height is adjustable between 270cm-305cm, with each increment of 5cm and locking system.

Features: the height adjustment is fast and convenient, the locking system is firm and stable, double tension system increases the overall elasticity and stability, the enlarged circles of footholds dispense the pressure from athlete. Surface is baking varnish (silver). Weight: 80kg, consists of four part: bars, columns, steel wires.





Competition Uneven Bars

Model: TQ1003

- 1.Bar diameter: 4cm; length: 240cm; made of high quality fiberglass with wooden cover.
 - 2.Columns are made of $\phi 5\text{cm} \times 0.35\text{cm}$ high-quality seamless steel pipe , 4 columns are equipped with special lifting & locking system.
 - 3.The base is stamped from high-quality steel plate with a thickness of 0.3cm and equipped with 4 special rubber pads to increase the friction between the base and the floor.
 - 4.Adjusting rod is made of $\phi 4.2\text{cm} \times 0.8\text{cm}$ high-quality seamless steel pipe, with specially treated surface to ensure the flexibility during adjusting.
 - 5.The tension cables are made of $\phi 0.6\text{cm}$ stainless steel wire , equipped with 2 clamping bolts.
 - 6.Lower bar height is adjustable between 150cm-200cm, upper bar height is adjustable between 230cm-280cm with each increment of 5cm. Distance between two bars is stepless between 110cm-185cm.
- Features: specially-made bar surface is helpful to athletes' high-difficulty performance; quick lifting & locking system saves time on height adjustment during training or competition, widened base increases the overall stability. Surface is baking varnish (silver).
- Weight: 118kg. Consists of four part: bars, columns, base and steel wires.



Competitive Pommel Horse

Model: TQ1004

- 1.Pommel horse is made of high temperature molded wood padded with foam and the surface is cowhide leather. Total length: 160cm; upper width: 35cm; bottom width: 30cm; height: 28cm.
 - 2.Columns are welded 7.5cm \times 12.5cm high quality rectangular tube.
 - 3.Lifting rods are made of 5cm \times 10cm high quality rectangular tube with treated surface to increase the flexibility.
 - 4.Base are welded 0.3cm high quality steel plate, with four wheels.
 - 5.Ring height: 12cm; body height is adjustable between 95cm-125cm with each increment of 5cm.
- Features: special leather to ensure moisture absorption, high performance foam and molded infill prevent athletes' injury caused by long term training. Surface is baking varnish (silver)
- Weight: 76 kg. Consists of rings, body, columns and the base. Protective padding for competition available(optional).





Competition Parallel Bars

Model: TQ1001B

1. Bar length: 350cm; bar material: fiberglass with wooden cover; vertical axis length: 5cm; horizontal axis length: 4cm.
2. Each column is made of two seamless steel pipes riveted together through advanced thermal process to ensure stability of the column.
3. Lifting rod is made of stainless steel, which is resistant to corrosion, with treated surface to ensure the flexibility of the lifting process and quick adjustment.
4. The base is welded with high-quality rectangular steel pipes, and the X-shaped design enhances the overall stability.
5. Height is adjustable between 160cm-210cm, with each increment of 5cm, with stepless adjustment between 42cm-62cm, distance between columns is 230cm.

Features: ensures the safety using the equipment while increasing the bar surface flexibility. Overall stability of the parallel bars is guaranteed. Surface is baking varnish (red).

Advantages: the bar surface is resistant to fracture, the metal parts are resistant to corrosion, the height and width adjustment can be completed in one step.



Competition Vaulting Table

Model: TQ1005B

- 1.Length: 120cm; width: 95cm. The infill is made of high temperature molded multilayer wood, padded with special shock absorbing foam. Performance area is distinctive from warning area.
- 2.Column is made of 0.5cm high-quality steel tube, with treated surface to ensure flexibility of adjustment. Multifunctional locking device: counter-clockwise rotation to separate inner and outer columns, pulling the safety knob to move the table, and loose it to release automatic locking.
- 3.Base is welded high quality steel plate, equipped with four special rubber trimmer, to protect the floor and meet uneven ground.
- 4.The overall lifting height is 115cm-135cm, which can be adjusted with each increment of 5cm.

Features: tongue shaped platform prevents injury, and one-stop molded central column increases overall safety. There are 0.1cm-high finetuning devices on each leg to ensure easy leveling adjustment of the 4 legs. Usually adjusting only one leg can realize the whole leveling. Surface is baking varnish (red).

Advantages: anti-slip surface, easy adsorption of magnesium powder, high comfort level.



Ring Frame

Model: TQ1006B

1. Total height: 590cm; distance between two columns: 316cm; distance between two rings: 50cm.
 2. Made of composite wood material, the rings have a strong moisture absorption. Height is adjustable between 275cm-300cm, with each increment of 5cm.
 3. The crossbeam is made of high-quality welded 12cm*8cm tube, with special built-in rubber spring device, the shock absorbing effect is significantly enhanced.
 4. The columns are welded with high-quality 6cm*8cm*0.2cm and 5.5cm*7.5cm*0.2cm rectangular tube, liability and stability improved.
 5. The lifting rod is made of 7.5cm*5.5cm steel tube. With special treatment on tube surface, the lifting flexibility is greatly improved, with each increment of 5cm.
 6. Equipped with $\varnothing 0.6$ cm stainless steel cable and 4 tighteners, the tension system can realize the rope tension quickly.
- Features: attached to the rubber spring system by special steel cable, the rings can be fastened uniformly to reach an optimal buffer level so as to prevent injury of the hand joints. The enlarged round foot pad can disperse pressure caused by maximum impact forces, and the double tension system can strengthen the stability. Surface is baking varnish (red).
- Advantages: the ring is resistant to fracture and has strong moisture and sweat absorption.



Competition Balance Beam

Model: TQ1007B

1. Beam length: 500cm; top width: 10cm; height: 16cm; infill material: aluminum alloy. Adhered with high-density rubber sponge on the top and covered with special fiber leather and hygroscopic material, for better damping effect.
 2. The columns are welded with high-quality steel tubes of 5cm*10cm and 6cm*0.4cm. Two oval-shaped special locking systems make the height adjustment much convenient.
 3. Height adjustment scope is between 70cm-125cm, with each increment of 5cm.
 4. Four trimmers are arranged at the bottom of the supporting leg, which can meet the adjustment needs in different circumstances and increase the stability at the same time.
 5. The one-step molding sleeve covers the elliptical tubes, which is beautiful in appearance and safer to use.
- Features: the special rubber damping system strengthens the overall elasticity of the crossbeam; oval handle can adjust the beam height quickly with fast and firm locking. The preformed foam plug can maximum protection to the athletes when dismounting from the beam. Surface is baking varnish (red).
- Advantages: great shock absorption performance, fast rebound, can be adjusted to horizontal level and comfortable to use.



Soft Springboard (5 Springs)

Model: TQ1010B
 1.Specification: length*width*height: 120cm*60cm*22cm.
 2.Multi layered fiber glass board with grey carpet cover,equipped with 2cm thick high elastic sponge for better shock absorption effect.
 3.5 steel springs with different heights are accurately positioned, with fall-out-proof device.
 4.High temperature molded 2cm multilayered birch wood bottom, with rubber anti-slip pads.
 Features: A new model of springboard increases the anti-impact ability, and shock absorption effect. The new anti-slip system is more conducive to the athletes' high difficulty performance.
 Advantages: anti-fracture, long service life span and convenient transportation.

Hard Springboard (8 Springs)

Model: TQ1011B
 1.Specification: Length*width*height: 120cm*60cm*22cm.
 2.Multi layered fiber glass board with grey carpet cover,equipped with 2cm thick high elastic sponge for better shock absorption effect.
 3.8 conical springs with different heights are accurately positioned, with fall-out-proof device at the bottom.
 4.High temperature molded 2cm multilayered birch wood base, with rubber anti-slip pads at the bottom.
 Features: A new model of springboard increases the anti-impact ability, and shock absorption effect. The new anti-slip system is more conducive to the athletes' high difficulty performance.
 Advantages: anti-fracture, long service life span and convenient transportation.



Artistic Floor Type

Model: TQ1008B-F


1. The overall size is 1400cm x 1400cm, the height is 20cm, the safety zone is 100cm, no slope;
2. The top surface layer is needled carpet underneath is with XPE foam by heat-sealing , connected by veleros.The buffer layer is made of 5cm thickness puzzle foam.The bottom is composed of 84 pieces of film-coated board accurately assembled with 2300 springs, surrounded by pvc coverings.
3. Simple installation, waterproof and moisture proof, good overall performance, quick rebound, and obvious elastic effect when used.
4. Suitable for difficult movements playing.



Rhythmic Floor

Model: TQ1009

1. Whole size: 1450cm x 1450cm; performance area size: 1300cm x 1300cm including 5cm wide demarcation line that distinguishes performance area and safety area. The surface is covered with velvet knitted carpet, with each roll being 1450cm x 362cm, a total of 4 rolls. The bottom is connected by strong adhesive tapes.
 2. The whole structure consists of 2 layers of 0.9cm high-quality plywood, and the upper layer is made up of 100 pieces of 122cm x 122cm, 40 pieces of 122cm x 61cm and 4 pieces of 61cm x 61cm. The lower layer is made up of 121 pieces of 122cm x 122cm, 3025 high quality rubber damping blocks are arranged at the bottom of the floor, positioned precisely to achieve the best performance.
 3. The two boards are equipped with powerful buckle, the upper layer and the lower layer are staggered and fixed together, make the whole venue become one. High load-bearing sponge together with floor edge make the protected area more secure.
- Features: special foam vibration absorption effect is obvious; good cushion performance, anti-static and non-slip surface layer of the blanket help athletes to perform high difficulty movements. The whole body is composed of three parts: the bottom plate, the surface blanket, the high load bearing sponge edge floor.
- Weight: 2600kg. With optional sizes.



Competition Trampoline



Model: TQ1013

1. Main frame is welded with 6.5cm×3.5cm special elliptical pipe; size: 520cm×305cm×115cm.
2. Bed size is 426cm×213cm, made of nylon.
3. Springs include 8 pieces of φ3.9cm×25.8cm large springs and 110 pieces of φ2.9cm×25.8cm medium springs.
4. Spring area has special protection mat, made of PVC coated high elasticity sponge. Tension system at the bottom prevents direct contact with springs to increase elasticity.
5. Safety Platform is 175cm×260cm×115cm, bed surface is made of polypropylene material. Two safety platforms for each Trampoline.

Pad for Trampoline

Model: TQ2546

Specification: 150cm×100cm×15cm

Features: made of PVC material, good stability, easy to assemble, soft surface, appropriate flexibility, mainly used for trampoline sports protection.




Tumble Track



Model: TQ1012

1. Run up area length is 1100cm, made of high-quality composite multi-layer birch wood combined with metal bracket.
 2. Performance area is 2500cm, connected by 20 independent units, each unit consisting of 13 pieces of 4cm×2.5cm high-quality fiberglass pipes. A metal bracket is at the bottom with special built-in rubber buffer device inside to make the usage mute.
 3. Landing Area is 300cm×600cm, consisting of 3 pieces of 30cm-high landing mats.
 4. Foam layer is 6cm XPE foam sponge, covered with gymnastic nylon non-woven carpet and heat-sealed XPE foam sponge, with the total length of 3600cm.
- Features: special nylon non-woven carpet provides better anti-slip performance. Fiberglass pipe increases resilience. Mute usage. Good overall stability. The tumbling track consists of three parts: run up area, performance area and landing area. Metal color is silver, covers and landing mats are blue.

Gymnastics Platform



Mode: TQ1016

Specification: platform for horizontal bar and uneven bars is 1800cm*900cm; platform for artistic floor is 1800cm*1800cm; platform or balance beam, pommel horse and ring frame is 1800cm*900cm; platform for parallel bars and vaulting table is 5400cm*1350cm.
Material: laminated plate of wood and high-quality rectangular metal pipes.
Features: It adopts isolated modular structure and is easy to assemble and disassemble. Minimized packing volume. With national patent.



Official's Tribune

Model: TQ1270/2
Specifications: 3000cm*400cm*60/80cm (two-layered)
Material: multi-layered board, highquality metal pipe, stainless steel protective fence.
Features: stable structure, convenient to assemble and disassemble.



Linesman's Tribune

Model: TQ1270/3
Specifications: 160cm*122cm*30cm
Material: multi-layered board, highquality metal pipe.
Features: stable structure, convenient to assemble and disassemble.



Parallel Bars for Juvenile Training

Model: TQ2002
1. Bar length: 270cm; bar material: high quality fiberglass with wooden cover; vertical axis length: 5cm; horizontal axis length: 4cm.
2. Height adjustment scope is 120cm-160cm, with each increment of 5cm. The distance between two bars: 32cm*52cm.
Features: suitable for juvenile training. Surface is baking varnish (silver).
Consists of bars, columns and the base, to ensure its overall stability.



Children Parallel Bars

Model: TQ2003
1. Bar diameter: 4cm; length: 170cm; material: high quality fiberglass with wooden cover.
2. Height adjustment scope is 95cm-125cm, with each increment of 5cm. The distance between two bars is 32cm*52cm and is stepless.
Features: the column is equipped with special locking and lifting handle, which can quickly adjust the height of bars. The column and base are connected by a special fastening device to guarantee quick adjustment of the distance between the bars. Surface is baking varnish (silver).
Consists of bars, columns and the base, to ensure its overall stability.





Low Parallel Bars

Model: TQ2004

1. Bar length: 270cm; material: high quality fiberglass with wooden cover; vertical axis length: 5cm; horizontal axis length: 4cm.

2. Distance between two bars: 32cm-52cm, adjustable; column vertical distance: 200cm.

Features: the surface of the bars is spray-painted (silver). Consists of bars, column and the base, to ensure its overall stability.



The Parallel Bars Training Bag

Model: TQ2006

1. Width between Square bags are stepless; square bag size: 160cm*60cm*100cm.

2. The infill is made of environment-friendly material. With increased overall elasticity, it can prevent athletes from getting hurt during training. The blocks are connected with velcro, which makes it very stable.

Features: the square bag has strong elasticity to ensure the stability of the square bag. The column and the base are connected by the special fastening device. The distance between the square bags can be adjusted quickly. The surface of the metal frame is spray-painted (silver).

Consists of bags, columns, base parts, to ensure the overall stability of the parallel bars.



Parallel Bar Cart

Model: TQ2048

Specifications: 100cm*100cm*20cm

Weight: 7.5kg

Features: the overall structure adopts lever principle, which can easily achieve the removing of parallel bars, equipped with high load casters, ensuring its free movement and protection to the floor. Parallel bar transport tool. Frame is spray-painted (silver).



Multi-function Horizontal Bar

Model: TQ2007

1. Bar diameter: 2.8cm; length: 240cm.

2. Outer casing is equipped with a special locking lift handle, ear piece structure designed to ensure that the practice of the rapid replacement of rail.

3. Tension system is made of $\phi 0.6\text{cm}$ stainless steel wire equipped with rope tightening device to achieve quick adjustment.

4. Height adjustment scope: 90cm-280cm.

Features: height adjustment is not limited by the rope system; quick and easy adjustment; the base of the foot can sufficiently disperse the maximum impact from athletes.

Consists of 5 parts: bar, columns, base, adjusting tube and tension system, to ensure the overall stability.



Horizontal Bar for Kids (A)

Model: TQ2008

1. Bar diameter: 4cm; length: 170cm; material: high quality glass reinforced plastic with wooden cover.

2. Height adjustment scope is 155cm-195cm, with each increment of 5cm.

Features: the column is equipped with special locking lifting handle, which can quickly adjust the bar height. The column and base are connected by a special fastening device that can quickly adjust the bar's position. The surface is spray-painted (silver).

Consists of bar, column, base and adjusting tube, to ensure the overall stability.

Uneven Bars for Training (A)



Model: TQ2010

1. Bar diameter: 4cm; length: 240cm; material: high quality glass reinforced plastic with wooden cover.
 2. Tension system is made of ϕ 0.6cm stainless steel wire, equipped with two quick-adjusting devices to guarantee quick tension adjustment.
 3. Height adjustment of low bar: 135cm-180cm; height adjustment of high bar: 205cm-250cm; the distance between two bars is 110cm-185cm, stepless.
- Features: special crafted bar surface is beneficial to athletes' high difficulty performance. Special lock & lift system saves time on adjusting during training and competition. Widened base increases overall stability. The surface is spray-painted (silver). Consists of 5 parts: bars, columns, base, adjustment rod and tension system.

Uneven Bars for Training (B)

Model: TQ2011

1. Bar diameter: 4cm; length: 240cm; material: high quality glass reinforced plastic with wooden cover.
 2. Height adjustment of low bar: 135cm-185cm; height adjustment of high bar: 205cm-255cm. The distance between two bars is 110cm-185cm, stepless.
- Features: the diagonal brace rod stabilizes the columns, so that the apparatus can be unconstrained by the limitation of the floor and floor hooks; equipped with movable casters. Widened base increases overall stability. The surface is spray-painted (silver). Consists of bars, columns, base, adjustment rod and diagonal brace rod.



Support Block

Model: TQ2616
Specification: 50cm×50cm×50cm, Size can be customized.

Uneven Bars for Children

Model: TQ2012


1. Bar diameter: 4cm; length: 170cm; material: high quality glass reinforced plastic with wooden cover.
 2. Height adjustment of low bar: 95cm-135cm; height adjustment of high bar: 155cm-195cm with each increment of 5cm. The distance between two bars: 32cm-52cm, stepless.
- Features: the column is equipped with special locking lifting handle, which can quickly adjust the height of bars. The column and base are connected by a special fastening device that can quickly adjust the distance between the bars. The surface is spray-painted (silver). Consists of bars, columns and the base, to ensure the overall stability.



Horizontal Bar Support (A)

Model: TQ2013

1. Bar diameter: 4cm; length: 240cm; material: high quality glass reinforced plastic with wooden cover.
 2. Tension system is made of ϕ 0.6cm stainless steel wire, equipped with quick tightening device to guarantee quick tension adjustment.
 3. Height adjustment: 145cm-255cm.
- Features: high stability and safety, better rail elasticity, tension system ensures the overall stability of the bar. The surface is spray-painted (silver). Consists of bar, columns, base, and tension system, to ensure the overall stability.





Horizontal Bar Support(B)

Model: TQ2014
 1. Bar diameter: 4cm; length: 240cm; material: high quality glass reinforced plastic with wooden cover.
 2. larger chassis is equipped with non-slip rubber pad.
 3. Height: 40cm.
 Features: larger chassis enhance the overall stability of the equipment. The surface is spraypainted (silver).
 Consists of bar, columns and the base, to ensure the overall stability.



Elastic Handstand Rotation for Training


Model: TQ2015
 1. Bar diameter: 4cm; bar length: 170cm; material: high quality glass reinforced plastic with wooden cover.
 2. Elastic components are rubber band with load-bearing sponge, covered with PU leather, bonded by velcro, with good overall elasticity.
 3. The height of bar is adjustable from 95cm to 135cm, the width of bar between elastics parts is stepless.
 Features: the column is equipped with special locking lifting handle, which can quickly adjust the bar height. The column and base are connected by a special fastening device that can adjust quickly the distance between the elastic parts and the bar. The surface is spraypainted (silver).
 Consists of bars, elastic part, columns and the base, to ensure the overall stability.

Low Balance Beam B



Model: TQ2019
 1. Beam length: 500cm; upper width: 10cm; height: 16cm. The surface is special fiber leather with moisture absorption and damping effect.
 2. Height: 40cm
 Features: special rubber damping system increases the overall flexibility of the beam; plum handle quickly adjusts the distance between two legs, with fast and tight locking; foam end block maximizes protection to the athletes when dismounting from the apparatus.

Low Balance Beam



Model: TQ2051
 1. The length of bar is 250cm/300cm/400cm/500cm (the length can be customized according to clients demand). The upper end is 10cm wide and 16cm high. The upper end of the infill is stuck with high-density rubber sponge and covered with special fiber leather. The moisture absorbing surface provides good shock-absorption.
 2. The overall height is 25cm.
 Features: special rubber shock-absorption system increases the overall elasticity of horizontal bar, fast and secure locking. Preformed foam end plugs maximize the protection of athletes from injury.
 Consists of horizontal bar and main frame.



Composite material balanced beam

Model: TQFCHL001
 1. Weight: 28% lighter than current product;
 2. Fatigue test: raised from fifty thousand times to one hundred thousand times.
 3. Strength: 4 times stronger than the previous product.
 4. Processing Technology: pultrusion modeling form composite material.



Balance Beam for Kids

Model: TQ2021
 Specification: widened board length: 250cm; width: 20cm.
 Material: the top is stuck with high density rubber sponge, coated with special microfiber leather.
 Features: special safety belt to be fixed on the balance beam surface, suitable for junior practitioners.



Soft Mat for Balance Beam

Model: TQ2549 / TQ2709
 Specification: 100cm*50cm*2cm / 120cm*40cm*2cm
 Features: good stability, easy to install, soft surface, appropriate flexibility, used with balance beam.



Protection sleeve for Balance Beam

Model: TQ2020
 Features: XPE covering carpet specialized for gymnastics. Color can be selected.



Start Marker for Vaulting Table

Model: TQ2095
 Specification: 100cm*5cm*5cm
 Material: wooden material.
 Features: with verclo straps on the bottom.



Vaulting Table Base Pad

Model: TQ2647
 Specification: 250/120cm*120cm*17cm
 Material: PVC material cover, eco-friendly XPE infill.
 Features: good stability, easy to assemble, soft surface, appropriate flexibility. Mainly used for competition and training of Vaulting.



Hand pad

Model: TQ1561
 Specification: 120cm*100cm*3cm
 Material: horse leather material cover, XPE inner core.
 Features: eco-friendly, good stability, easy to install, soft surface, good for bearing.



Vaulting Folding Board

Model: TQ2005A
 Specification: 440cm*100cm*2.5cm
 Features: composite birch wood, carpet especially for gymnastics; non-skid surface.



Sponge Square Package Used for Vaulting Horse

Model: TQ2523/1
 Specification: 130cm*95cm*95cm
 Weight: 58kg
 Material: the infill is XPE material.
 Features: assisting vaulting horse training, suitable for beginners of vaulting horse.



Training Pommel Horse

Model: TQ2024
 1. Surface of Pommel horse is covered with special fiber leather, and the built-in body is molded by high temperature molding. Whole length: 160cm; upper width: 35cm; bottom width: 30cm; height: 28cm.
 2. Ring height: 12cm; distance between rings: 40-45cm, adjustable; overall lifting height of the pommel horse to the ground is adjustable between 95cm-125cm, with each increment of 5cm.
 Features: high load sponge and transverse pressure infill increase shock-absorbing effect, to avoid joint damage of the athletes caused by long-term exercise. Surface is spray-painted (silver).
 Consists of ring, horse body, base and column.



Protection Cover for Pommel Horse

Model: TQ2038
 Features: XPE material with carpet especially for gymnastics.
 Color can be selected.



Low Pommel Horse (A)

Model: TQ2025

1. Pommel horse surface is covered with special fiber leather, and the built-in body is molded by high temperature molding. Whole length:160cm; upper width: 35cm; lower side width: 30cm; height: 28cm.
2. The base is multilayer laminated board, with good overall elasticity and stability.
3. Ring height: 12cm; distance between rings: 40-45cm, adjustable; overall height of the pommel horse to the ground: 40cm.

Features: wooden bow base increases the overall flexibility and stability. The surface is spray-painted (silver).
Consists of rings, horse body and wooden base.



Low Pommel Horse (B)

Model: TQ2045


1. The horse body is covered with special fiber leather, and the inner part is one-stop molded. The top is adhered with flexible layer. Body length: 160cm; top width: 35cm; height: 16cm.
 2. Loop distance: 40cm-45cm, continuously adjustable. Lifting height (to the ground): 50cm-65cm, with each increment of 5cm.
- Features: shock absorption is increased by the infill, which can avoid athletes' joint damage caused by long-term training. Equipped with a quick-locking adjustment device to realize quick height adjustment. The surface is spray-painted (silver).
Consist of loops, horse body, lifting rod and base.



Adjustable Mushroom Trainer

Model: TQ2026

1. The surface of the mushroom is coated with special fibrous leather. The mushroom body is shaped by high temperature molding, and the upper part has a flexible layer. Diameter of the mushroom head: 60cm.
 2. Mushroom lifting height is adjustable between 50cm-70cm, with each increment of 5cm.
- Features: integrated plastic mushroom head body increases the overall flexibility and stability. Three special feet and one special rubber tuning device effectively protect the floor and can meet any rugged sites.
Consists of mushrooms head, adjusting pipe and the base.



Single Ring Mushrooms Trainer

Model: TQ2027

1. The surface of the mushroom is coated with special fiber leather. The mushroom body is shaped by high temperature molding, and the upper part has a flexible layer. The diameter of the mushroom head is 60cm.
 2. Pommel ring height is 12cm, mushroom height is adjustable between 50cm-70cm, with each increment of 5cm.
- Features: integrated plastic mushroom body increases the overall flexibility and stability. Three special feet and one special rubber tuning device effectively protect the floor and can meet any rugged sites. The surface is spray-painted (silver).
It consists of mushrooms head, adjusting pipe, base and pommel horse.



Double Ring Mushrooms Trainer

Model: TQ2028

1. The surface of the mushroom is covered with special fiber leather, the mushroom body is molded by high temperature molding, the upper part has a flexible layer and the diameter of the mushroom is 60cm.
 2. Equipped with pommel horse rings, two-ring spacing is stepless; mushroom height is adjustable between 50cm-70cm, with each increment of 5cm.
- Features: integrated plastic mushroom body increases the overall flexibility and stability. Three special feet and one special rubber tuning device effectively protect the floor and can meet any rugged sites. Surface is spray-painted (Silver). It consists of mushrooms head, adjusting pipe, base and pommel horse.



Full Rotation Mushrooms Trainer

Model: TQ2029

1. The surface of mushroom is covered with special fiber leather, the mushroom body is high temperature molded, the upper part has a flexible layer and the diameter of the mushroom is 60cm.
 2. The rotary table has a specially processed flexible layer, and surface is covered with specialized fiber leather.
- Features: increased rotation platform provides more support area for athletes; one piece plastic mushroom increases the overall flexibility and stability. Surface is spray-painted (silver). It consists of mushroom head, rotating platform, column and base.



Mushrooms Trainer (A)

Model: TQ2050

- Material: the surface of the mushroom is coated with special fiber leather, one-step molded. The diameter of the mushroom head is 100cm.
- Features: integrally welded base increases the overall stability. Frame is spray-painted (silver). Consists of mushroom head and base.



Mushrooms Trainer (B)

Model: TQ2055

1. The surface of mushroom is coated with special fiber leather, and the mushroom head is one-step molded. The diameter of mushroom head is 60cm.
 2. Mushroom head height: 45cm
- Features: the injection-molding mushroom head increases the overall elasticity and stability. Happy gymnastics equipment for children. Consists of mushroom head, column and base.



New Type Vaulting Buck

Model: TQ2035

- Specification: 50cm*35cm*28cm. Lifting height: 80cm-110cm, with each increment of 5cm.
- Material: equipped with 4 special rubber fine tuning devices, can protect the base floor effectively and match all kinds of rugged place.
- Features: oval tube welded base strengthens its safety effectively. The surface is spray-painted (silver). Consists of buck head, columns and base frame.



Big Vaulting Buck

Model: TQ2091
 Specification: 60cm×35cm×28cm, adjusting height: 100cm-140cm.
 Material: surface of vaulting buck is covered by special leather with one-stop molded body.
 Features: auxiliary equipment for jump training. The surface is spray-painted (silver).
 Consists of three parts: main body, lifting pipe and the base.



Small Vaulting Buck

Model: TQ2090
 Specification: buck size: 50cm×35cm×28cm. Adjusting height: 80cm-110cm, with each increment of 5cm.
 Weight: 26kg
 Material: surface of vaulting buck is made of special leather coating, with one-stop molded body.
 Features: equipped with a special adjusting lock handle, quickly and easily adjust the body height. The surface is spray-painted (silver).
 Consists of three parts: main body, lifting pipe and the base.




Training Rings

Model: TQ2030
 1. Overall height: 590cm; distance between the two columns: 316cm; distance between two rings: 50cm.
 2. Rings material is made of composite wood, with good moisture absorption; ring height adjustment range is 80cm-270cm, stepless.
 3. Damping device is adjustable by rotating the damping spring to adjust the impact absorption strength, and ring height can be adjusted with a lock quickly and simply.
 Features: rings connected through stainless steel wires and belts with suspension ring in the column damping spring, two rings with equal force, the buffer effect to achieve the best level of protection of athletes from the hand joints hurt, dispersion of the maximum movement of the pressure, double strengthened the tension system can enhance the overall stability. Surface is spray-painted (silver).
 It consists of beam, columns, rings, rope and damping device.



Arm Strength Trainer for Rings

Model: TQ2031
 Specification: 260cm×60cm×75/125cm. Size of the sliding board: 70cm×34cm.
 Material: covered with special fiber leather, inner layer is plywood board and high loadbearing sponge. Equipped with special rolling devices, which make it slide smoothly.
 Features: smooth sliding, flexible height adjustment, and stable standing. Surface is spray-painted (silver).
 Consist of sliding platform, framework, lifting tube, columns and ring devices.



Gymnastics Ring for Kids

Model: TQ2032
 1. Ring diameter: 16cm ring material: composite wood with good moisture absorption.
 2. Ring height adjustment is 105cm-135cm, with each increment of 5cm.
 Features: the columns are equipped with special lifting locking handles, can adjust the rings height quickly. The columns and base are connected by special clamping devices, which strengthens the stability and safety. Surface is spray-painted (silver).
 Consists of crossbar, columns, base and rings, to guarantee its stability.

Ceiling Rings




Model: TQ2033
 1. Arm length: 180cm, distance between rings: 50cm.
 2. Rings are made of composite wood with good moisture absorption. Height between rings to the ground is 80cm-270cm stepless, adjustable.
 Features: the rings are fastened to fixed device by stainless steel rope, leather and ring straps. The tensioning system strengthens its stability. Surface is spray-painted (silver).
 Consist of framework, fixed flange, rings, tension rope and damping device.



Sling And Ring

Model: TQ1006.08
 Rings are made of multi-layer beech board, stainless steel rope with leather and ring belts hanging on shock absorption bearing system.




Rings Cross Brace Trainer

Model: TQ2034
 1. Size: 35cm x 18cm.
 2. The elastic band adopts nylon rubber, and the wide elastic band is built in the framework. Medium elasticity makes arm touching comfortable.
 3. The framework is welded with high-quality carbon steel tube and hooks, equipped with special hanging devices.
 Features: the auxiliary exercise equipment of rings, can build up one person's arm and wrist strength effectively, special fastening devices can protect the athletes from hand joint injuries, and hanging devices strengthen the stability. Surface is spray-painted (silver).
 Consist of framework, fixed flange, rings, ropes and damping device.



Ring Hook


Model: TQ2094
 Specification: length: 180cm, ϕ 1.8cm
 Material: stainless steel.



Children Long Trampoline

Model: TQ2036
 Specification: width: 210cm; height: 56cm, length: 500cm/600cm; customized size available.
 Weight: one unit is two-meter long, which can be extended infinitely. The weight of one unit is 78kg.
 Material: the base is welded with high-quality carbon steel tubes, equipped with floor protection foot.
 Features: structured with concatenated units, can make different length according to different needs. The crossbar and base use inserting structure which can be assembled conveniently, the net is weaved with black nylon mesh and PVC knitted mesh. Equipped with high-duty extension springs, this trampoline has a very good elasticity and stability. The surface is spray-painted (silver).
 Consists of crossbar, base, extension spring and net.

Foam Pit



Model: TQ2713
 Specification: customized
 Foam pit Specification: the bottom layer is welded into a honeycomb structure using XPE strips. The entire XPE is on the top with evenly placed holes. And increase the suction function.
 Features: easy assembly, enhanced safety performance, no hazards, easy cleaning by users. As magnesium powder is used during the athlete's usage of equipment, a large amount of magnesium powder falls into the elastic layer at the bottom of the foam pit, the accumulation of powder will increase over the years, as a result, athletes' eyes will be contaminated when using it; the inhalation of magnesium powder into the mouth, nose and lungs will cause certain physical injuries. We have added dust cleaning function which will reduce damage to the athletes. Our foam pit plays a role in protecting the health of athletes.



Children's Springboard

Model: TQ2044
 Specification: 76cm*57cm*16cm
 Features: has a good overall elasticity, high stability and anti-slip performance, designed for beginners of gymnastics and suitable for children training.

360° Tossing Bracket



Model: TQ2016
 1. Overall height: 640cm; distance between two columns: 240cm; belt lifting height can be adjusted.
 2. The leather belt is equipped with a rotating device hanging on the top of the frame by nylon rope.
 3. The pull system is made of 0.6cm diameter stainless steel rope, which is equipped with quick rope tightening device to guarantee quick rope tensioning.
 Features: the leather belt rotating device hanging on the frame top can reach the ground through the pulley, which will protect athletes from getting injuries when doing the movements. The big mat can disperse pressure from movement. The pull system enhances the overall stability. Surface coating process (silver).
 It consists of 5 parts: beams, columns, belt parts, base and rope.



Parallel Bars Protection Bench

Model: TQ2047
 Specification: bench surface is 255cm long and 25cm wide.
 Weight: 34kg
 Material: the material of the bench is red pine with its eco-friendly spray-painted varnish surface.
 Features: parallel bars' assistant training equipment, suitable for junior practitioners, equipped with special adjustment locking handle, can quickly and easily adjust the height of the bench. Spray-painted surface (silver).
 Consists of bench surface ring, regulating tube and lifting frame.



Uneven Bars Protection Bench



Model: TQ2049
 Specification: the platform is 100cm long and 45cm wide.
 Weight: 30.5kg
 Material: the supporting platform surface is covered with special fiber leather. The built-in body is high strength plywood, and the upper part is affixed with a high load-bearing sponge. It is equipped with a special adjustment lock handle, which can quickly and easily adjust the height of the support platform.
 Features: special fiber leather ensures moisture absorption. Infill is made of high bearing sponge increases shock-absorbing effect and overall comfort. It is suitable for uneven bars junior practitioners. Frame is spray-painted (silver).
 Consists of 4 parts: supporting platform, lift pipe, framework and the base.



Ring Protection Bench

Model: TQ2052
 1. The support platform is 80cm long and 50cm wide.
 2. With a special adjustable locking handle, it can quickly and easily adjust the height of the support platform.
 Features: assistant equipment for ring practitioners. Frame sprayed (silver).
 Consists of 4 parts: support platform, lift pipe, framework and base.



Horizontal Bar Protection Bench

Model: TQ2054
 Specification: the support platform is 100cm long and 45cm wide.
 Weight: 28kg
 Features: with a special adjustment locking handle, it can quickly and easily adjust the height of the support platform. Assistant equipment for horizontal bar practitioners. Frame is spray-painted (silver).
 Consists of 4 parts: support platform, lifting pipe, framework and base.



Single Wall Bars

Model: TQ2059
 Specification: 90cm*18cm*280cm
 Material: the main material is high-quality pine and ashtree. Adopt mortise and tenon process craft. The overall connection is firm.
 Features: the surface is spray-painted with eco-friendly varnish.



Double Wall Bar

Model: TQ2084
 Specification: 180cm*18cm*280cm
 Material: main material is pine wood and ashtree, with wood mortise & tenon process, firm overall connection.
 Features: surface is spray-painted with ecofriendly varnish.



Five Sections Vaulting Box

Model: TQ2077

1. Special fiber leather covered the top surface, and the main body is made of pine wood with EVA on the top. Overall size: 125cm*78cm*125cm.
 2. Vaulting box is divided into 5 sections, connected by wood mortise & tenon technology to keep firm connection.
- Features: The high load-bearing infill increases impact-absorption and overall comfort. Surface is spray-painted with eco-friendly varnish.



Parallel Bar Handstand

Model: TQ2057

- Specification: 40cm *23cm*13cm.
 Material: the main material is high-quality pine and ashtrce. Adopt mortise and tenon process craft. The overall connection is firm.
 Features: the surface is spray-painted with eco-friendly varnish.



Horizontal Bar Handstand

Model: TQ2058

- Specification: 90cm *23cm*13cm.
 Weight: 1.5kg
 Material: the main material is excellent pine and ash. Adopt mortise and tenon process craft. The overall connection is firm.
 Features: the surface is spray-painted with eco-friendly varnish.



Seven Sections Vaulting Box

Model: TQ2053

1. The upper surface is coated with special fiber leather. The inside material is pine board, and the upper part is stuck with EVA. The overall size is 130cm long 78cm wide and 125cm high.
 2. The vaulting box is divided into 7 sections, the framework of each section is produced by wood mortise and tenon process, which makes the overall connection firm enough.
- Features: infill is made of high bearing sponge increases shock-absorbing effect and overall comfort. Surface is spray-painted.



Wooden Gymnastics Bench

Model: TQ2042

- Specification: 244cm*25cm*25cm.
 Material: wooden material, equipped with anti-slip protection rubber sleeve.
 Features: wooden bench surface and supporting legs, light weight, convenient movement, narrow surface on the bottom, which can be used as balance beam exercise when turning over it.



Aerobic Step

Model: TQ1014
 Specification: trapezoid; upper surface length: 88.5cm, width: 27.5cm; bottom surface length: 97cm, width: 37cm. Total height: 15cm
 Weight: 5.1kg
 Features: carbon fiber material, smooth surface, high intensity, uneasy to deform, non-skid and shock absorption layer made of composite material, noiseless, protecting the baseboard well.



Air Tumble

Model: TQW038
 Specification: customizable
 Features: made of imported PVC net fabric with thermal bonding and sticking technology; wear resistance, flame retardation, tear resistance, drop resistance, safe and eco-friendly, beautiful appearance. Equipped with high-power air pump, fast air filling, long life span.
 Notes: keep ground free of sharp objects . Steady voltage is needed when inflating. Use soft cloth and cleanser to clean it.



Magnesium Holder for Hands

Model: TQW0049
 Specification: 90cm
 Material: the base is high-quality metal plate processed by stamping molding, magnesium powder box is made of glass fiber by temperature molding.
 Features: high strength, uneasy to break and easy to move.



Magnesium Holder for Feet

Model: TQ2267
 Specification: 45cm*45cm*5cm
 Features: athletes can step into the holder with magnesium to increase friction.



Hoarding of Gymnastics Venue

Model: TQ2043
 Specification: unit size: Length: 200cm; height: 135cm; thickness: 4cm.
 Features: concatenation unit module structure; unit modules can be connected by aluminium alloy buckles; easy assembly. It can be installed according to the site's size, inlaid with high density PVC waterproof board.




Rhythmic Gymnastics Ribbon

Model: TQW0115
Material: the main part is ribbon, the rod is made of glass fiber reinforced plastic, handle is made of PVC material.



Rhythmic Gymnastics Clubs

Model: TQW0114
Material: PP




Rhythmic Gymnastics Hoop

Model: TQW0116
Specification: φ80cm
Material: environmental friendly PE



Palm Glove

Model: TQW0329
Specification: thick type: 0.25cm; thin type: 0.2cm.



Rhythmic Gymnastics Rope

Model: TQW0117
Material: fine quality linen-cotton with the length of 3m.



Rhythmic Gymnastics Ball

Model: TQW0118
Specification: φ18cm Weight: 0.4kg Material: rubber



Measuring Table

Model: TQ2098
Specification: 105cm*105cm*90cm.
Features: one electronic balance with the accuracy of 1g, wooden material with high quality painting surface.



Tapeline

Model: TQW0327
Specification: 30m long dip stick specialized for tumble track.

Children Gymnastic Apparatus Combination A



Model: TQ2060
 Specification: 480cm*480cm*155cm
 Weight: 193kg (without mat)
 Features: reasonable layout, high stability, mainly for the children's entertainment and physical exercise.

Children Gymnastic Equipment Group B



Model: TQ2061
 Specification: 720cm*350cm*155cm
 Weight: 205kg
 Features: reasonable layout, high stability, mainly for the children's entertainment and physical exercise.



Children Parallel Bars

Model: TQ2085
 1. Bar diameter: 4cm; length: 170cm material: high quality fiber reinforced plastic with wooden cover.
 2. Height adjustment is 95cm-135cm, with each increment of 5cm. The distance between two bars is 32cm-52cm.
 Features: the column is equipped with special locking and lifting handles, which can quickly and easily adjust the height of the bars. The column and the base are connected by a special fastening device, which can quickly adjust the distance between the bars. Surface is spray-painted (red).



Uneven Bar For Happy Gymnastic

Model: TQ2086
 1. Bar diameter: 4cm; bar length: 170cm; bar material: high-quality fiberglass with wooden cover.
 2. Eight adjustment of low bar is from 95cm-135cm with each increment of 5cm; height adjustment of high bar is 155cm-195cm with each increment of 5cm. The distance of two bars is 32cm-52cm.
 Features: the column is equipped with special locking lifting handle, which can quickly adjust bar height; column and base connected by a special fastening device, which can quickly adjust the distance between the bars. The surface is spray-painted (red).



Children Horizontal Bar

Model: TQ2083
 1. Bar diameter: 4cm; length: 170cm; materials: high quality fiber reinforced plastic with wooden cover.
 2. Adjusting height is 155cm-195cm, with each increment of 5cm.
 Features: upgraded safety performance, proper rod surface elasticity and overall stability. The surface is spray-painted (red).



Children Rock Climbing

Model: TQ2041
 Specification: 180cm*180cm*100cm
 Weight: 45kg
 1. Climbing board: fixed fourteen different climbing columns on the board by jam nuts in a certain line; outer board is covered by PVC leather; infill is equipped with XPE and special plywood plate bonded together.
 2. The climbing plate is fastened on the bar by Velcro clamp devices, used cooperatively with children gymnastic equipment.
 Features: good stability, convenient installation, comfortable pad surface, proper elasticity, suitable for children climbing. Applicable for children entertainment, exercise the children's physical fitness. Consists of climbing plate, lifting rod, stand and base, to ensure good overall stability.



Gymnastics Ring for Kids

Model: TQ2087
 1. Ring diameter: 16cm; ring material: composite wood with good moisture absorption.
 2. Ring height adjustment is 105cm-135cm, with each increment of 5cm.
 Features: the columns are equipped with special lifting locking handles, can adjust the rings height quickly. The columns and base are connected by special clamp devices, which strengthens the stability and safety. Surface is spray-painted (red).



Children Crawl Net

Model: TQ2040
 Specification: 180cm*180cm*95cm
 Weight: 60kg
 1. Climbing net is cross stitched by 50 belts, the climbing board is covered with high quality PVC; inner part is XPE and special plywood plate bonded by special technology.
 2. The frame is wholly welded and connected by special fastening device, which can be used cooperatively with children gymnastic equipment. Net tension degree can be adjusted quickly.
 3. Lifting rod is made of special material; special treated surface guarantees the flexibility and quick adjustment during lifting process.
 Features: good stability, convenient installation, comfortable pad surface, proper elasticity, suitable for children climbing. Applicable for children entertainment, promote the children's physical fitness. Consists of stand, lifting rod, base and climbing net, with good overall stability.



Children Square Trampoline II

Model: TQ2078

1. Trampoline main frame size: 270cm*270cm with intubation structure for simple assembly;
2. Bed size: 210*210cm; net surface: black nylon mesh cloth and PVC woven cloth;
3. The surrounding net adopts nylon hook flower net, with height of 210cm.

Features: the main frame is welded by round steel tube. It has high overall safety performance. The base is equipped with protective feet to reduce the damage to ground. The net surface is black nylon mesh and PVC woven cloth, equipped with high strength tensile spring. Good elasticity, high stability, spray-painted surface (red).

Consists of four parts: main frame, base, tensile spring and bed.

Children Square Trampoline

Model: TQ2037

1. Main framework is 130cm*130cm, one-stop welded forming with carbon steel oval tube.
2. Net size: 70cm*70cm; material: nylon woven belt.
3. Equipped with quick-adjusting locking devices; total adjustable height is 52.5cm-67cm.
4. Lifting rod uses carbon steel round tube $\phi 3.2\text{cm} \times 0.3\text{cm}$, special treated surface can guarantee the flexibility and quick adjustment during the lifting process.

Features: The framework is welded by oval tube with high safety performance, and equipped with floor protection foot which can reduce the floor damage. The net is weaved by nylon braided strap, equipped with high-duty extension springs. The trampoline has good elasticity and stability. Surface is spray-painted (silver).

Weight: 30kg.

Consist of main framework, base, extension spring and net.



Children Round Trampoline

Model: TQ2082

Specification: diameter of main frame: 158cm; height: 43cm.

Features: the main frame is one-stop molded, and high overall safety performance. The base is equipped with protective feet to reduce the damage to floor. The net surface is black nylon mesh and PVC woven cloth, equipped with high strength tensile spring. Good elasticity, high stability, spray-painted surface (silver).

Consists of 3 parts: main frame, tensile spring and bed.

Children Hexagonal Trampoline

Model: TQ2081

Specification: main frame's circle diameter: 160cm; height: 43cm.

Features: the main frame is one-stop molded, and high overall safety performance. The base is equipped with protective feet to reduce the damage to floor. The net surface is black nylon mesh and PVC woven cloth, equipped with high strength tensile spring. Good elasticity, high stability, spray-painted (silver) surface.

Consists of 3 parts: main frame, tensile spring and bed.





Children Balance Beam
Model: TQ2577



Children Vaulting Box
Model: TQ2579



Children Colorful Folding Mat
Model: TQ4779



Kids Obstacles
Model: TQ4873




Children Rock Climbing
Model: TQ2041



Children Soft Gymnastic Combination
Model: TQ4874

Gymnastics protection mat is divided into two types, one is the competition type, and the other is the training type. Competition protection mat material is PVC+XPE+compression sponge; training protection mat material is PVC+sponge+XPE. Mat's standard color is blue and can be customized according to customer needs (If no special requirements, the colour is blue). Approved by the FIG. Competition protection mat features: The protective cover is made of high quality PVC, there are many holes on the cover to make it easy to move and eliminate air. The infill is the XPE and layered sponge. The sponge layer is divided into three layers. Blocks and blocks are stucked together to make them integral. The product is stable and easy to assemble, comfortable with appropriate flexibility. Training-type protective mat features: made of high quality PVC, sponge and XPE. The infill of XPE and sponge are one, and the blocks are sticked together by velcro straps. Design of holes on the cover side is for air elimination, there are handles at the bottom to move the mats easily. It has good stability, easy assembly, comfortable surface and appropriate flexibility.

Landing Mat for Horizontal Bar (competition)




Model: TQ1511A
 Specification: 1200cm*300cm*20cm
 Size and quantity:
 300cm*200cm*20cm (6pcs)
 Total area: 36 m²

Landing Mat for Pommel Horse (competition)




Model: TQ1504A
 Specification: 400cm*400cm*10cm
 Size and quantity:
 400cm*200cm*10cm (2pcs)
 Total protection area: 16 m²



Landing Mat for Horizontal Bar (training)


Model: TQ1502A
 Specification: 1200cm*200cm*20cm
 Size and quantity:
 300cm*200cm*20cm (4pcs)
 Total area: 24 m²



Landing Mat for Uneven Bars (competition)




Model: TQ1512A
 Specification: 1400cm×200cm×20cm
 Size and quantity:
 300cm×200cm×20cm (4pcs)
 200cm×200cm×20cm (1pcs)
 Total area: 28 m²



Landing Mat for Uneven Bars (training)


Model: TQ1503A
 Specification: 1300cm×200cm×20cm
 Size and quantity:
 300cm×200cm×20cm (4pcs)
 200cm×100cm×20cm (1pcs)
 Total area: 26 m²



Landing Mat for Parallel Bars (competition)




Model: TQ1510B
 Specification: 1100cm×450cm×20cm
 Size and quantity:
 200cm×300cm×20cm (2pcs)
 100cm×125cm×20cm (4pcs)
 300cm×70cm×20cm (1pcs)
 190cm×320cm×20cm (2pcs)
 200cm×100cm×20cm (1pcs)
 Total area: 32.5 m²



Landing Mat for Parallel Bars (training)


Model: TQ1509A
 Specification: 1200cm×600cm×20cm
 Size and quantity:
 200cm×400cm×20cm (1pcs)
 300cm×190cm×40cm (2pcs of folding mats)
 220cm×265cm×20cm (2pcs)
 247cm×69cm×10cm (1pcs)
 212cm×41cm×10cm (1pcs)
 200cm×200cm×20cm (1pcs)
 Total area: 48 m²



Landing Mat for Vaulting Table (competition)




Model: TQ1513A
 Specification: 600cm×250cm×20cm
 Size and quantity:
 200cm×250cm×20cm (2pcs)
 100cm×250cm×20cm (2pcs)
 Total area: 15 m²



Landing Mats for Ring (competition)




Model: TQ1514A
 Specification: 500cm×200cm×20cm
 Size and quantity:
 300cm×200cm×20cm (1pcs)
 200cm×100cm×20cm (2pcs)
 Total area: 10 m²




Landing Mats for Vault Table (training)

Model: TQ1505A
 Specification: 800cm×300cm×20cm
 Size and quantity:
 300cm×200cm×20cm (4pcs)
 Total area: 24 m²



Landing Mat for Rings (training)


Model: TQ1506A
 Specification: 600cm×200cm×20cm
 Size and quantity:
 300cm×200cm×20cm (1pcs)
 200cm×150cm×20cm (2pcs)
 Total area: 12 m²



Landing Mat for Balance Beam (competition)





Model: TQ1515A
 Specification: 1800cm*400cm*20cm
 Size and quantity:
 200cm*200cm*20cm (1pcs)
 300cm*200cm*20cm (3pcs)
 100cm*100cm*20cm (4pcs)
 250cm*200cm*20cm (4pcs)
 200cm*100cm*20cm (1pcs)
 Total area: 48 m²



Landing Mat for Balance Beam (training)

Model: TQ1507A
 Specification: 1700cm*600cm*20cm
 Size and quantity:
 200cm*300cm*20cm (7pcs)
 300cm*200cm*40cm (2pcs of folding mat)
 Total area: 66 m²



Landing Mat



TQ1525 Landing mat 1 200cm*200*10cm It is suitable for artistic floor exercise.
 TQ1526 Landing mat 2 200cm*300*10cm It is suitable for artistic floor exercise, rings, balance beam, parallel bars.
 TQ1527 Landing mat 3 200cm*400*10cm It is suitable for horizontal bar, balance beam.
 TQ1528 Landing mat 4 200cm*500*10cm It is suitable for uneven bars, horizontal bar.
 TQ1529 Landing mat 5 200cm*600*10cm It is suitable for vaulting Table.
 Features: these five types of landing mats are made of high-quality PVC and p25 ± 2.5 sponge. They have handles for easy moving, and lighter sponge inside provides with appropriate hardness. It is wear-resistant, water proof and durable.

U Mat

Model: TQ2540/1
 Specification: 120cm*101cm*22/10.8cm
 Material: PVC material cover; infill is XPE and sponge combined.
 Features: the product is stable, easy to install with soft surface and appropriate flexibility. Mainly used for springboard sports protection.




U Mat I

Model: TQ2556
 Specification: 140cm*120cm*21cm
 Material: PVC material cover, artistic gymnastics carpet surface
 Features: the product is stable, easy to assemble with soft surface and appropriate flexibility. Mainly used for springboard sports protection.


Competition Equipment for Men's Artistic Gymnastics

Competition Equipment for Men's Artistic Gymnastics (including training and warm-up hall)



	Quantity Arena	Quantity warm up hall	Quantity for each training hall	Remarks
Floor Exercise				
Free exercise floor	MAG 1	1	1	
Magnesia stand for feet (filled with magnesia)		4	2	2
Magnesia stand for hands (filled with magnesia)		1	1	1
Supplementary mat 200x200x10 cm	MAG 13	1	2	2
				FOly for Podium Training, Warming up session of the Apparatus Finals
Pommel Horse				
Pommel horse (including anchoring system to the floor)	MAG 2	1	2	2
Set of landing mats 20 cm, surface according to Apparatus Norms	MAG 12	1	2	2
Magnesia stand for hands (filled with magnesia)		1	2	2
Rings				
Ring frame	MAG 3	1	1	1
Set of landing mats 20 cm, surface according to Apparatus Norms	MAG 11	1	1	1
Ring hook		1	1	1
Magnesia stand for hands (filled with magnesia)		1	1	1
Hard foam block approx. 90 x 50 x 70 cm for preparation of the rings		1	1	1
Supplementary mat 200x200x10 cm	MAG 13	1	1	1
				FOly for Podium Training, Warming up session of the Apparatus Finals
Vault				
Vaulting table (including anchoring system to the floor and 20 cm high padding of the feet)	MAG 4	1	1	1
Runway with clear markage block at 25 meters		1	1	1
Set of landing mats 20 cm, surface according to Apparatus Norms	MAG 11	1	1	1
Supplementary mat 600x200x10 cm with marked landing area (two diverging lines and one central line)	MAG 13	1	1	1
				Compulsory use
Soft crash mat 300x200x30 cm			1	1
Additional supplementary mat 200x200x10 cm	MAG 13	1	1	1
				FOly for Podium Training, Warming up session of the Apparatus Finals
Vaulting board 'hard' (with fixed springs)	MAG 14	1	1	1
Vaulting board 'soft' (with fixed springs)	MAG 14	1	1	1
Vaulting board Safety Collar	MAG 15	1	1	1
				Compulsory use with round-off
Mat for hands 120x100x3 cm	MAG 16	1	1	1
				Use not compulsory
Tape measure 25 meters		1	1	1
Magnesia stand for feet (filled with magnesia)		1	1	1
Magnesia stand for hands (filled with magnesia)		1	1	1
Parallel Bars				
Parallel bars (if necessary with anchoring system to the floor / podium)	MAG 5	1	2	2
Set of landing mats 20 cm, surface according to Apparatus Norms	MAG 11	1	2	2
Vaulting board 'soft' (with fixed springs)	MAG 14	1	2	2
Magnesia stand for hands (filled with magnesia)		1	2	2
Supplementary mat 200x200x10 cm			2	2
Horizontal Bar				
Horizontal bar (including anchoring system to the floor)	MAG 6	1	1	1
Set of landing mats 20 cm, surface according to apparatus norms	MAG 11	1	1	1
Supplementary mat 400x200x10 cm	MAG 13	2	2	2
				Compulsory use
Additional supplementary mat 200x200x10 cm	MAG 13	1	1	1
				FOly for Podium Training, Warming up session of the Apparatus Finals
Magnesia stand for hands (filled with magnesia)		1	1	1
Hard foam block, approx. 50x50x50 cm for preparation of rails		1	1	1
Dedicated pad for the preparation of the bar		1	1	1
				a sufficient number of replacements must be provided

Competition Equipment for Women's Artistic Gymnastics



Competition Equipment for Women's Artistic Gymnastics (including training and warm-up hall)

	Quantity Arena	Quantity warm-up hall	Quantity for each training hall	Remarks
Vault				
Vaulting table (including anchoring system to the floor and 20 cm high protection of the feet)	WAG 1	1	1	
Set of landing mats 20 cm, surface according to Apparatus Norms	WAG 11	1	1	
Runway with clear marking of 25 meters		1	1	
Supplementary mat 600x200x10 cm with marked landing area (two diverging lines and one central line)	WAG 13	1	1	Compulsory use
Soft crash mat 300x200x30 cm			1	
Additional supplementary mat 200x200x10 cm	WAG13	1)*	1	Only for Podium Training, Warming up session of the Apparatus Finals
Vaulting board "hard" (with fixed springs)	WAG 14	1	1	
Vaulting board "soft" (with fixed springs)	WAG 14	1	1	
Vaulting board Safety Collar	WAG 15	1	1	Compulsory use with round-off entry
Mat for hands 120x100x3 cm	WAG 16	1	1	Use not compulsory
Tape measure 25 meters		1	1	
Magnesia stand for feet (filled with magnesia)		1	1	
Magnesia stand for hands (filled with magnesia)		1	1	
Uneven Bars				
Uneven bars	WAG 2	1	2	2
10 cm support plates		1	1	1
Set of landing mats 20 cm, surface according to Apparatus Norms	WAG 11	1	2	2
Supplementary mat, 400x200x10 cm	WAG 13	1	2	2
Additional spotter mat	WAG17	1)*	2	2
Vaulting board "soft" (with fixed springs)	WAG 14	1	2	2
Magnesia stand for feet (filled with magnesia)		1	0	0
Magnesia stand for hands (filled with magnesia)		1	2	2
Hard foam block, approx. 50x50x50 cm for preparation of rails		1	2	2
Balance Beam				
Balance beam with padded legs	WAG 3	1	2	2
Set of landing mats 20 cm, surface according to Apparatus Norms	WAG 11	1	2	2
Supplementary mat, 400x200x10 cm	WAG 13	1	2	2
Additional safety mat 200x200x10 cm	WAG13	1)*	2	2
Vaulting board "soft" (with fixed springs)	WAG 14	1	2	2
Magnesia stand for feet (filled with magnesia)		1	2	2
Magnesia stand for hands (filled with magnesia)		1	2	2
Floor Exercise				
Free exercise floor	WAG 4	1	1	1
Magnesia stand for feet (filled with magnesia)		4	2	2
Magnesia stand for hands (filled with magnesia)		2	1	1
Supplementary mat 200x200x10 cm	WAG13	1)*	2	2

