



A-LEVEL Physics 7408/3BB

PAPER 3 SECTION B – Medical physics

Mark scheme

June 2017

Version: 1.0 Final

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Physics – Mark scheme instructions to examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

- 2.1** In a list of acceptable answers where more than one mark is available ‘any **two** from’ is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- 2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3** Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that ‘right + wrong = wrong’.

Each error / contradiction negates each correct response. So, if the number of errors / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (often prefaced by ‘Ignore’ in the mark scheme) are not penalised.

3.2 Marking procedure for calculations

Full marks can usually be given for a correct numerical answer without working shown unless the question states ‘Show your working’. However, if a correct numerical answer can be evaluated from incorrect physics then working will be required. The mark scheme will indicate both this and the credit (if any) that can be allowed for the incorrect approach.

However, if the answer is incorrect, mark(s) can usually be gained by correct substitution / working and this is shown in the 'extra information' column or by each stage of a longer calculation.

A calculation must be followed through to answer in decimal form. An answer in surd form is never acceptable for the final (evaluation) mark in a calculation and will therefore generally be denied one mark.

3.3 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.4 Errors carried forward, consequential marking and arithmetic errors

Allowances for errors carried forward are likely to be restricted to calculation questions and should be shown by the abbreviation ECF or *conseq* in the marking scheme.

An arithmetic error should be penalised for one mark only unless otherwise amplified in the marking scheme. Arithmetic errors may arise from a slip in a calculation or from an incorrect transfer of a numerical value from data given in a question.

3.5 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited (eg fizix) **unless** there is a possible confusion (eg defraction/refraction) with another technical term.

3.6 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.7 Ignore / Insufficient / Do not allow

'Ignore' or 'insufficient' is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

'Do **not** allow' means that this is a wrong answer which, even if the correct answer is given, will still mean that the mark is not awarded.

3.8 Significant figure penalties

Answers to questions in the practical sections (7407/2 – Section A and 7408/3A) should display an appropriate number of significant figures. For non-practical sections, an A-level paper may contain up to 2 marks (1 mark for AS) that are contingent on the candidate quoting the **final** answer in a calculation to a specified number of significant figures (sf). This will generally be assessed to be the number of sf of the datum with the least number of sf from which the answer is determined. The mark scheme will give the range of sf that are acceptable but this will normally be the sf of the datum (or this sf -1).

An answer in surd form cannot gain the sf mark. An incorrect calculation **following some working** can gain the sf mark. For a question beginning with the command word 'Show that...', the answer should be

quoted to **one more** sf than the sf quoted in the question eg ‘Show that X is equal to about 2.1 cm’ – answer should be quoted to 3 sf. An answer to 1 sf will not normally be acceptable, unless the answer is an integer eg a number of objects. In non-practical sections, the need for a consideration will be indicated in the question by the use of ‘Give your answer to an appropriate number of significant figures’.

3.9 Unit penalties

An A-level paper may contain up to 2 marks (1 mark for AS) that are contingent on the candidate quoting the correct unit for the answer to a calculation. The need for a unit to be quoted will be indicated in the question by the use of ‘State an appropriate SI unit for your answer’. Unit answers will be expected to appear in the most commonly agreed form for the calculation concerned; strings of fundamental (base) units would not. For example, 1 tesla and 1 weber/metre² would both be acceptable units for magnetic flux density but 1 kg m² s⁻² A⁻¹ would not.

3.10 Level of response marking instructions

Level of response mark schemes are broken down into three levels, each of which has a descriptor. The descriptor for the level shows the average performance for the level. There are two marks in each level.

Before you apply the mark scheme to a student’s answer read through the answer and annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

Determining a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level. The descriptor for the level indicates the different qualities that might be seen in the student’s answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer. With practice and familiarity you will find that for better answers you will be able to quickly skip through the lower levels of the mark scheme.


When assigning a level you should look at the overall quality of the answer and not look to pick holes in small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level and then use the variability of the response to help decide the mark within the level. i.e. if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2.

The exemplar materials used during standardisation will help you to determine the appropriate level. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student’s answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner’s mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do not have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme

An answer which contains nothing of relevance to the question must be awarded no marks.

Question	Answers	Additional Comments/Guidelines	Mark
01.1	Eye lens cannot be made powerful enough / rays cannot be bent enough / eyeball is too short ✓ cannot be brought to a focus on the retina / fovea / back of the eyeball ✓	Accept not strong / fat/convex enough Do not accept fat enough – neutral answer Accept rays would be / are focused behind the retina	2
01.2	$\frac{1}{u} + \frac{1}{v} = \frac{1}{f}$ $\frac{1}{0.24} + \frac{1}{v} = 2 \quad \checkmark$ $v = (-) 46 \text{ (cm)} \quad \checkmark$ ans to 2 sig figs ✓	Use of 2 and 1/24 is AE Answer 0.46 gets 1 working mark	3
01.3	D the eye's unaided near point.		1
01.4	first correct ray ✓ completed ray diagram with two rays and 'image' drawn ✓ labelled object, image and at least 1 principal focus. ✓ 	First two marks are for a diagram showing a virtual image Third mark is for any diagram. Do not allow f for F unless other labelling is present.	3
Total			9

Question	Answers	Additional Comments/Guidelines	Mark
02.1	<p>Points to consider:</p> <p>The risk comes as X-rays are ionising radiation: the photons could ionise cells causing mutations/cancer</p> <p>Use of lead diaphragm plates to define beam so that only the area to be investigated is exposed to the X-rays – limits exposure to ionising photons</p> <p>Use of aluminium filter in path of beam to remove a large percentage of the low energy photons which are not needed for the image to be produced – reduces ionising photons which could be absorbed by the body.</p> <p>(Anode voltage) selected to produce best energy photons for imaging – limits the photons required to produce a suitable image</p> <p>When using film, use of intensifying screens - give exposure in shorter time limits exposure</p> <p>Use of grid between the patient and image receptor to stop scattered X-rays blurring the image - thus stopping the need for further X-ray and further exposure.</p>	<p>6 marks will clearly explain the risk involved. They will then mention three ways of minimising the exposure and discuss these.</p> <p>5 marks will clearly explain the risk involved. They will then mention three ways of minimising the exposure and discuss 2 of these.</p> <p>4 marks will mention the risk involved. They will mention at least two ways of minimising the exposure and may discuss both or discuss one of these together with explaining the risk involved</p> <p>3 marks will mention the risk involved. They will mention at least two ways of minimising the exposure and may discuss one of these or explain the risk involved</p> <p>2 marks will mention the risk and may state one way of limiting exposure or state and discuss either</p> <p>1 mark will have any sensible comment 0 marks has no relevant Physics.</p>	6
02.2	<p>Ultrasound is non-ionising / has no known adverse effects ✓</p> <p>Ultrasound can be used for better definition image between tissue and blood ✓</p>	Allow credit for converse arguments re. not X-rays	2

Question	Answers	Additional Comments/Guidelines	Mark
02.3	<p>correct sub of numbers in the equation</p> $6.25 \times 10^{-4} = \left(\frac{Z - 1.64 \times 10^6}{Z + 1.64 \times 10^6} \right)^2 \quad \checkmark$ <p>As Z decreases, the negative root is needed</p> $-2.5 \times 10^{-2} = \left(\frac{Z - 1.64 \times 10^6}{Z + 1.64 \times 10^6} \right) \quad \checkmark$ <p>rearrange equation</p> $1.025 Z = 1.64 \times 10^6 - 4.1 \times 10^4 \quad \checkmark$ <p>correct answer</p> $1.56 \times 10^6 \quad (\text{kg m}^{-2} \text{ s}^{-1}) \quad \checkmark$	<p>Candidates who ignore the negative root can get three marks max for arranging the equation correctly and getting 1.72 by using the positive root.</p> <p>Basic rule -1 for each error</p> <p>Last two marks for working can be given for wrong values above that point.</p>	4
Total			12

Question	Answers	Additional Comments/Guidelines	Mark
03.1	Material with nuclei which are unstable / will decay / emits ionising / radiation. ✓	At least two of the descriptors	1
03.2	Calc with answer showing $T_E = 68.98$ or 69 ✓ $\frac{1}{T_E} = \frac{1}{110} + \frac{1}{185}$		1
03.3	Mention of time between 10 to 70 minutes with reference to effective half life / time for a scan ✓ and to allow the blood to carry the isotope around the body ✓ and to allow the isotope to be taken in by the body part to be investigated ✓		3
03.4	Positron (collides with an) electron and results in annihilation ✓ All the mass of positron and electron is converted to energy in gamma photons ✓ Must be two photons travelling in opposite directions to conserve momentum ✓		Max 2
03.5	Use of 0.18 to 0.2 m and 3×10^8 m/s for speed of em waves through the head to get a time between 0.6 and 0.7×10^{-9} s for time to travel across head. ✓ then explanation of difference in trig times from a minimum of 0 s at centre of head to a maximum of their calculated		2

	answer at edge of head.✓		
--	--------------------------	--	--

Total			9
--------------	--	--	----------

Question	Answers	Additional Comments/Guidelines	Mark
-----------------	----------------	---------------------------------------	-------------

04.1	<p>potential axis: unit mV and suitable labelling of 0 and 1 for scale ✓</p> <p>time axis suitable use of numbers from 0 to 0.6 / 1 ✓</p>		2
------	---	--	---

04.2	<p>Possible answers to include:</p> <p>electrodes are not non-reactive ✓</p> <p>electrodes are not securely taped in place ✓</p> <p>the patient is not relaxed or does not remain still ✓</p> <p>the amplifier is not low noise ✓</p> <p>the amplifier has damaged shielded leads / interference from other AC sources ✓</p>	<p>Any 3 points with reason and some extension to explain.</p> <p>Be aware of the section 3.1 in the instructions to examiners.</p> <p>If more than 3 answers given remember 'right + wrong = wrong'</p>	3
------	--	--	---

Total			5
--------------	--	--	----------