

PERGO®

COLLECTION 2021



Rigid Click
VINYL PLANKS & TILES

Real floors, for people who like to walk a little more on the wild side. As the inventor of laminate flooring, Pergo knows the importance of beautiful, real flooring better than most. We love the thrill of a new challenge. Realness matters to us.

Just like our clients, we're about the real deal. The honest feeling of doing what's right. Like keeping things interesting at home after a long day at work. Just a little jolt that keeps you alive and deep down feels just right!

[Our story \(3\)](#)

[What makes our vinyl different \(4\)](#)

[Rigid Click vinyl \(6\)](#)

[Collections & dimensions \(10\)](#)

[Give your interior some panache \(20\)](#)

[DIY installation \(28\)](#)

EMBRACE REALNESS



Nordic realness to walk on

OUR STORY

We are a true Scandinavian interior brand. What does that mean? At Pergo, we focus on design that breathes reality, is simple and functional.

Pergo is the inventor of **laminat**e flooring, and also develops some of the best **vinyl** and **wood parquet**. We know how important home is to you. We aim to make you feel at ease, in every way. Our floors are for real people living their life to the fullest!

We strive for quality, no matter what. It's in the products we make and the decisions we take. We recycle all our internal waste and produce using an eco-energetical method, bu reusing rain water and heat. The result is sustainably made flooring that can resist the day to day adventures.

Because we know you want to live a carefree life and live in the moment.



Vinyl just got real

WHAT MAKES OUR VINYL DIFFERENT

If you want a floor that is natural-looking and easy to maintain, Pergo Vinyl is the floor of your dreams. Our R&D team sets the standard, with unique designs that look real.

“
Pergo’s vinyl patterns evoke real natural diversity.”

DARK GREY LIMESTONE, V3520-40174



GREY ALASKA OAK, V3507-40229

We aim for beauty and variety. That’s why Pergo floor designs consist of different planks with varying patterns. Nothing is more real than **natural diversity**. But its looks are not the only feature that sets our vinyl apart.

Because we know a modern life is also an active one, we fitted our vinyl with a **superior top layer**. This protects your floor against staining, soiling and scratching. Pergo Vinyl is also water resistant down to its core.

It is easy to maintain and very hygienic. Its thickness makes it a renovation-friendly flooring. As a bonus, the click installation system is easy to master, even in tight spots. And our products are **100% free of ortho-phthalates**, which makes for a healthier home atmosphere.


There are two main categories of Pergo Vinyl: Rigid Vinyl and Flex Vinyl. The Rigid Vinyl range is ultra-strong and ideal to install on irregular

surfaces, while Flex Vinyl is extra comfortable and great for smoother surfaces. Flex Vinyl is either installed with a click installation system, named Flex Click. Or glued to the subfloor, which needs to be ultra-smooth, named Flex Glue.

i **Eager to learn more about Flex Click or Flex Glue?** Then just turn this brochure around and browse further. Check the installation instructions on pergo.com.



SEE COLOUR MATCHED SKIRTING (P.25)



Stunning strength with Rigid Click

VINYL THAT LASTS, AND LASTS, AND LASTS

At Pergo, we applaud your energetic lifestyle. With Rigid Click, we marry beauty with strength. Our Rigid Vinyl floors might trick you: they look and feel like real wood and stone. The detailing is impressive, as is the variety in texture and colour.



Pergo Rigid Click flooring can take a knock or two. The core is **ultra-strong** and the top layer **ultra-resistant**, while the vinyl is very thin. In other words, your Rigid Click floor is extremely strong and resilient.



Another plus? Pergo Rigid Click is installed in no time, sometimes even on irregular surfaces. The subfloor **hardly needs any preparation**, thanks to the strength of the vinyl and the **easy click installation**.



Rigid click floors are also 100% waterproof when installed. **Watertight click system?** check. **Water-repellent vinyl?** check. That way you can cook, spill, live life to the fullest, without the worry.



Every Rigid Click floor is Pro-quality, our superior quality level, which means that it is **extra durable** and offers you a **25-year warranty**.

NATURALEIFEL OAK, V3531-40180

“

A super solid core makes a durable floor.

FOR MORE INFORMATION, PLEASE CONSULT THE INSTALLATION INSTRUCTIONS AND THE WARRANTY ON PERGO.COM



**THE FLOOR IS
WHERE I MAKE MY
COMPOSITIONS,
WHERE I DO MY
THINKING & LOOK
AT WHAT I'VE MADE.**

**REALNESS ACCORDING TO
MIRA SOHLÉN, TAPESTRY ARTIST**

"My work is all about letting the process dictate the outcome, but also creating every single detail with my own hands. The floor is where I start. It's where I make my compositions, where I do my thinking and look at what I've made."

Collections & dimensions

COLOUR & SIZE REALLY MATTER

With Pergo Vinyl, you don't need to settle. The colour and texture variety in the Rigid Click range is impressive, so you are sure to find your match. And you can choose between three different plank sizes.

“
Let your house stand out
with perfectly sized flooring planks.”



DARK EIFEL OAK, V3531-40178

Glomma pro



1494 × 209 mm ± 5 mm

Glomma pro is the choice that lets your house breathe. The planks are generously sized and make rooms look larger. Its textures and variations evoke nature, for a clean touch of authenticity.



SEE COLOUR MATCHED SKIRTING AND PROFILE (P.23 & 25)



Beige Irish Oak
RIGID CLICK V3531-40182

Natural Eifel Oak
RIGID CLICK V3531-40180

Natural Irish Oak
RIGID CLICK V3531-40183

White Scottish Oak
RIGID CLICK V3531-40177




Grey Eifel Oak
RIGID CLICK V3531-40179

Beige Scottish Oak
RIGID CLICK V3531-40176

Greige Irish Oak
RIGID CLICK V3531-40184

Grey Scottish Oak
RIGID CLICK V3531-40175



Brown Eifel Oak
RIGID CLICK V3531-40181

Dark Eifel Oak
RIGID CLICK V3531-40178




BEIGE IRISH OAK, V3531-40182

PERGO

SEE COLOUR MATCHED SKIRTING (P.25)

WHITE SCOTTISH OAK, V3531-40177



SEE DECOR IN INTERIOR ON P.14

SEE DECOR IN INTERIOR ON P.4

White Alaska Oak
RIGID CLICK V3507-40230

Grey Alaska Oak
RIGID CLICK V3507-40229

Light Lakeland Oak
RIGID CLICK V3507-40226

Grey Norwegian Oak
RIGID CLICK V3507-40216




SEE DECOR IN INTERIOR ON P.2 & 21

Smoked Cabin Oak
RIGID CLICK V3507-40223

Bright Ardeche Oak
RIGID CLICK V3507-40221

Beige Norwegian Oak
RIGID CLICK V3507-40215

Greige Forest Oak
RIGID CLICK V3507-40218



SEE DECOR IN INTERIOR ON P.8

SEE DECOR IN INTERIOR ON P.18

Natural Forest Oak
RIGID CLICK V3507-40219

Light Cabin Oak
RIGID CLICK V3507-40224

Natural Ardeche Oak
RIGID CLICK V3507-40220

Grey Lakeland Oak
RIGID CLICK V3507-40225



Natural Cabin Oak
RIGID CLICK V3507-40222

Dark Lakeland Oak
RIGID CLICK V3507-40228

Dark Norwegian Oak
RIGID CLICK V3507-40217

Dark Cabin Oak
RIGID CLICK V3507-40225

Namsen pro



1251 × 189 mm ± 5 mm

Namsen pro is a real pleaser and will fit any room. It's the nature-like designs that sets this range apart. You can almost feel the wood grains and knots, can't you?



Viskan pro




610 × 303 mm ± 5 mm

Viskan pro range is designed for stone lovers. The Rigid Vinyl tiles look like the real deal, but are in fact less fragile than, say, your favourite type of marble. And with Tile, you get the look without the cold feeling underfoot.



BEIGE LIMESTONE, V3520-40173




White Alpstone
RIGID CLICK V3520-40169

Beige Limestone
RIGID CLICK V3520-40173

Grey Limestone
RIGID CLICK V3520-40172

SEE DECOR IN INTERIOR ON P.16



Grey Alpstone
RIGID CLICK V3520-40171

Dark Grey Limestone
RIGID CLICK V3520-40174

Black Alpstone
RIGID CLICK V3520-40170

SEE DECOR IN INTERIOR ON P.5

ONLINE TOOLS LEAD THE WAY

Want a sneak peek of the floor of your dreams in your own home? Or do you want us to select some nice flooring options for you? Happy to help!

VISIT FLOORLAB & FLOORFINDER ON [PERGO.COM](https://pergo.com)




Floorlab

Want to go one step further? In our online Floorlab tool you can **preview the floor of your choice in your own interior**. That way, you can test the real look and feel of your top option. Go see for yourself!



Floorfinder

A wide variety is great and all, but how do you choose the flooring option that is just right for you? With our online Floorfinder, **we help you decide in a few simple steps**, with a clear eye on your personal style and flooring needs.



**DANCING IS ALL ABOUT
TOUCH AND HOW YOU
CONNECT WITH THE
SPACE YOU'RE IN. YOU
REALLY NEED TO FEEL IT.**

**REALNESS ACCORDING TO
WIM VANLESSEN, BALLET DANCER**

"As an artist you can't hide your personality. I think the same can be said for everything that's made with heart. Dancing is all about touch and how you connect with the space you're in. You really need to feel it."



SEE COLOUR MATCHED
PROFILE (P.23)

“

Take your floor to the next level.

A real & speedy finish

GIVE YOUR INTERIOR
SOME PANACHE

The floor of your dreams deserves the perfect finish. You don't go out with mismatched shoes or accessories, do you? That's why Pergo has developed matching skirtings and profiles for each floor in its range. Thanks to our broad range of products, you can take the look of your interior to the next level.

And a beautiful home does not have to be hard-won. Our flooring and accessories are installed within the click of a finger. The click joints on a Pergo floor come together easily. The locking is flawless. So, no need to worry if you want to roll up your sleeves and do it yourself.

PERGO OFFERS

UNDERLAYS

COLOUR MATCHED PROFILES

ALUMINIUM PROFILES

SKIRTINGS

INSTALLATION & MAINTENANCE

GREIGE FOREST OAK, V3507-40218

UNDERLAYS



Comfort underlay

Good sound reduction.
All-round underlay for every room
with good noise reduction.

15 m² / roll

Thickness: 1,15 mm

PGVUDLCOMFORT15

Heat underlay

Best solution for sound reduction in the
room. It is suitable for rooms with direct
sunlight (large windows) and the best
choice for underfloor heating.

10 m² / roll

Thickness: 1,55 mm

PGVUDLHEAT10

Transit underlay

Best impact sound reduction to
neighbouring rooms, ideal for first
floors and apartments.

15 m² / roll

Thickness: 1,20 mm

PGVUDLTRANSIT15

PROFILES


COLOUR MATCHED PROFILES

5 applications with 1 profile

Finish off your Pergo floor perfectly. Cut the full
profile to your desired shape with the included knife.



FOR MORE INFO ABOUT
INSTALLATION & WARRANTY
VISIT PERGO.COM



Full profile to be cut

See colour matching matrix for
correct article number on page 30.

PGVINCP(-), 2000 × 45 × 8 mm



End profile

To cover the expansion joint between
floor and e.g. wall, window or threshold.

PGVINCP(-), 2000 × 19 × 8 mm



Expansion profile

To cover the expansion joint between
two floors of the same height.


PGVINCP(-), 2000 × 38 × 8 mm



Adapter profile

To cover the expansion joint
between a higher and a lower floor.

PGVINCP(-), 2000 × 45 × 8 mm



Transition profile

To cover the expansion joint between
floor and e.g. carpet.

PGVINCP(-), 2000 × 38 × 8 mm



Stair nose


The Incizo® subprofile is required for stair
application and has to be ordered separately.

PGVINCP(-), NEVINCPBASE1, 2000 × 38 × 8 mm



BEIGE SCOTTISH OAK, V3531-40176

ALUMINIUM PROFILES



Combi profile

The Pergo multifunctional profile can level height differences for a smooth transition on to any other type of floor. Suitable for height differences of 0 – 12,3 mm.
Colour: silver
Surface: aluminium

PGPRSILV
1860 × 47 × 16 mm



Expansion profile

Finish off your Pergo floor perfectly. Available in wear resistant aluminium.
Colour: silver

NEVREXPSILV
2000 × 32,5 × 7,5 mm



Also available in variant with screws and dowels.

NEVREXPCOMSILV

Adapter profile

Finish off your Pergo floor perfectly. Available in wear resistant aluminium.
Colour: silver

NEVRADPSILV
2000 × 31 × 8,5 mm



Also available in variant with screws and dowels.

NEVRADPCOMSILV

End profile

Finish off your Pergo floor perfectly. Available in wear resistant aluminium.
Colour: silver

NEVRENPSILV
2000 × 24 × 8,5 mm



Also available in variant with screws and dowels.

NEVRENPCOMSILV



Stair nose, click

For installation of Pergo click vinyl on stairs and steps. Always glue the floor panels for your safety!
Colour: silver


PGVSTPCLICK
2000 × 29 × 15 mm



Stair nose outer, glue

For installation of Pergo glue vinyl on stairs and steps.
Colour: silver


PGVSTPGLUE
2000 × 40 × 26 mm



Stair nose inner, glue

For installation of Pergo glue vinyl on stairs and steps.
Colour: silver

PGVSTPINGLUE
2000 × 25 × 25 mm



SKIRTINGS



Paintable skirting

Waterproof, paintable skirting board to hide expansion joints and protect walls.
Colour: white & paintable
Full PVC skirting for a complete waterproof finish.
Core: PVC

NEVSKRPAINTA, 2000 × 12 × 58 mm

Colour matched skirting

Colour matched: see colour matching matrix for correct article number on page 30.
Surface: wear and scratch-resistant
Core: MDF
Adaptable to 40 mm height. 8 straight and 8 corner connecting plugs included / pack (6 skirtings).

PGVSK(-), 2400 × 12 × 58 mm

ONLY FOR
COLOUR
MATCHED
SKIRTING

Want a waterproof finish?

Optimize your Rigid Click floor with a waterproof finish. Secure the floor with:

1

PE-FOAMSTRIP

NEVRFOAMSTRIP15, 15 × 8 × 5 mm

Fill up expansion joints with the PE-foamstrip with adhesive backing.

2

AQUA SEALANT

PGKITTRANSP (see p.30)

For invisible and waterproof finishing.

3

HYDROSTRIP

NEHSTRIPSK15, 15 m

Transparent strip on a roll for a waterproof finish of the colour matched skirting.



INSTALLATION & MAINTENANCE

We've got whatever it takes



1

GLUE

PGVGLUE6, 6 kg (+/- 20 m²)
PGVGLUE15, 15 kg (+/- 50 m²)

Professional glue, specially developed for Pergo Vinyl floors. Spreads easily, guarantees fast adhesion and offers the highest strength.

2

MULTIGLUE

PGGLUE290, 290 ml

Suitable for all materials and substrates. Cures quickly with very high final strength. Ideal for installing skirtings. Hybrid polymer. One tube glues 15 running meters of skirting.

3

COLOURED SEALANT

PGKIT(-), 310 ml

For a beautiful finish between skirtings and wall. Available in 8 colours. Water based acrylic. See colour matching matrix on p.30. Never use directly on an Pergo Vinyl floor.

4

AQUA SEALANT

PGKITTRANSP, 310 ml

For invisible and waterproof finishing.

5

TAPE

NETAPE50, 50 m x 5 cm

Self-adhesive aluminium tape to seal seams between strokes of underlays.

6

CONNECTING PLUGS

NEPLUG, 48 pcs

Easily connect your skirtings by using these plugs. For PGVSK(-) skirtings only. 24 corner plugs + 24 straight plugs.

7

RADIATOR CAPS

PGRCINOX15, stainless steel

Inner diameter: 15 mm
Outer diameter: 54 mm
2 pc / pack.

PGRCINOX22, stainless steel

Inner diameter: 22 mm
Outer diameter: 54 mm
2 pc / pack.

8

GLUE TROWEL

PGVA2

Ensures perfect glue consumption per m².

9

INSTALLATION TOOL FLEX VINYL

PGVTOOL

Excellent tool for precise cutting straight and 90°. Hand protection with pull bar and lever function. Suited for both left and right handed. **Use the PGVTOOL for Flex Vinyl installation.**

10

CUTTER KNIFE

PGVKNIFEB, NEVKNIFEREFILL

Professional knife, perfect for precise and stable cutting. Ideal for cutting curves and shapes. 5 blades are included. The refill includes 40 blades.

11

INSTALLATION KIT RIGID VINYL

PGTOOL

Everything you need in one box. Contains tapping block, installation spacers in two sizes (2 x 18 = 36 pcs) and a pull bar. **Use the PGTOOL for Rigid Vinyl installation.**

EXTRA SPACERS

PGSPACER, 48 pcs

12

VINYL FLOOR CLEANING

PGVCLEANING1000, 1000 ml

Protects the protective top layer. Ideal for removing dirt, grease spots and heel marks, as well as for daily cleaning.

13

REPAIR WAX

PGREPAIR

Repair the colour of damaged planks quickly and easily with wax in colours covering all Pergo floors. Contains 1 melting knife, 1 comb, 7 wax blocks. For more information on how to mix colours please visit pergo.com.

14

CLEANING KIT

PGCLEANINGKIT

High quality mop set with extra long ergonomic handle and a mop cloth holder.




Uniclic™ click system

DIY INSTALLATION

WANT TO INSTALL YOUR FLOOR YOURSELF?

Congrats and have fun! Your floor is just a click away.

Choose the method that works best for
you and we will guide you every step of the way.



Need more information about installation or subfloor preparation? Check the installation
instructions and the step-by-step video! **Scan the code or check pergo.com**



PERGO RIGID VINYL

- ① Superior Protective top layer for scratch, stain and wear resistance – extra matt for authentic look
- ② Fine printed vinyl decor layer
- ③ Flexible vinyl layer for a sound absorbing, soft, warm and comfortable feeling
- ④ Rigid composite core that makes levelling of some subfloors unnecessary. Two glassfibre reinforced rigid layers prevent the floor from cupping.



EASY INSTALLATION The Uniclic® system makes installation quick and easy. Just click the planks into place using one of the two methods, and you'll be done in no time.



FIRE RESISTANCE Pergo Vinyl floors have a natural high resistance to fire. They are designed to meet all European requirements for installation in escape routes and assembly halls.



WEAR PROTECTION The surface of Pergo Vinyl offers a multi-layer protective floor finish. The protective top layer provides scratch, stain and wear resistance and easy maintenance.



WATER RESISTANCE Our Moisture Resistance System combines the waterproof floor with a strong and tight click joint. This gives Pergo Vinyl floors some of the best moisture resistance properties on the market.



IMPACT RESISTANCE Pergo's Vinyl surface is multi-layer build-up. In combination with the dense core material it gives the floor a very high impact resistance and a low residual indentation, protecting your floor from potential damage.



HYGIENIC A Pergo Vinyl floor improves hygiene and makes it easier to maintain a clean home. The sealed surface prevents bacteria, and helps reduce the amount of cleaning chemicals you need.



CASTOR CHAIR The multi-layer build-up of Pergo Vinyl in combination with the properties of the core are designed to withstand damage from castor chairs.



EASY MAINTENANCE The Pergo protective top layer is resistant to dirt and offers you low maintenance and effortless cleaning. The solid design of the click joints also keeps dirt from penetrating the joint.



SOUND REDUCTION The soft vinyl floor reduces step noise and provides a quiet and comfortable walking experience.



Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. Contents © 2020 by Unilin bv – Division Flooring. All Rights Reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher.

Colour matching matrix



5-IN-1 PROFILE
8 × 45 MM
PGVINCP(-)



SKIRTING
12 × 58 MM
PGVSK(-)



SEALANT
310 ML
PGKIT(-)

DECOR	ART. NR.	5-IN-1 PROFILE 8 × 45 MM PGVINCP(-)	SKIRTING 12 × 58 MM PGVSK(-)	SEALANT 310 ML PGKIT(-)
Grey Scottish Oak	V3531-40175	40175	40175	04
Beige Scottish Oak	V3531-40176	40176	40176	03
White Scottish Oak	V3531-40177	40177	40177	02
Dark Eifel Oak	V3531-40178	40178	40178	08
Grey Eifel Oak	V3531-40179	40179	40179	02
Natural Eifel Oak	V3531-40180	40180	40180	03
Brown Eifel Oak	V3531-40181	40181	40181	06
Beige Irish Oak	V3531-40182	40182	40182	03
Natural Irish Oak	V3531-40183	40183	40183	04
Greige Irish Oak	V3531-40184	40184	40184	04
Beige Norwegian Oak	V3507-40215	40215	40215	03
Grey Norwegian Oak	V3507-40216	40216	40216	03
Dark Norwegian Oak	V3507-40217	40217	40217	-
Greige Forest Oak	V3507-40218	40218	40218	04
Natural Forest Oak	V3507-40219	40219	40219	04
Natural Ardeche Oak	V3507-40220	40220	40220	05
Bright Ardeche Oak	V3507-40221	40221	40221	04
Natural Cabin Oak	V3507-40222	40222	40222	04
Smoked Cabin Oak	V3507-40223	40223	40223	03
Light Cabin Oak	V3507-40224	40224	40224	05
Dark Cabin Oak	V3507-40225	40225	40225	08
Light Lakeland Oak	V3507-40226	40226	40226	02
Grey Lakeland Oak	V3507-40227	40227	40227	-
Dark Lakeland Oak	V3507-40228	40228	40228	08
Grey Alaska Oak	V3507-40229	40229	40229	02
White Alaska Oak	V3507-40230	40230	40230	02
White Alpstone	V3520-40169	40169	40169	01
Black Alpstone	V3520-40170	40170	40170	-
Grey Alpstone	V3520-40171	40171	40171	02
Grey Limestone	V3520-40172	40172	40172	02
Beige Limestone	V3520-40173	40173	40173	01
Dark Grey Limestone	V3520-40174	40174	40174	-

General product info

Rigid Click	LENGTH (MM)	WIDTH (MM)	THICKNESS (MM)	PANELS/ PACK	M ² / PACK	KG/ PACK	PACK/ PALLET	M ² / PALLET
Glomma pro	1494	209	5	6	1,873	± 16,5	52	97,421
Namsen pro	1251	189	5	9	2,128	± 18,6	44	93,630
Viskan pro	610	303	5	10	1,848	± 16,2	48	88,718

Features

	RIGID CLICK
Protective top layer against scratch, stain and wear	Superior Protective top layer
Installation method	Uniclic™
Water resistant	Yes
Ortho-phthalate free	Yes
Guarantee against water, wear and delamination (residential use)	25 years
Guarantee against water, wear and delamination (commercial use)	5 years (on request up to 15 years)

Technical

	TEST METHOD/STANDARD	RIGID CLICK
Class of use	ISO10582	33
Resistance to furniture leg	EN 424	No damage
Resistance to castor chair	EN 425	No damage
Fire classification	EN 13501-1	Bfl-s1
Thermal resistance (without underlay)	EN 12667	0,025 m ² K/W
Thermal resistance (with Pergo Comfort underlay)	EN 12667	0,045 m ² K/W
Thermal resistance (with Pergo Heat underlay)	EN 12667	0,035 m ² K/W
Thermal resistance (with Pergo Transit underlay)	EN 12667	0,070 m ² K/W
Formaldehyde emission	EN 14041	E1
Slip resistance	EN 13893	Class DS
Slip resistance	DIN 51130	R10
Dimensional stability, shrinkage / expansion	ISO 23999	≤ 0,15%
Wear resistance	EN13329 annex E	≥ 2000 cycles



Unilin bv - Division Flooring, Ooigemstraat 3, 8710 Wielsbeke, Belgium, Europe, pergo.com

PERGO®

COLLECTION 2021

Flex Click & Flex Glue
VINYL PLANKS & TILES

Real floors, for people who like to walk a little more on the wild side. As the inventor of laminate flooring, Pergo knows the importance of beautiful, real flooring better than most. We love the thrill of a new challenge. Realness matters to us.

Just like our clients, we're about the real deal. The honest feeling of doing what's right. Like keeping things interesting at home after a long day at work. Just a little jolt that keeps you alive and deep down feels just right!

[Our story \(3\)](#)

[What makes our vinyl different \(4\)](#)

[Flex Click & Flex Glue vinyl \(6\)](#)

[Collections & dimensions \(8\)](#)

[Give your interior some panache \(20\)](#)

[DIY installation \(28\)](#)

EMBRACE REALNESS



SEE COLOUR MATCHED SKIRTING (P.25)

Nordic realness to walk on

OUR STORY

We are a true Scandinavian interior brand. What does that mean? At Pergo, we focus on design that breathes reality, is simple and functional.

Pergo is the inventor of **laminat**e flooring, and also develops some of the best **vinyl** and **wood parquet**. We know how important home is to you. We aim to make you feel at ease, in every way. Our floors are for real people living their life to the fullest!

We strive for quality, no matter what. It's in the products we make and the decisions we take. We recycle all our internal waste and produce using an eco-energetical method, bu reusing rain water and heat. The result is sustainably made flooring that can resist the day to day adventures.

Because we know you want to live a carefree life and live in the moment.



Vinyl just got real

WHAT MAKES OUR VINYL DIFFERENT

If you want a floor that is natural-looking and easy to maintain, Pergo Vinyl is the floor of your dreams. Our R&D team sets the standard, with unique designs that look real.

“
Pergo’s vinyl patterns evoke real natural diversity.”



BRITISH OAK, V3131-40098



LIGHT CONCRETE, V3120-40049

We aim for beauty and variety. That’s why Pergo floor designs consist of different planks with varying patterns. Nothing is more real than **natural diversity**. But its looks are not the only feature that sets our vinyl apart.

Because we know a modern life is also an active one, we fitted our vinyl with a **superior top layer**. This protects your floor against staining, soiling and scratching. Pergo Vinyl is also water resistant down to its core.

It is easy to maintain and very hygienic. Its thickness makes it a renovation-friendly flooring. As a bonus, the click installation system is easy to master, even in tight spots. And our products are **100% free of ortho-phthalates**, which makes for a healthier home atmosphere.

There are two main categories of Pergo Vinyl: Rigid Vinyl and Flex Vinyl. The Rigid Vinyl range is ultra-strong and ideal to install on irregular

surfaces, while Flex Vinyl is extra comfortable and great for smoother surfaces. Flex Vinyl is either installed with a click installation system, named Flex Click. Or glued to the subfloor, which needs to be ultra-smooth, named Flex Glue.

i **Eager to learn more about Rigid Click?**
Then just turn this brochure around and browse further. Check the installation instructions on pergo.com.





OXIDIZED METAL CONCRETE, V3120-40045

Jaw-dropping comfort with Flex Vinyl

AS EASY TO INSTALL
AS IT'S EASY ON THE EYE

With Flex Click and Flex Glue, Pergo has developed a flooring range that is soft, silent and beautiful. The designs mimic wood or concrete perfectly, for your daily dose of realness.



“
Your daily dose of realness.”



You don't need to walk on eggshells on a Flex Click and Flex Glue vinyl. The flooring is sealed with **special technology**, making it **scratch- and stain-resistant**.



Waiting is overrated, don't you agree? Flex Click flooring is easy to enjoy, thanks to its **effortless installation**. Minimal preparation, easy-to-cut vinyl with a cutter knife, and a clean result.



A Flex Click and Flex Glue floor is **thin** and beyond **comfortable**. It doesn't feel cold or harsh and is a pleasure to walk on. The flexible floor **absorbs sound** and mutes even the most hurried steps.



Installed over Heat underlay Flex Click offers **excellent dimensional stability**, ideal for areas with a varying temperature range. Flex Glue offers the **most stable** floor, the floor doesn't expand or shrink by gluing the floor.



Flex Click is available in two quality levels: Premium and Optimum. Flex Glue is only available in Optimum. Premium floors have a **20-year warranty**, while Optimum floors are **extra durable** and offer a **25-year warranty**.

Collections & dimensions

COMFORT HAS NO SIZE LIMITS

Pergo Vinyl offers endless possibilities. Flex Click and Flex Glue are a wide array of vinyl planks and tiles in different sizes and designs. Each to their own!

“

Timeless, that's what we go for in each design.



NORDIC WHITE PINE, V3131-40072



Two quality levels

1. OPTIMUM ●

Very durable floors for use in commercial applications

- Class 33
- Protective scratch, stain & wear resistant top layer
- 25-year guarantee

2. PREMIUM ●

Durable floors for domestic use

- Class 32
- Protective scratch, stain & wear resistant top layer
- 20-year guarantee



SEASIDE OAK, V3231-40107

Modern plank




Click: 1510 x 210 mm ± 4,5 mm, 4-way bevel
PerfectFold™ V click system



Glue: 1515 x 217 mm ± 2,5 mm, 4-way bevel

The Modern planks are wide and long and look extra luxurious. For us, the ultimate form of comfort is spaciousness. And that's the feeling you get with Modern planks.



Nordic White Pine

FLEX CLICK ● V2131-40072
FLEX CLICK ● V3131-40072
FLEX GLUE ● V3231-40072

Grey Washed Oak


FLEX CLICK ● V2131-40082
FLEX CLICK ● V3131-40082
FLEX GLUE ● V3231-40082

Seaside Oak

FLEX CLICK ● V2131-40107
FLEX CLICK ● V3131-40107
FLEX GLUE ● V3231-40107

Grey River Oak

FLEX CLICK ● V2131-40084
FLEX CLICK ● V3131-40084
FLEX GLUE ● V3231-40084



Light Washed Oak

FLEX CLICK ● V2131-40079
FLEX CLICK ● V3131-40079
FLEX GLUE ● V3231-40079

Light Danish Oak

FLEX CLICK ● V2131-40099
FLEX CLICK ● V3131-40099
FLEX GLUE ● V3231-40099

Light Village Oak

FLEX CLICK ● V2131-40095
FLEX CLICK ● V3131-40095
FLEX GLUE ● V3231-40095

Beige Washed Oak

FLEX CLICK ● V2131-40080
FLEX CLICK ● V3131-40080
FLEX GLUE ● V3231-40080



Sand Beach Oak

FLEX CLICK ● V2131-40103
FLEX CLICK ● V3131-40103
FLEX GLUE ● V3231-40103

Light Highland Oak

FLEX CLICK ● V2131-40100
FLEX CLICK ● V3131-40100
FLEX GLUE ● V3231-40100

Natural Village Oak

FLEX CLICK ● V2131-40096
FLEX CLICK ● V3131-40096
FLEX GLUE ● V3231-40096

British Oak

FLEX CLICK ● V2131-40098
FLEX CLICK ● V3131-40098
FLEX GLUE ● V3231-40098



Natural Highland Oak

FLEX CLICK ● V2131-40101
FLEX CLICK ● V3131-40101
FLEX GLUE ● V3231-40101

Dark Highland Oak

FLEX CLICK ● V2131-40102
FLEX CLICK ● V3131-40102
FLEX GLUE ● V3231-40102

Dark River Oak

FLEX CLICK ● V2131-40086
FLEX CLICK ● V3131-40086
FLEX GLUE ● V3231-40086

Black City Oak

FLEX CLICK ● V2131-40091
FLEX CLICK ● V3131-40091
FLEX GLUE ● V3231-40091





Classic plank



Click: 1251 × 187 mm ± 4,5 mm, 4-way bevel
PerfectFold™ V click system



Glue: 1256 × 194 mm ± 2,5 mm, 4-way bevel

The Classic plank is a timeless choice, which fits any room or interior. Designs inspired by nature provide a sense of reality. They range from elegant and subtle to intense and heavy-grained.



Light Mountain Oak

FLEX CLICK ● V2107-40163
FLEX CLICK ● V3107-40163
FLEX GLUE ● V3201-40163

Nordic White Oak

FLEX CLICK ● V2107-40020
FLEX CLICK ● V3107-40020
FLEX GLUE ● V3201-40020

Modern Grey Oak

FLEX CLICK ● V2107-40017
FLEX CLICK ● V3107-40017
FLEX GLUE ● V3201-40017

Soft Grey Oak

FLEX CLICK ● V2107-40036
FLEX CLICK ● V3107-40036
FLEX GLUE ● V3201-40036

SEE DECOR IN INTERIOR ON P.20



Greige Mountain Oak

FLEX CLICK ● V2107-40161
FLEX CLICK ● V3107-40161
FLEX GLUE ● V3201-40161

Light Grey Chalet Pine

FLEX CLICK ● V2107-40054
FLEX CLICK ● V3107-40054
FLEX GLUE ● V3201-40054


Grey Gentle Oak

FLEX CLICK ● V2107-40164
FLEX CLICK ● V3107-40164
FLEX GLUE ● V3201-40164

Grey Chalet Pine

FLEX CLICK ● V2107-40055
FLEX CLICK ● V3107-40055
FLEX GLUE ● V3201-40055

SEE DECOR IN INTERIOR ON P.14



Warm Grey Mansion Oak

FLEX CLICK ● V2107-40015
FLEX CLICK ● V3107-40015
FLEX GLUE ● V3201-40015

Grey Heritage Oak

FLEX CLICK ● V2107-40037
FLEX CLICK ● V3107-40037
FLEX GLUE ● V3201-40037

Modern Nature Oak

FLEX CLICK ● V2107-40018
FLEX CLICK ● V3107-40018
FLEX GLUE ● V3201-40018

Classic Nature Oak

FLEX CLICK ● V2107-40023
FLEX CLICK ● V3107-40023
FLEX GLUE ● V3201-40023

SEE DECOR IN INTERIOR ON P.22

SEE DECOR IN INTERIOR ON P.9



Ecru Mansion Oak

FLEX CLICK ● V2107-40013
FLEX CLICK ● V3107-40013
FLEX GLUE ● V3201-40013

Light Nature Oak

FLEX CLICK ● V2107-40021
FLEX CLICK ● V3107-40021
FLEX GLUE ● V3201-40021


Brown Mountain Oak

FLEX CLICK ● V2107-40162
FLEX CLICK ● V3107-40162
FLEX GLUE ● V3201-40162


Modern Coffee Oak

FLEX CLICK ● V2107-40019
FLEX CLICK ● V3107-40019
FLEX GLUE ● V3201-40019

Tile



Click: 1300 × 320 mm ± 4,5 mm, 4-way bevel
PerfectFold™ V click system



Glue: 1305 × 327 mm ± 2,5 mm, 4-way bevel

The Tile collection majors in bold tactility.
The V-grooves make for an authentic look,
while the version with a finer seam looks
sleek and minimalistic.




- | | | | |
|--------------------------|---------------------------|---------------------------|--------------------------------|
| Light Concrete | Warm Grey Concrete | Dark Grey Concrete | Oxidized Metal Concrete |
| FLEX CLICK ● V2120-40049 | FLEX CLICK ● V2120-40050 | FLEX CLICK ● V2120-40051 | FLEX CLICK ● V2120-40045 |
| FLEX CLICK ● V3120-40049 | FLEX CLICK ● V3120-40050 | FLEX CLICK ● V3120-40051 | FLEX CLICK ● V3120-40045 |
| FLEX GLUE ● V3218-40049 | FLEX GLUE ● V3218-40050 | FLEX GLUE ● V3218-40051 | FLEX GLUE ● V3218-40045 |




- | | | | |
|--------------------------|-----------------------------|---------------------------|----------------------------|
| Cream Travertin | Light Grey Travertin | Grey Scivaro Slate | Black Scivaro Slate |
| FLEX CLICK ● V2120-40046 | FLEX CLICK ● V2120-40047 | FLEX CLICK ● V2120-40034 | FLEX CLICK ● V2120-40035 |
| FLEX CLICK ● V3120-40046 | FLEX CLICK ● V3120-40047 | FLEX CLICK ● V3120-40034 | FLEX CLICK ● V3120-40035 |
| FLEX GLUE ● V3218-40046 | FLEX GLUE ● V3218-40047 | FLEX GLUE ● V3218-40034 | FLEX GLUE ● V3218-40035 |



ITALIAN MARBLE, V3120-40136



- | | |
|----------------------------|-----------------------------|
| Grey Modern Mineral | Black Modern Mineral |
| FLEX CLICK ● V2120-40142 | FLEX CLICK ● V2120-40143 |
| FLEX CLICK ● V3120-40142 | FLEX CLICK ● V3120-40143 |
| FLEX GLUE ● V3218-40142 | FLEX GLUE ● V3218-40143 |



- | | | |
|--------------------------|----------------------------|------------------------------|
| Italian Marble* | Grey Soft Concrete* | Greige Soft Concrete* |
| FLEX CLICK ● V2120-40136 | FLEX CLICK ● V2120-40139 | FLEX CLICK ● V2120-40144 |
| FLEX CLICK ● V3120-40136 | FLEX CLICK ● V3120-40139 | FLEX CLICK ● V3120-40144 |
| FLEX GLUE ● V3218-40136 | FLEX GLUE ● V3218-40139 | FLEX GLUE ● V3218-40144 |



Tiles on the wall

Who says flooring should stay low to the ground?
Our Tile range works wonders glued to your walls
as well. Why not go for marble-look tiles in your
kitchen or bedroom. The result is quite original.

FOR MORE INFORMATION ABOUT INSTALLATION
INSTRUCTIONS VISIT PERGO.COM



ONLINE TOOLS LEAD THE WAY

Want a sneak peek of the floor of your dreams in your own home? Or do you want us to select some nice flooring options for you? Happy to help!

VISIT FLOORLAB & FLOORFINDER ON [PERGO.COM](https://pergo.com)



Floorlab

Want to go one step further? In our online Floorlab tool you can **preview the floor of your choice in your own interior**. That way, you can test the real look and feel of your top option. Go see for yourself!



Floorfinder

A wide variety is great and all, but how do you choose the flooring option that is just right for you? With our online Floorfinder, **we help you decide in a few simple steps**, with a clear eye on your personal style and flooring needs.



“

Take your floor to the next level.

A real & speedy finish

GIVE YOUR INTERIOR
SOME PANACHE

The floor of your dreams deserves the perfect finish. You don't go out with mismatched shoes or accessories, do you? That's why Pergo has developed matching skirtings and profiles for each floor in its range. Thanks to our broad range of products, you can take the look of your interior to the next level.

And a beautiful home does not have to be hard-won. Our flooring and accessories are installed within the click of a finger. The click joints on a Pergo floor come together easily. The locking is flawless. So, no need to worry if you want to roll up your sleeves and do it yourself.

PERGO OFFERS

UNDERLAYS

COLOUR MATCHED PROFILES

ALUMINIUM PROFILES

SKIRTINGS

INSTALLATION & MAINTENANCE

SEE COLOUR MATCHED
SKIRTING (P.25)

SOFT GREY OAK, V3107-40036

UNDERLAYS



Comfort underlay

Good sound reduction.
All-round underlay for every room
with good noise reduction.

15 m² / roll

Thickness: 1,15 mm

PGVUDLCOMFORT15

Heat underlay

Best solution for sound reduction in the
room. It is suitable for rooms with direct
sunlight (large windows) and the best
choice for underfloor heating.

10 m² / roll

Thickness: 1,55 mm

PGVUDLHEAT10

Transit underlay

Best impact sound reduction to
neighbouring rooms, ideal for first
floors and apartments.

15 m² / roll

Thickness: 1,20 mm

PGVUDLTRANSIT15

PROFILES


COLOUR MATCHED PROFILES

5 applications with 1 profile

Finish off your Pergo floor perfectly. Cut the full
profile to your desired shape with the included knife.



FOR MORE INFO ABOUT
INSTALLATION & WARRANTY
VISIT PERGO.COM



Full profile to be cut

See colour matching matrix for
correct article number on page 30.

PGVINCP(-), 2000 × 45 × 8 mm

End profile


To cover the expansion joint between
floor and e.g. wall, window or threshold.

PGVINCP(-), 2000 × 19 × 8 mm

Expansion profile

To cover the expansion joint between
two floors of the same height.

PGVINCP(-), 2000 × 38 × 8 mm



Adapter profile

To cover the expansion joint
between a higher and a lower floor.

PGVINCP(-), 2000 × 45 × 8 mm

Transition profile

To cover the expansion joint between
floor and e.g. carpet.

PGVINCP(-), 2000 × 38 × 8 mm

Stair nose


The Incizo® subprofile is required for stair
application and has to be ordered separately.

PGVINCP(-), NEVINCPBASE1, 2000 × 38 × 8 mm



WARM GREY MANSION OAK, V3107-40015

ALUMINIUM PROFILES



Combi profile

The Pergo multifunctional profile can level height differences for a smooth transition on to any other type of floor. Suitable for height differences of 0 – 12,3 mm.
Colour: silver
Surface: aluminium

PGPRSILV
1860 × 47 × 16 mm



Expansion profile

Finish off your Pergo floor perfectly. Available in wear resistant aluminium.
Colour: silver

NEVREXPSILV
2000 × 32,5 × 7,5 mm



Also available in variant with screws and dowels.

NEVREXPCOMSILV

Adapter profile

Finish off your Pergo floor perfectly. Available in wear resistant aluminium.
Colour: silver

NEVRADPSILV
2000 × 31 × 8,5 mm



Also available in variant with screws and dowels.

NEVRADPCOMSILV

End profile

Finish off your Pergo floor perfectly. Available in wear resistant aluminium.
Colour: silver

NEVRENPSILV
2000 × 24 × 8,5 mm



Also available in variant with screws and dowels.

NEVRENPCOMSILV



Stair nose, click

For installation of Pergo click vinyl on stairs and steps. Always glue the floor panels for your safety!
Colour: silver


PGVSTPCLICK
2000 × 29 × 15 mm



Stair nose outer, glue

For installation of Pergo glue vinyl on stairs and steps.
Colour: silver

PGVSTPGLUE
2000 × 40 × 26 mm



Stair nose inner, glue

For installation of Pergo glue vinyl on stairs and steps.
Colour: silver

PGVSTPINGLUE
2000 × 25 × 25 mm



SKIRTINGS



Paintable skirting

Waterproof, paintable skirting board to hide expansion joints and protect walls.
Colour: white & paintable
Full PVC skirting for a complete waterproof finish.
Core: PVC

NEVSKRPAINTA, 2000 × 12 × 58 mm

Colour matched skirting

Colour matched: see colour matching matrix for correct article number on page 30.
Surface: wear and scratch-resistant
Core: MDF
Adaptable to 40 mm height. 8 straight and 8 corner connecting plugs included / pack (6 skirtings).

PGVSK(-), 2400 × 12 × 58 mm

ONLY FOR
COLOUR
MATCHED
SKIRTING



Want extra waterproof protection?

Secure the skirting with:

1

HYDROSTRIP

NEHSTRIPSK15, 15 m

Transparent strip on a roll for a waterproof finish of the colour matched skirting.

INSTALLATION & MAINTENANCE

We've got whatever it takes



1

GLUE

PGVGLUE6, 6 kg (+/- 20 m²)
PGVGLUE15, 15 kg (+/- 50 m²)

Professional glue, specially developed for Pergo Vinyl floors. Spreads easily, guarantees fast adhesion and offers the highest strength.

2

MULTIGLUE

PGGLUE290, 290 ml

Suitable for all materials and substrates. Cures quickly with very high final strength. Ideal for installing skirtings. Hybrid polymer. One tube glues 15 running meters of skirting.

3

COLOURED SEALANT

PGKIT(-), 310 ml

For a beautiful finish between skirtings and wall. Available in 8 colours. Water based acrylic. See colour matching matrix on p.30. Never use directly on an Pergo Vinyl floor.

4

AQUA SEALANT

PGKITTRANSP, 310 ml

For invisible and waterproof finishing.

5

TAPE

NETAPE50, 50 m x 5 cm

Self-adhesive aluminium tape to seal seams between strokes of underlays.

6

CONNECTING PLUGS

NEPLUG, 48 pcs

Easily connect your skirtings by using these plugs. For PGVSK(-) skirtings only. 24 corner plugs + 24 straight plugs.

7

RADIATOR CAPS

PGRCINOX15, stainless steel

Inner diameter: 15 mm
Outer diameter: 54 mm
2 pc / pack.

PGRCINOX22, stainless steel

Inner diameter: 22 mm
Outer diameter: 54 mm
2 pc / pack.

8

GLUE TROWEL

PGVA2

Ensures perfect glue consumption per m².

9

INSTALLATION TOOL FLEX VINYL

PGVTOOL

Excellent tool for precise cutting straight and 90°. Hand protection with pull bar and lever function. Suited for both left and right handed. **Use the PGVTOOL for Flex Vinyl installation.**

10

CUTTER KNIFE

PGVKNIFEB, NEVKNIFEREFILL

Professional knife, perfect for precise and stable cutting. Ideal for cutting curves and shapes. 5 blades are included. The refill includes 40 blades.

11

INSTALLATION KIT RIGID VINYL

PGTOOL

Everything you need in one box. Contains tapping block, installation spacers in two sizes (2 x 18 = 36 pcs) and a pull bar. **Use the PGTOOL for Rigid Vinyl installation.**

EXTRA SPACERS

PGSPACER, 48 pcs

12

VINYL FLOOR CLEANING

PGVCLEANING1000, 1000 ml

Protects the protective top layer. Ideal for removing dirt, grease spots and heel marks, as well as for daily cleaning.

13

REPAIR WAX

PGREPAIR

Repair the colour of damaged planks quickly and easily with wax in colours covering all Pergo floors. Contains 1 melting knife, 1 comb, 7 wax blocks. For more information on how to mix colours please visit pergo.com.

14

CLEANING KIT

PGCLEANINGKIT

High quality mop set with extra long ergonomic handle and a mop cloth holder.

PerfectFold™ V click system

DIY INSTALLATION

WANT TO INSTALL YOUR FLOOR YOURSELF?

Congrats and have fun! Your floor is just a click away.

Choose the method that works best for
you and we will guide you every step of the way.



Need more information about installation or subfloor preparation? Check the installation instructions and the step-by-step video! **Scan the code or check pergo.com**



PERGO VINYL

- 1 Superior Protective top layer for scratch, stain and wear resistance – extra matt for authentic look
- 2 Fine printed vinyl decor layer
- 3 Highly impact resistant vinyl core
- 4 Extra stabilizing layer containing glass fiber
- 5 Highly impact resistant vinyl backing



EASY INSTALLATION The PerfectFold™ V system makes installation quick and easy. Just click the planks into place using one of the three methods, and you'll be done in no time.



WEAR PROTECTION The surface of Pergo Vinyl offers a multi-layer protective floor finish. The protective top layer provides scratch, stain and wear resistance and easy maintenance.



IMPACT RESISTANCE Pergo's Vinyl surface is multi-layer build-up. In combination with the dense core material it gives the floor a very high impact resistance and a low residual indentation, protecting your floor from potential damage.



CASTOR CHAIR The multi-layer build-up of Pergo Vinyl in combination with the properties of the core are designed to withstand damage from castor chairs.



SOUND REDUCTION The soft vinyl floor reduces step noise and provides a quiet and comfortable walking experience.



FIRE RESISTANCE Pergo Vinyl floors have a natural high resistance to fire. They are designed to meet all European requirements for installation in escape routes and assembly halls.



WATER RESISTANCE Our Moisture Resistance System combines the waterproof floor with a strong and tight click joint. This gives Pergo Vinyl floors some of the best moisture resistance properties on the market.



HYGIENIC A Pergo Vinyl floor improves hygiene and makes it easier to maintain a clean home. The sealed surface prevents bacteria, and helps reduce the amount of cleaning chemicals you need.



EASY MAINTENANCE The Pergo protective top layer is resistant to dirt and offers you low maintenance and effortless cleaning. The solid design of the click joints also keeps dirt from penetrating the joint.



Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. Contents © 2020 by Unilin bv – Division Flooring. All Rights Reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher.

Colour matching matrix



DECOR	PREMIUM FLEX CLICK	OPTIMUM FLEX CLICK	OPTIMUM FLEX GLUE	5-IN-1 PROFILE 8 × 45 MM PGVINCP(-)	SKIRTING 12 × 58 MM PGVSK(-)	SEALANT 310 ML PGKIT(-)
Ecru Mansion Oak	V2107-40013	V3107-40013	V3201-40013	40013	40013	03
Warm Grey Mansion Oak	V2107-40015	V3107-40015	V3201-40015	40015	40015	04
Modern Grey Oak	V2107-40017	V3107-40017	V3201-40017	40017	40017	03
Modern Nature Oak	V2107-40018	V3107-40018	V3201-40018	40018	40018	03
Modern Coffee Oak	V2107-40019	V3107-40019	V3201-40019	40019	40019	08
Nordic White Oak	V2107-40020	V3107-40020	V3201-40020	40020	40020	01
Light Nature Oak	V2107-40021	V3107-40021	V3201-40021	40021	40021	04
Classic Nature Oak	V2107-40023	V3107-40023	V3201-40023	40023	40023	05
Soft Grey Oak	V2107-40036	V3107-40036	V3201-40036	40036	40036	02
Grey Heritage Oak	V2107-40037	V3107-40037	V3201-40037	40037	40037	02
Light Grey Chalet Pine	V2107-40054	V3107-40054	V3201-40054	40054	40054	02
Grey Chalet Pine	V2107-40055	V3107-40055	V3201-40055	40055	40055	02
Greige Mountain Oak	V2107-40161	V3107-40161	V3201-40161	40161	40161	01
Brown Mountain Oak	V2107-40162	V3107-40162	V3201-40162	40162	40162	04
Light Mountain Oak	V2107-40163	V3107-40163	V3201-40163	40163	40163	01
Grey Gentle Oak	V2107-40164	V3107-40164	V3201-40164	40164	40164	02
Grey Scivaro Slate	V2120-40034	V3120-40034	V3218-40034	40034	40034	02
Black Scivaro Slate	V2120-40035	V3120-40035	V3218-40035	40035	40035	02
Oxidized Metal Concrete	V2120-40045	V3120-40045	V3218-40045	40045	40045	08
Cream Travertin	V2120-40046	V3120-40046	V3218-40046	40046	40046	04
Light Grey Travertin	V2120-40047	V3120-40047	V3218-40047	40047	40047	02
Light Concrete	V2120-40049	V3120-40049	V3218-40049	40049	40049	01
Warm Grey Concrete	V2120-40050	V3120-40050	V3218-40050	40050	40050	02
Dark Grey Concrete	V2120-40051	V3120-40051	V3218-40051	40051	40051	02
Italian Marble	V2120-40136	V3120-40136	V3218-40136	40136	40136	01
Grey Soft Concrete	V2120-40139	V3120-40139	V3218-40139	40139	40139	02
Grey Modern Mineral	V2120-40142	V3120-40142	V3218-40142	40142	40142	02
Black Modern Mineral	V2120-40143	V3120-40143	V3218-40143	40143	40143	-
Greige Soft Concrete	V2120-40144	V3120-40144	V3218-40144	40144	40144	02
Nordic White Pine	V2131-40072	V3131-40072	V3231-40072	40072	40072	01
Light Washed Oak Plank	V2131-40079	V3131-40079	V3231-40079	40079	40079	01
Beige Washed Oak	V2131-40080	V3131-40080	V3231-40080	40080	40080	01
Grey Washed Oak	V2131-40082	V3131-40082	V3231-40082	40082	40082	02
Grey River Oak	V2131-40084	V3131-40084	V3231-40084	40084	40084	02
Dark River Oak	V2131-40086	V3131-40086	V3231-40086	40086	40086	02
Black City Oak	V2131-40091	V3131-40091	V3231-40091	40091	40091	08
Light Village Oak	V2131-40095	V3131-40095	V3231-40095	40095	40095	03
Natural Village Oak	V2131-40096	V3131-40096	V3231-40096	40096	40096	04
British Oak	V2131-40098	V3131-40098	V3231-40098	40098	40098	06
Light Danish Oak	V2131-40099	V3131-40099	V3231-40099	40099	40099	01
Light Highland Oak	V2131-40100	V3131-40100	V3231-40100	40100	40100	03
Natural Highland Oak	V2131-40101	V3131-40101	V3231-40101	40101	40101	04
Dark Highland Oak	V2131-40102	V3131-40102	V3231-40102	40102	40102	04
Sand Beach Oak	V2131-40103	V3131-40103	V3231-40103	40103	40103	02
Seaside Oak	V2131-40107	V3131-40107	V3231-40107	40107	40107	01

General product info

Premium	LENGTH (MM)	WIDTH (MM)	THICKNESS (MM)	PANELS/ PACK	M ² / PACK	KG/ PACK	PACK/ PALLET	M ² / PALLET
CLICK								
V2131-xxxxx modern plank, 4V	1510	210	4,5	7	2,220	± 19,0	48	106,546
V2107-xxxxx classic plank, 4V	1251	187	4,5	9	2,105	± 18,0	52	109,483
V2120-xxxxx tile, 4V	1300	320	4,5	5	2,080	± 17,9	52	108,160

Optimum	LENGTH (MM)	WIDTH (MM)	THICKNESS (MM)	PANELS/ PACK	M ² / PACK	KG/ PACK	PACK/ PALLET	M ² / PALLET
CLICK								
V3131-xxxxx modern plank, 4V	1510	210	4,5	7	2,220	± 19,0	48	106,546
V3107-xxxxx classic plank, 4V	1251	187	4,5	9	2,105	± 18,0	52	109,483
V3120-xxxxx tile, 4V	1300	320	4,5	5	2,080	± 17,9	52	108,160
GLUE								
V3231-xxxxx modern plank, 4V	1515	217	2,5	11	3,616	± 18,0	48	173,583
V3201-xxxxx classic plank, 4V	1256	194	2,5	15	3,655	± 18,2	52	190,058
V3218-xxxxx tile, 4V	1305	327	2,5	9	3,841	± 19,1	52	199,712

Features	PREMIUM CLICK	OPTIMUM CLICK	OPTIMUM GLUE
Superior Protective top layer against scratch, stain and wear	Yes	Yes	Yes
Installation method	PerfectFold™ V	PerfectFold™ V	Glue
Water resistant	Yes	Yes	Yes
Ortho-phthalate free	Yes	Yes	Yes
Guarantee against water, wear and delamination (residential use)	20 years	25 years	25 years
Guarantee against water, wear and delamination (commercial use)	On request (up to 10 yrs)	On request (up to 15 yrs)	On request (up to 15 yrs)

Technical	TEST METHOD/STANDARD	PREMIUM CLICK	OPTIMUM CLICK	OPTIMUM GLUE
Class of use	ISO10582 / EN 16511	32	33	33
Resistance to furniture leg	EN 424	No damage	No damage	No damage
Resistance to castor chair	EN 425	No damage	No damage	No damage
Fire classification	EN 13501-1	Bfl-s1	Bfl-s1	Bfl-s1
Thermal resistance (without underlay)	EN 12667	0,020 m ² K/W	0,020 m ² K/W	0,015 m ² K/W
Thermal resistance (with Pergo Comfort underlay)	EN 12667	0,040 m ² K/W	0,040 m ² K/W	-
Thermal resistance (with Pergo Heat underlay)	EN 12667	0,030 m ² K/W	0,030 m ² K/W	-
Thermal resistance (with Pergo Transit underlay)	EN 12667	0,065 m ² K/W	0,065 m ² K/W	-
Formaldehyde emission	EN 14041	E1	E1	E1
Slip resistance	EN 13893	Class DS	Class DS	Class DS
Slip resistance	DIN 51130	R10	R10	R10
Dimensional stability, shrinkage / expansion	ISO 23999	< 10%	< 10%	< 10%
Wear resistance	EN13329 annex E	≥ 1200 cycles	≥ 2000 cycles	≥ 2000 cycles



Unilin bv - Division Flooring, Ooigemstraat 3, 8710 Wielsbeke, Belgium, Europe, pergo.com