

SureGard™



2004
Chemical
Resistant Gloves



SureGard™ Coated

Look what we've done to our SureGard™ line of chemical resistant gloves:

- We've added more styles offering you more choices for specific chemical resistant needs.
- We've created new packaging that is visually stimulating and much more informative for your customer. The packaging clearly defines the uses and purposes for each of the products in an easy to read manner.



- We've added styles that offer you one stop shopping... look at our new line of paint department gloves.

- We've added new displays for merchandising the complete line of SureGard chemical resistant and liquidproof gloves.

*Look for our identifying use icons throughout our Suregard catalog section; these can help sort your department needs.

Liquidproof & chemical use.



Paint & refinishing use.

General cleaning use.



*all of our suregard styles are liquidproof unless noted.



194 Winter Lined PVC

Blue PVC coating over cotton fleece shell. Lined with seamless winter terry knit brushed acrylic liner. Rough finish, straight thumb, 12 inch gauntlet.

194 - 6 pr one size04581-3

NEW



190 Neoprene

Black neoprene with knit wrist over cotton fleece lining. Smooth finish; straight thumb; clute cut.

190 - 6 pr one size00190-1



192 12 Inch Neoprene

Black neoprene over cotton fleece lining. Smooth finish, straight thumb, gauntlet cuff, clute cut.

192 - 6 pr one size00192-5



180 PVC

Timber color PVC with cotton fleece lining. Smooth grip, wing thumb, Natural knit wrist.

180 - 6 pr one size01805-3



181 12 inch PVC

Timber color PVC with cotton fleece lining. Textured grip, wing thumb, 12 inch gauntlet

181L - 6 pr large04282-9
181M - 6 pr medium04281-2

NEW



193 Foam Insulated PVC

Timber color PVC with cotton fleece lining over foam insulation. Smooth finish, straight thumb and protective safety cuff. Clute cut

193 - 6 pr one size01935-7



162 Foam Insulated PVC Gauntlet

Timber color PVC with cotton fleece lining over foam insulation. 12" Gauntlet cuff. Textured finish, wing thumb. Clute cut.

162 - 6 pr one size03413-8



164 High Visibility, PVC Insulated

Orange PVC with cotton fleece lining over foam insulation. Textured finish, straight thumb, knit wrist.

164 - 6 pr one size00164-2



189 16 inch Neoprene

Black neoprene over cotton fleece lining. Textured finish, wing thumb, 16 inch gauntlet cuff.

189 - 6 pr one size00264-9



167L Farm 14 inch PVC

Green color PVC with cotton fleece lining. Textured grip, wing thumb; 14 inch gauntlet cuff.

167L - 6 pr large04284-3

NEW



182 Nitrile Coated

Soft Microfinish™ technology for the ultimate wet and dry grip. Anti-bacterial treatment for added protection. Ergonomically designed seamless 13 gauge knit shell with durable nitrile liquidproof & chemical resistant coating. 12 inch gauntlet length.

182 - 12 pr one size04619-3

NEW



187 14 inch PVC

Timber color PVC with cotton fleece lining. Textured grip, straight thumb. 14 inch gauntlet.

187 - 6 pr one size01875-6



195 Natural Latex

Natural latex over cotton fleece shell. Crinkle finish. Wing thumb. Protective safety cuff. Clute cut. Not liquidproof.

195 - 6 pr one size01955-5



174 Heavy Duty PVC

Super flexible, blue PVC coating over cotton seamless knit lining. Textured finish, straight thumb. 12 inch gauntlet.

174L - 6 pr large04391-8

174M - 6 pr medium04392-5

NEW



186 Professional Neoprene

26 mil professional weight neoprene with cotton flocked lining. 15 1/2 inch gauntlet elbow length. One pair per sleeve.

186L - 6 pr large04549-3
186M - 6 pr medium04548-6

NEW



188 Professional Neoprene

26 mil professional weight neoprene with cotton flocked lining. 12 inch gauntlet cuff. One pair per sleeve

188L - 6 pr large04551-6
188M - 6 pr medium04550-9

NEW



168 Disposable Vinyl With Aloe.

Enriched with Aloe vera for skin conditioning and vitamin E for moisturizing. 5 mil vinyl, rolled cuff, latex free; ambidextrous - fits either hand. Powder free; 4 hand polybag;

168 - 12 each 4 hand polybag04618-6

NEW



175L Nitrile Gauntlet Pesticide Gloves

15 mil nitrile with flocked lining. 13 inch gauntlet cuff. Embossed grip. One pair per sleeve.

175L - 12 pr large04283-6

NEW



178 Nitrile Gauntlet Solvent Gloves

15 mil nitrile with flocked lining. 13 inch gauntlet cuff. Embossed grip. One pair per sleeve.

178L - 12 pr large01781-0
178M - 12 pr medium01782-7



191 Latex / Neoprene Overdip Refinishing Gloves

Heavyweight 26 mil construction. Flocked lining, embossed grip. 13 inch Gauntlet. Can be used for stripping. One pair per sleeve.

191L - 12 pr large01911-1
191M - 12 pr medium04286-7



173 Heavyweight Latex Stripping Gloves

21 mil latex with flocked lining. 13 inch gauntlet. Textured grip. One pair per sleeve.

173L - 12 pr large01731-5
173M - 12 pr medium04290-4



171 Latex/Neoprene Overdip Heavy Duty Cleaning Gloves

Heavyweight 26 mil construction. Flocked lining, embossed grip. 13 inch Gauntlet. One pair per sleeve.

171L - 12 pr large04289-8
171M - 12 pr medium04288-1

NEW



172 Household Latex

Standard weight household latex with cotton flocked lining. Embossed grip. 12 inch gauntlet. One pair per polybag.

172L - 12 pr large04547-6
172M - 12 pr medium04546-2
172S - 12 pr small01723-0

NEW



Disposable Vinyl

5 mil, rolled cuff, powdered; Latex free, ambidextrous - fits either hand.
See pack sizes below



Disposable Latex

5 mil, rolled cuff; lightly powdered, ambidextrous - fits either hand.
See pack sizes below



Disposable Nitrile

5 mil, rolled cuff, powdered, ambidextrous - fits either hand; latex free.
See pack sizes below



NEW

Heavy Duty Disposable Vinyl

6 mil green vinyl, rolled cuff, lightly powdered; ambidextrous - fits either hand. Latex free.
See pack sizes below



90L Disposable Vinyl

10 Hand retail pack.

90L - 12 ea size large.....01668-4



94L Disposable Latex

10 Hand retail pack.

94L - 12 ea size large03412-1



97L Disposable Nitrile

10 Hand retail pack.

97L - 12 ea size large04011-5



166 Disposable Vinyl

6 hands retail pack

166 - 12 ea. one size.....04418-2



165 Disposable Vinyl

100 hand dispenser box.

165 - size large.....03883-9



W770 Disposable Latex

100 hand dispenser box.

W770L - size large.....04012-2



NEW

153 Disposable Nitrile

100 hand dispenser box.

153 - size large04393-2



160 Disposable Vinyl

160 - 300 hands one size04292-8
packed per bucket display with header card



NEW

155 Disposable Vinyl

50 hand dispenser box.

155 - size large04294-2



NEW

157 Disposable Latex

50 hand dispenser box.

157 - size large04295-9



NEW

151 Disposable Nitrile

50 hand dispenser box.

151 - size large04394-9



161 Disposable Vinyl

50 each 6 hand packs

161 - one size04293-5
packed per bucket display with header card

Physical Performance Guide

Latex Rubber

Latex, or natural rubber, has excellent abrasion, cut and tear resistance as well as outstanding grip and temperature resistance from 0-300 degrees F.

However, natural rubber has poor flame resistance. It is not recommended where resistance to oil, grease or petroleum solvents is required.

Latex will withstand all liquids that mix with water, making unsupported types especially suited for general household use. Heavier versions will resist common furniture strippers without sacrificing grip or tactile sensitivity.

Coated versions have crinkle finishes, making them the best choice for handling sharp-edged materials like glass and sheet metal, as well as lumber, stones and concrete.

PVC

PVC provides excellent economical resistance to most oils, acids, fats, caustics and petroleum hydrocarbons in addition to outstanding abrasion resistance in its heavier forms.

PVC gloves are useful in alcohols and glycol ethers, but not aldehydes, ketones, aromatic hydrocarbons, halogen compounds, heterocyclic compounds or nitro compounds. PVC performs well in temperatures ranging from 25-150 degrees F.

Our disposable gloves will provide only short term protection. They are best suited for painting, hair care, food handling and dishwashing.



Neoprene

Neoprene protects from a broad range of chemicals and is one of the best coatings for strong alkalies and acids. Neoprene has excellent tactile strength and resembles natural latex in flexibility, but is much more chemical resistant and impermeable to gases, vapor and moisture.

Neoprene performs well in temperatures from 0-300 degrees F, resists herbicides and pesticides, common farm chemicals; oils and a very broad range of alkalies and acids in degreasing.

Petrochemical, metal fabrication, plating, galvanizing and general material handling are suitable applications for neoprene in its coated form.



Nitrile

A synthetic rubber that provides excellent resistance to a very wide range of solvents and hazardous chemicals; also resists punctures, cuts, snags and abrasion. Nitrile protects against oils, greases, acids, caustics, herbicides, pesticides, kerosene, naphtha, alcohols, turpentine, tung oil and many petroleum products.

Nitrile gloves have better cut and abrasion resistance than neoprene and PVC gloves, and are considered an excellent general-purpose product. Nitrile functions well in temperatures ranging from 25-300 degrees F.

Unsupported applications include common farm and garden protection, industrial painting, cleaning and maintenance, and automotive use.

Nitrile gloves provides outstanding flexibility and abrasion-resistance.



Physical Performance Data: E - Excellent / G - Good / F - Fair / P - Poor

GLOVE TYPE	COATED						UNSUPPORTED							
	NEOPRENE COATED	LATEX COATED	NITRILE COATED	PVC COATED	PVC TEXTURED		NEOPRENE	NITRILE	LATEX	VINYL				
STYLE NUMBER	189 190 192	133 530 533	195 546 182	180 193 174	162 164 167	181 187 194	171 186 188	151 153 175	178 97L	157 173 W770L	94L	155 160 161	165 166 90L	
Abrasion Resistance	F	F	E	E	E		G	E	G	F				
Heat Resistance	E	F	E	F	F		E	E	F	P				
Cut Resistance	E	E	F	G	G		G	F	F	P				
Puncture Resistance	E	E	P	G	G		P	P	P	P				
Tear Resistance	-	-	-	-	-		G	G	G	F				
Ozone Resistance	E	G	G	E	G		E	G	G	E				
Flexibility	G	G	E	F	G		E	E	E	E				
Elongation	-	-	-	-	-		E	G	E	F				
Grip	G	E	G	E	E		E	G	E	F				

Chemical Performance Guide

Chemical & Concentration	Latex	Neoprene	Nitrile	PVC
Acetaldehyde, 99.5%	G	F	P	NR
Acetic Acid	E	E	G	G
Acetone, 99.5%	E	E	NR	NR
Acetonitrile, 99%	E	E	G	NR
Acrylic Acid, 99%	G	G	F	*
Ammonium Flouride, 40%	E	E	E	E
Ammonium Hydroxide, 85%	E	E	NR	E
Amyl Acetate, 100%	NR	NR	E	F
Amyl Alcohol, 99+%	E	E	E	F
Aniline, 99+%	E	P	NR	F
Aqua Regia	NR	E	E	G
Benzaldehyde, 99.5%	P	NR	NR	NR
Bromopropionis Acid, Sat.	E	E	E	*
Butyl Acetate, 99+%	NR	NR	F	NR
Butyl Alcohol, 99%	E	E	E	E
Butyl Cellosolve, 99+%	E	G	E	NR
Butyrolactone, 99+%	E	E	NR	*
Carbon Disulfide, 99.9%	NR	NR	F	NR
Carbon Tetrachloride, 99+%	NR	NR	E	F
Cellosolve Acetate, 99+%	G	F	G	NR
Chromic Acid, 50%	NR	NR	E	G
Citric Acid, 10%	E	G	E	E
Cyclohexanol, 98%	E	E	E	E
Diacetone Alcohol, 99%	P	E	E	F
Dibutyl Phthalate, 99%	G	G	E	F
Diethylamine, 99+%	NR	P	G	NR
Diisobutyl Ketone, 80%	P	P	E	G
Dimethyl Acetamide, 99+%	P	NR	NR	*
N,N-Dimethylformamide, 99+%	G	F	NR	NR
Dimethyl Sulfoxide, 99+%	E	E	G	NR
Diethyl Phthalate, 99%	P	G	G	*
1,4-Dioxane, 99.9%	F	NR	NR	P
Epichlorohydrin, 99+%	F	P	NR	*
Ethyl Acetate, 99+%	G	G	NR	NR
Ethyl Alcohol, 90+%	E	F	E	F
Ethyl Ether, 99+%	F	G	E	E
Ethyl Glycol Ether, 99%	F	E	F	*
Ethylene, Glycol, 99+%	E	E	E	E
Formaldehyde, 99%	E	E	E	G
Formic Acid, 95+%	E	E	P	E
Freon TF, 99+%	NR	G	P	F
Furfural, 99%	E	F	NR	NR
Gasoline, White, 100%	NR	NR	E	F
Hexamethyldisilazine, 97%	E	E	E	*
Hexane, 99+%	NR	E	E	G
Hydrazine, 65%	E	E	E	E
Hydrochloric Acid, 10%	E	E	E	E
Hydrochloric Acid, 38%	E	E	E	E
Hydrochloric Acid, 48%	E	E	G	E
Hydrogen Peroxide, 30%	E	E	E	E
Hydroquinone, Sat.	E	E	E	E
Isobutyl Alcohol, 99%	E	E	E	E
Iso-Octane, 99%	F	E	E	NR
Isopropyl Alcohol, 99+%	P	E	E	G
Kerosene, 100%	G	F	E	NR

Chemical & Concentration	Latex	Neoprene	Nitrile	PVC
Lactic Acid, 85%	E	E	G	G
Lauric Acid, 36%	E	E	E	F
Maleic Acid, Sat.	E	E	E	E
Methyl Alcohol, 99.9+%	E	G	G	E
Methylamine, 40%	E	E	E	G
Methyl-Butyl Ether, 99.8%	NR	NR	E	*
Methyl Cellosolve, 99%	E	E	F	F
Methyl Ethyl Ketone, 99+%	F	NR	NR	NR
Mineral Spirits, Rule 66, 100%	NR	E	E	NR
Monoethanolamine, 99+%	E	E	E	E
Morpholine, 99%	G	P	NR	P
Muriatic Acid, 100%	E	E	E	E
Naphtha VM & P, 100%	NR	G	E	NR
N-Methyl-2-Pyrrolidone, 99+%	F	NR	NR	*
Nitric Acid, 10%	E	E	E	E
Nitric Acid, 70%	NR	E	NR	F
Nitrobenzene, 99%	P	NR	NR	NR
Nitromethane, 95.5%	E	E	NR	NR
Nitropropane, 95.5%	G	G	NR	*
Octyl Alcohol, 99+%	E	E	E	E
Oleic Acid, 99+%	E	E	E	G
Oxalic Acid, 12.5%	E	E	E	E
Palmitic Acid, Sat.	E	E	E	G
Pentachlorophenol, 35%	NR	E	E	*
Pentane, 98%	NR	E	E	G
Perchloric Acid, 60%	G	E	E	E
Phenol, 90%	E	E	NR	G
Phosphoric Acid, 85%	G	E	E	E
Potassium Hydroxide, 50%	E	E	E	E
Propyl Acetate, 99%	NR	NR	F	NR
Propyl Alcohol, 96+%	E	E	E	F
Pyridine, 99%	F	NR	NR	*
Rubber Solvent, 100%	NR	G	E	NR
Sodium Hydroxide, 50%	E	E	G	E
Stoddard Solvent, 99%	NR	G	E	F
Sulfuric Acid, 47%	NR	E	G	E
Sulfuric Acid, 95%	NR	E	NR	G
Tannic Acid, 37.5%	E	G	E	E
1,1,2,2-Tetrachloroethane, 99%	NR	NR	NR	*
Tetrachloroethylene, 100%	NR	NR	NR	G
Toluene, 99+%	NR	NR	NR	F
1,1,1-Trichloroethane, 99%	NR	NR	NR	*
Tricresyl Phosphate, 90%	G	P	G	*
Triethanolamine, 85%	E	F	G	E
Turpentine, 100%	NR	NR	E	NR
Zylene, 99%	NR	NR	E	NR

Degradation Rating:

E = Excellent / G = Good / F = Fair / P = Poor
NR = Not Recommended / * = No DATA

***TEST DATA IS INTENDED AS A GUIDE ONLY. IT IS RECOMMENDED THAT YOU PERFORM YOUR OWN EVALUATION BASED ON ACTUAL WORKING CONDITIONS.**

SureGard™ Merchandising



WRK04-PNT (above) Counter / Pegboard / Slatwall Display

WRK04-SGD (below) Counter / Pegboard / Slatwall Display

Permanent wire display that can be used as a 4 facing counter or shelf display. Or use in pegboard or slatwall as a two row 8 facing display. Scan plates for all facings. No assembly required except for header card placement.

Assembled Size (single row).....24" W x 12" D x 15" H
 Assembled Size (double row).....24" W x 12" D x 27" H
 Counter space:2.0 sq ft
 Shipper size:.....16 x 13 x 21"
 Ships UPS

NEW



**NEW!
ADDED SHELF**

UWK2F-SGD

2 foot tubular / wire display with 4 rows with 4 facings; bottom row shelf display. Holds up to 12 dozen gloves. Scan plates for all facings. One piece glove rows can be used for pegboard or slatwall. Ships unassembled.

Assembled size:.....78" H x 24"W x 15 1/2"D
 Floor space.....2.6 sq ft
 Shipper size:.....38 x 24 x 6"
 Ships UPS in two boxes
 Shelf display ships separately

NEW



WK2S

2 foot wire shelf display that can work as a stand alone counter display or on pegboard or slatwall. Each shelf has 4 sections to keep product organized.

Assembled size:.....22 1/2 W x 9" H x 13" D
 Counter space:.....22" W x 12" H x 12" D
 Shipper size:.....22 1/2 x 11 1/2 x 13"
 Ships UPS

NEW

The Power of Merchandising

It is a well known fact that promotional and permanent merchandising properly displayed increases sales, especially for gloves which are one of the highest impulse sale items.

Wells Lamont displays are designed to capture attention and easily organize your promotional efforts. Whether a small counter unit, or a large quarter pallet floor display, Wells Lamont displays invite your customer to stop and look; and that is afterall, half the battle in making a sale !



KW401D

72 pair Vinyl / Latex disposable paint department. Consists of 90L, 151, 155, 157, 173L, 178L, and 191L gloves. Includes display components.

Shipping size

Length: 23 1/4"

Depth: 18"

Width: 14 1/2"

Cubic Feet 3.5

KW401ND: Assortment without the display



KW402D

120 pair Vinyl / Latex Disposable paint department. Consists of 90L, 97L, 151, 155, 157, 173L & M, 178L & M, and 191L & M gloves. Includes display components.

Shipping size

Length: 31"

Depth: 13"

Width: 23 1/4"

Cubic Feet 5.4

KW402ND: Assortment without the display



KW403D

138 pair Vinyl / Latex Disposable paint department. Consists of 90L, 94L, 97L, 151, 155, 157, 165, 173L & M, 174, 178L & M, 182, and 191L & M gloves. Includes display components.

Shipping size

Length: 31"

Depth: 13"

Width: 23 1/4"

Cubic Feet 5.4

KW403ND: Assortment without the display



KW404D

36 pair Vinyl / Latex Disposable paint department. Consists of 90L, 173L, & 191L gloves. Includes display components.

Shipping size

Length: 27 1/4"

Depth: 8"

Width: 13"

Cubic Feet 1.64

KW404ND: Assortment without the display



KW405D

90 pair Latex / Neoprene Cleaning Department. Consists of 90L, 171L & M, 172M & S, 174L, and 188L & M gloves. Includes display components.

Shipping size

Length: 20"

Depth: 15"

Width: 12"

Cubic Feet 2.08

KW405ND: Assortment without the display



KW406D

132 pair Latex / Neoprene Cleaning Department. Consists of 90L, 97L, 166, 171L & M, 172S & M, 174L & M, 178L, and 188L & M gloves. Includes display components.

Shipping size

Length: 22 1/2"

Depth: 13 3/4"

Width: 15 1/2"

Cubic Feet 2.07

KW406ND: Assortment without the display

Assortments / Displays



KW407D

180 pair Latex / Neoprene Cleaning Department.
Consists of 90L, 94L, 97L, 166, 171L & M, 172L, M & S,
174L & M, 178L & M, 186L, and 188L & M gloves. Includes
display components.
Shipping size
Length: 22 1/2" Width: 15 1/2"
Depth: 17" Cubic Feet 3.4

KW407ND: Assortment without the display



KW408D

36 pair Latex / Neoprene cleaning department.
Consists of 90L, 171M, & 172M gloves.
Includes display components.
Shipping size
Length: 27 1/4" Width: 13"
Depth: 8" Cubic Feet 1.64

KW408ND: Assortment without the display



WRK04-CLN

4 prong counter, 8 prong pegboard
with cleaning header.
Master Case Dimensions size:
Length: 20" Width: 12"
Depth: 15" Cubic Feet 2.08



RAK-CLN

Pegboard lane violator with cleaning header.
Master Case Dimensions size:
Length: 27 1/4" Width: 13"
Depth: 8" Cubic Feet 1.64



RAK-PNT

Pegboard lane violator with paint header.
Master Case Dimensions size:
Length: 27 1/4" Width: 13"
Depth: 8" Cubic Feet 1.64

Style	UPC 053300+	Inner Pack	Page
90L	01668 4	12 EA	05
94L	03412 1	12 EA	05
97L	04011 5	12 EA	05
151	04394 9	1 EA	05
153	04393 2	1 EA	05
155	04294 2	1 EA	05
157	04295 9	1 EA	05
160	04292 8	1 EA	05
161	04293 5	1 EA	05
162	03413 8	6	03
164	00164 2	6	03
165	03883 9	1 EA	05
166	04418 2	12 EA	05
167L	04284 3	6	03
168	04618-6	12	04
171M	04288 1	12	04
171L	04289 8	12	04
172S	01723 0	12	04
172M	04546 2	12	04
172L	04547 6	12	04
173M	04290 4	12	04
173L	01731 5	12	04
174M	04392 5	6	03
174L	04391 8	6	03
175L	04283 6	12	03
178M	01782 7	12	03
178L	01781 0	12	03
180	01805 3	6	02
181L	04282 9	6	02
181M	04281 2	6	02
182	046193	12	03
186L*	04549 3	6	04
186M*	04548 6	6	04
187	01875 6	6	03
188L*	04551 6	6	04
188M*	04550 9	6	04
189	00264 9	6	03
190	00190 1	6	02
191L	01911 1	12	04
191M	04286 7	12	04
192	00192 5	6	02
193	01935 7	6	03
194*	04581 3	6	02
195	01955 5	6	03
W770L	04012 2	1 EA	05



WELLS LAMONT

**6640 West Touhy Avenue
Niles, Illinois 60714-4587 USA**

**Customer Service Department
Toll Free Phone 800-323-2830
Toll Free Fax 800-822-1615
www.wellslamont.com**

Wells Lamont, Grips, White Mule, Wearpower, Hob Nob, and Handy Andy are registered trademarks of Wells Lamont. Talon Grip, MechPro, SureGard, Thermofill, Xtrashield, Wedgy, Lumberjack, Waren, Golden Gripper, Slimfit, and Power Pod are trademarks of Wells Lamont. Thinsulate is a registered trademark of 3M. Hypalon is a registered trademark of E.I. DuPont & Company.



A member of The Marmon Group of companies