

Psychophysiological Skin Disorders and Their Impact on Barrier Function

Jennifer Rhind, PhD, CBiol

Volume 11, Issue 4 – Spring 2023

References

- Aberg K M, Radek K A, Choi E H, Kim D K, Demerjian M, Hupe M, Kerbleski J, Gallo RL, Ganz T, Mauro T, Feingold K R, Elias P M. (2007). Psychological stress downregulates epidermal antimicrobial peptide expression and increases severity of cutaneous infections in mice. *J Clin Invest.* 117 (11), p3339-3349.
- Allais B and Friedman A. (2020). Colloidal Oatmeal Part II: Atopic Dermatitis in Special Populations and Clinical Efficacy and Tolerance Beyond Eczema. *Journal of Drugs and Dermatology.* 19 (10), S8.
- Aponso M, Patti A, Bennett L E. (2020). Dose-related effects of inhaled essential oils on behavioural measures of anxiety and depression and biomarkers of oxidative stress. *J Ethnopharmacol.* 250:112469. doi: 10.1016/j.jep.2019.112469.
- Ayaz M, Sadiq A, Junaid M, Ullah F, Subhan F, Ahmed J. (2017). Neuroprotective and Anti-aging Potentials of Essential Oils from Aromatic and Medicinal Plants. *Front. Aging Neurosci.* 9, 168. doi: 10.3389/fnagi.2017.00168
- Baker B S. (2006). The role of microorganisms in atopic dermatitis. *Clin. Exp. Immunol.* 144 (1), p1-9. doi: 10.1111/j.1365-2249.2005.02980.x.
- Baldwin H E, Bhatia N D, Friedman A, Eng R M, Seite S. (2017). The Role of Cutaneous Microbiota Harmony in Maintaining a Functional Skin Barrier. *J Drugs Dermatol.* 16 (1), p12-18.
- Baswan S M, Klosner AE, Glynn K, Rajgopal A, Malik K, Yim S, Stern N. (2020). Therapeutic Potential of Cannabidiol (CBD) for Skin Health and Disorders. *Clin Cosmet Investig Dermatol.* 13, p927-942. doi: 10.2147/CCID.S286411.
- Beroual, K., Agabou, A., Abdeldjelil, M.C., Boutaghane, N., Haouam, S. and Hamdi-Pacha, Y. (2017) Evaluation of crude flaxseed (*Linum usitatissimum* L.) oil in burn wound healing in New Zealand rabbits. *African Journal of Traditional, Complementary, and Alternative Medicines* 14, 3, 280-286.
- Białoń M, Krzyśko-Łupicka T, Nowakowska-Bogdan E, Wiczorek P P. (2019). Chemical Composition of Two Different Lavender Essential Oils and Their Effect on Facial Skin Microbiota. *Molecules.* 24 (18): 3270. doi: 10.3390/molecules24183270.
- Blicharz L, Rudnicka L, Czuwara J, Waśkiel-Burnat A, Goldust M, Olszewska M, Samochocki Z. (2021). The Influence of Microbiome Dysbiosis and Bacterial Biofilms on Epidermal Barrier Function in Atopic Dermatitis-An Update. *Int J Mol Sci.* 22 (16), p8403. doi: 10.3390/ijms22168403.
- Boer M, Duchnik E, Maleszka R, Marchlewicz M. (2016). Structural and biophysical characteristics of human skin in maintaining proper epidermal barrier function. *Postępy Dermatol Alergol.* 33 (1), p1-5. doi: 10.5114/pdia.2015.48037.
- Boucetta K Q, Charrouf Z, Aguenou H, Derouiche A, Bensouda Y. (2015). The effect of dietary and/or cosmetic argan oil on postmenopausal skin elasticity. *Clinical Interventions in Aging.* 10, p339-349.
- Bowe W P and Logan A C. (2011). Acne vulgaris, probiotics and the gut-brain-skin axis – back to the future? *Gut Pathogens.* 3: 1. [Online]. Available: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3038963/?report=reader>. Last accessed 29 November 2022.

Browning J C, Rock J, Levenson C, Becker E M. (2017). Safety, tolerability and efficacy of a novel regimen containing 0.1% colloidal oatmeal and East Indian Sandalwood oil (EISO) for the treatment of mild, moderate and severe pediatric eczema (atopic dermatitis) – results of a single-center, open-label study. Presented as a poster at the Orlando Derm and Clinical Aesthetic Conference; Doral, FL. 13-16 January 2017.

Capone K A, Dowd S E, Stamatias G N, Nikolovski J. (2011). Diversity of the human skin microbiome early in life. *J. Investig. Dermatol.* 131 (10), 2026-2032. doi: 10.1038/jid.2011.168.

Choi E H, Demerjian M, Crumrine D, Brown B E, Mauro T, Elias P M, Feingold K R. (2006). Glucocorticoid blockade reverses psychological stress-induced abnormalities in epidermal structure and function. *Am J Physiol Regul Integr Comp Physiol.* 291 (6): R1657-662. doi: 10.1152/ajpregu.00010.2006.

Chon S H, Tannahill R, Yao X, Southall M D, Pappas A. (2015). Keratinocyte differentiation and upregulation of ceramide synthesis induced by an oat lipid extract via the activation of PPAR pathways. *Exp Dermatol.* 24 (4), 290-295. doi: 10.1111/exd.12658.

Cuevas-Sierra A, Ramos-Lopez O, Riezu-Boj J I, Milagro F I, Martinez J A. (2019). Diet, Gut Microbiota, and Obesity: Links with Host Genetics and Epigenetics and Potential Applications. *Adv Nutr.* 10 (suppl_1): S17-S30. doi: 10.1093/advances/nmy078.

Cui J, Li M, Wei Y, Li H, He X, Yang Q, Li Z, Duan J, Wu Z, Chen Q, Chen B, Li G, Ming X, Xiong L, Qin D. (2022). Inhalation Aromatherapy via Brain-Targeted Nasal Delivery: Natural Volatiles or Essential Oils on Mood Disorders. *Front Pharmacol.* 13: 860043. doi: 10.3389/fphar.2022.860043.

Denda M, Takei K, Denda S. (2013). How does epidermal pathology interact with mental state? *Med Hypotheses.* 80 (2), p194-196. doi: 10.1016/j.mehy.2012.11.027.

Dalmau N, Andrieu-Abadie N, Tauler R, Bedia C. (2018). Phenotypic and lipidomic characterization of primary human epidermal keratinocytes exposed to simulated solar UV radiation. *J Dermatol Sci.* 92 (1), p97-105. doi: 10.1016/j.jdermsci.2018.07.002.

Faulstich M E, Williamson D A, Duchmann E G, Conerly S L, Brantley P J. (1985). Psychophysiological analysis of atopic dermatitis. *J Psychosom Res.* 29 (4), p415-417. doi: 10.1016/0022-3999(85)90027-3.

Gil K M, Keefe F J, Sampson H A, McCaskill C C, Rodin J, Crisson J E. (1987). The relation of stress and family environment to atopic dermatitis symptoms in children. *J Psychosom Res.* 31(6), p673-684.

Gravina A G, Federico A, Romano M. (2015). *Helicobacter pylori* infection but not small intestinal bacterial overgrowth may play a role in rosacea. *United European Gastroenterology Journal.* 3 (1), p17-24.

Grzybowski J and Zaborowski P. (2007). *Theoretical and Practical Basis of Infectology.* Institute of Health Protection Problems. Warszawa, Poland: Borgis Publishing. p34-55.

Gulluni N, Re T, Loiacono I, et al. (2018). Cannabis essential oil: A preliminary study for the evaluation of the brain effects. *Evidence-Based Complementary and Alternative Medicine.* doi: 10.1155/2018/1709182.

Herman A. (2014). Comparison of antimicrobial activity of essential oils, plant extracts and methylparaben in cosmetic emulsions: 2 months study. *Indian J Microbiol.* 54 (3), p361-364. doi: 10.1007/s12088-014-0454-z.

Holmes C J, Plichta J K, Gamelli R L, Radek K A. (2015). Dynamic Role of Host Stress Responses in Modulating the Cutaneous Microbiome: Implications for Wound Healing and Infection. *Adv Wound Care* (New Rochelle). 4 (1), p24-37.

Ilnytska O, Kaur S, Chon S, Reynertson K A, Nebus J, Garay M, Mahmood K, Southall M D. (2016). Colloidal Oatmeal (*Avena Sativa*) Improves Skin Barrier Through Multi-Therapy Activity. *J Drugs Dermatol*. 15 (6), p684-690.

Jafferany M. (2007). Psychodermatology: A Guide to Understanding Common Psychocutaneous Disorders. *Prim Care Companion J Clin Psychiatry*. 9 (3), p203-213. doi: 10.4088/pcc.v09n0306.

Jorge A T S, Arroteia K F, Lago J C, de Sa-Rocha V M, Gesztesi J, Moreira P L. (2011). A New Potent Natural Antioxidant Mixture Provides Global Protection Against Oxidative Skin Cell Damage. *International Journal of Cosmetic Science*. 33, p113-119.

Kanlayavattanakul M and Lourith N. (2011). Therapeutic agents and herbs in topical applications for acne treatment. *International Journal of Cosmetic Science*. 33 (4), p289-297.

Kim H S and Yosipovitch G. (2020). The Skin Microbiota and Itch: Is There a Link? *J Clin Med*. 9 (4), p1190. doi: 10.3390/jcm9041190.

Kim J E and Kim H S. (2019). Microbiome of the Skin and Gut in Atopic Dermatitis (AD): Understanding the pathophysiology and finding novel management strategies. *Journal of Clinical Medicine*. 8 (4), p444. doi: 10.3390/jcm8040444.

Kim J-H, Choi D-K, Lee S-S, et al. (2010). Enhancement of keratinocyte differentiation by rose absolute oil. *Annals of Dermatology*. 22 (3), p255-261.

Kurtz E S and Wallo W. (2007). Colloidal oatmeal: history, chemistry and clinical properties. *J Drugs Dermatol*. 6 (2), p167-170.

Lee B, Bohmann J, Reeves T, Levenson C, Risinger A L. (2015). Alpha- and beta-santalols directly interact with tubulin and cause mitotic arrest and cytotoxicity in oral cancer cells. *J. Nat. Prod*. 78 (6), p1357-1362. doi: 10.1021/acs.jnatprod.5b00207.

Lee Y B, Byun E J, Kim H S. (2019). Potential Role of the Microbiome in Acne: A comprehensive review. *Journal of Clinical Medicine*. 8 (7), p987.

Li K, Yang W, Li Z, Jia W, Li J, Zhang P, Xiao T. (2016). Bitter apricot essential oil induces apoptosis of human HaCaT keratinocytes. *Int Immunopharmacol*. 34: p189-198. doi: 10.1016/j.intimp.2016.02.019.

Lin T-K, Zhong L, Santiago J L. (2018). Anti-Inflammatory and Skin Barrier Repair Effects of Topical Application of Some Plant Oils. *Int J Mol Sci*. 19 (1), p70. doi: 10.3390/ijms19010070.

Lowes M A, Bowcock A M, Krueger J G. (2007). Pathogenesis and Therapy of Psoriasis. *Nature*. 445 (7130), p866-873. doi: 10.1038/nature05663.

Mack M R and Kim B S. (2018). The Itch-Scratch Cycle: A Neuroimmune Perspective. *Trends Immunol*. 39 (12), p980-991. doi: 10.1016/j.it.2018.10.001.

Martini M C. (2007). *Cosmetology and Pharmacology of the Skin*. Warszawa, Poland: PZWL Publishing. p37-44, 52, 105-112, 122.

Michalsen A, Eddin O, Salama A. (2015). A case series of the effects of a novel composition of a traditional natural preparation for the treatment of psoriasis. *J Tradit Complement Med*. 6 (4), p395-398. doi: 10.1016/j.jtcme.2015.08.006.

Mijaljica D, Spada F, Harrison I P. (2022). Skin Cleansing without or with Compromise: Soaps and Syndets. *Molecules*. 27 (6): 2010. doi: 10.3390/molecules27062010.

- Mikulcova V, Kašparkova V, Humpoliček P, Buňkova L. (2017) Formulation, characterization and properties of hemp seed oil and its emulsions. *Molecules* (Basel, Switzerland). 22 (5), p700.
- Morvan P-Y and Vallee R. (2018). Evaluation of the Effects of Stressful Life on Human Skin Microbiota. *Applied Microbiology*. 4:1. doi:10.4172/2471-9315.1000140.
- Mounessa J S, Siegel J A, Dunnick C A, Dellavalle R P. (2017). The Role of Cannabinoids in Dermatology. *J Am Acad Dermatol*. 77(1), p188-190.
- Moy R L and Levenson C. (2017). Sandalwood Album Oil as a Botanical Therapeutic in Dermatology. *J Clin Aesthet Dermatol*. 10 (10), p34-39.
- Naik S, Bouladoux N, Wilhelm C, Molloy M J, Salcedo R, Kastenmuller W, Deming C, Quinones M, Koo L, Conlan S, Spencer S, Hall J A, Dzutsev A, Kong H, Campbell D J, Trinchieri G, Segre J A, Belkaid Y. (2012). Compartmentalized control of skin immunity by resident commensals. *Science*. 337 (6098), p1115-1119. doi: 10.1126/science.1225152.
- Nagar R. (2017.) Autophagy: A brief overview in perspective of dermatology. *Indian Journal of Dermatology, Venereology and Leprology*. 83 (3), p290-297.
- Norlén L. (2016). Is Oil a Balsam for Baby Skin? *Acta Derm Venereol*. 96 (3), p291. doi: 10.2340/00015555-2313. PMID: 26661909.
- Ogawa M, Saiki A, Nakamura T. (2016). Effects of oral intake of heat-killed *Lactobacillus brevis* SBC8803 (SBL88) on dry skin conditions: A randomised, double-blind, placebo-controlled study. *Experimental and Therapeutic Medicine*. 12 (6), p3863-3872.
- Ohnishi Y, Okino N, Ito M, Imayama S. (1999). Ceramidase activity in bacterial skin flora as a possible cause of ceramide deficiency in atopic dermatitis. *Clin. Diagn. Lab. Immunol*. 6 (1), p101-104. doi: 10.1128/CDLI.6.1.101-104.1999.
- Okasha E F, Bayomy N A, Abdelaziz E Z. (2018). Effect of topical application of black seed oil on imiquimod-induced psoriasis-like lesions in the thin skin of adult male albino rats. *Anatomical Record* (Hoboken). 301 (1), p166-174.
- Oomah B D, Busson M, Godfrey D V, Drover J C G. (2002). Characteristics of hemp (*Cannabis sativa* L.) seed oil. *Food Chemistry*. 76 (1), p33-43.
- Orchard A and van Vuren S. (2017). Commercial essential oils as potential antimicrobials to treat skin diseases. *Evidence-Based Complementary and Alternative Medicine*. doi: 10.1155/2017/4517971.
- Owczarczyk-Saczonek A and Placek W. (2017). Compounds of psoriasis with obesity and overweight. *Postępy Hig Med Dosw* (Online). 71 (1), p761-772. doi: 10.5604/01.3001.0010.3854.
- Pascal M, Perez-Gordo M, Mayorga C. (2018). Microbiome and Allergic Diseases. *Frontiers in Immunology*. 9): 1584. Available: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6056614/>. Last accessed 30 November 2022.
- Petrosino S, Verde R, Vaia M, Allarà M, Iuvone T, Di Marzo V. (2018). Anti-inflammatory Properties of Cannabidiol, a Nonpsychotropic Cannabinoid, in Experimental Allergic Contact Dermatitis. *J Pharmacol Exp Ther*. 365 (3), p652-663. doi: 10.1124/jpet.117.244368.
- Perry N and Perry E. (2006). Aromatherapy in the Management of Psychiatric Disorders: Clinical and Neuropharmacological Perspectives. *CNS Drugs*. 20 (4), 257-280. doi: 10.2165/00023210-200620040-00001.
- Pierard G E, Goffin V, Hermanns-Le T, Pierard-Franchimont C. (2000). Corneocyte desquamation. *Int J Mol Med*. 6 (2), p217-221. doi: 10.3892/ijmm.6.2.217. PMID: 10891569.
- Rahman M, Alam K, Ahmad M Z, Gupta G, Afzal M, Akhter S, Kazmi I, Jyoti, Ahmad F J, Anwar F. (2012). Classical to current approach for treatment of psoriasis: a review. *Endocr Metab Immune Disord Drug Targets*. 12 (3), p287-302. doi: 10.2174/187153012802002901.

Rai V K, Sinha P, Yadav K S, Shukla A, Saxena A, Bawankule D U, Tandon S, Khan F, Chanotiya C S, Yadav N P. (2020). Anti-psoriatic effect of *Lavandula angustifolia* essential oil and its major components linalool and linalyl acetate. *J Ethnopharmacol.* 261: 113127. doi: 10.1016/j.jep.2020.113127.

Reynertson K A, Garay M, Nebus J, Chon S, Kaur S, Mahmood K, Kizoulis M, Southall M D. (2015). Anti-inflammatory activities of colloidal oatmeal (*Avena sativa*) contribute to the effectiveness of oats in treatment of itch associated with dry, irritated skin. *J Drugs Dermatol.* 14 (1), p43-48.

Rhind J P. (2019). *Essential Oils*, 3rd ed. London, UK: Singing Dragon.

Rodriguez S. (2019). The Gut-Skin Axis. In *The Secret Life of the Skin*. Available: <https://thesecretlifeofskin.com/2019/09/23/gut-skin-axis/>. Last accessed 30 November 2022.

Russo R, Cassiano M G V, Ciociaro A, et al. (2014). Role of *d*-limonene in autophagy induced by bergamot essential oil in SH-SY5Y neuroblastoma cells. *PLOS One.* 9, (1), e113682.

Salem I, Ramser A, Ghannoum M A. (2018). The Gut Microbiome as a Major Regulator of the Gut-Skin Axis. *Frontiers in Microbiology.* 9: 1459. doi: 10.3389/fmicb.2018.01459.

Sanford J A and Gallo R L. (2013). Functions of the skin microbiota in health and disease. *Semin Immunol.* 25 (5), p370-377. doi: 10.1016/j.smim.2013.09.005.

Sharma M, Levenson C, Clements I, Castella P, Gebauer K, Cox M E. (2017). East Indian Sandalwood Oil (EISO) Alleviates Inflammatory and Proliferative Pathologies of Psoriasis. *Front Pharmacol.* 8: 125. doi: 10.3389/fphar.2017.00125.

Sharma M, Levenson C, Browning J C, Becker E M, Clements I, Castella P, Cox M E. (2018a). East Indian Sandalwood Oil Is a Phosphodiesterase Inhibitor: A New Therapeutic Option in the Treatment of Inflammatory Skin Disease. *Front Pharmacol.* 9: 200. doi: 10.3389/fphar.2018.00200.

Sharmeen J B, Mahomoodally F M, Zengin G, Maggi F. (2021). Essential Oils as Natural Sources of Fragrance Compounds for Cosmetics and Cosmeceuticals. *Molecules.* 26 (3), p666. doi: 10.3390/molecules26030666.

Sidbury R, Tom W L, Bergman J N, Cooper K D, Silverman R A, Berger T G, Chamlin S L, Cohen D E, Cordoro K M, Davis D M, Feldman S R, Hanifin J M, Krol A, Margolis DJ, Paller A S, Schwarzenberger K, Simpson E L, Williams H C, Elmetts C A, Block J, Harrod C G, Smith Begolka W, Eichenfield L F. (2014). Guidelines of care for the management of atopic dermatitis: Section 4. Prevention of disease flares and use of adjunctive therapies and approaches. *J Am Acad Dermatol.* 71 (6), p1218-1233. doi: 10.1016/j.jaad.2014.08.038.

Sigurdsson V, Vries I J, Toonstra J, Bihari I C, Thepen T, Bruijnzeel-Koomen C A, et al. (2000). Expression of VCAM-1 ICAM-1 E-selectin, and P-selectin on endothelium *in situ* in patients with erythroderma, mycosis fungoides and atopic dermatitis. *J. Cutan. Pathol.* 27 (9), p436-440. doi: 10.1034/j.1600-0560.2000.027009436.

Sindle A and Martin K. (2020). Art of Prevention: Essential Oils - Natural Products Not Necessarily Safe. *Int J Womens Dermatol.* 7 (3), p304-308. doi: 10.1016/j.ijwd.2020.10.013.

Sinha R. (2022). Essential Oils for Itching: Do They Help? Available: <https://www.stylecraze.com/articles/essential-oils-for-itching/>. Last accessed 27 December 2022.

Steventon K. (2020). Social distancing, mental health and the skin microbiome – the impact of less physical contact. *The Secret Life of Skin*. Available: <https://thesecretlifeofskin.com/2020/10/23/social-distancing-mental-health/>. Last accessed on 8 November 2022.

Syed T A, Ahmad A S, Holt A H, Ahmad S A, Ahmad S H, Afzal M. (1996). Management of psoriasis with Aloe Vera extract in a hydrophilic cream: A placebo controlled, double-blind study. *Tropical Medicine and International Health*. 1 (4), p505-509.

Stücker M, Pieck C, Stoerb C, Niedner R, Hartung J, Altmeyer P. (2004). Topical vitamin B₁₂ – a new therapeutic approach in atopic dermatitis – evaluation of efficacy and tolerability in a randomized placebo-controlled multicentre clinical trial. *British Journal of Dermatology*. 150 (5), p977-983.

Sugawara K, Biro T, Tsuruta D, et al. (2012). Endocannabinoids limit excessive mast cell maturation and activation in human skin. *J Allergy Clin Immunol*. 129 (3), p726-738.e728.

Swe P M, Zakrzewski M, Kelly A, Krause L, Fischer K. (2014). Scabies mites alter the skin microbiome and promote growth of opportunistic pathogens in a porcine model. *PLoS Negl Trop Dis*. 8 (5): e2897. doi: 10.1371/journal.pntd.0002897.

Szewczyk E M, Dudkiewicz B, Lisiecki P, Różalska M, Sobiś-Glinkowska M, Szarapińska-Kwaszewska J. (2005). *Bacteriological Diagnosis*. Warszawa, Poland: PWN Publishing. p 11-159, 205-207, 297-342.

Thornfeldt C. (2005). Cosmeceuticals containing herbs: Fact, fiction and future. *Dermatologic Surgery*. 31 (7 Pt. 2), p873-880.

Tisserand R and Young R. (2014). *Essential Oils Safety*, 2nd ed. Edinburgh, Scotland: Churchill Livingstone.

Tóth K F, Ádám D, Bíró T, Oláh A. (2019). Cannabinoid signaling in the skin: therapeutic potential of the “C (ut) annabinoid” system. *Molecules*. 24 (5), p918.

Trompette A, Pernot J, Perdijk O, Alqahtani R A A, Domingo J S, Camacho-Muñoz D, Wong N C, Kendall A C, Wiederkehr A, Nicod L P, Nicolaou A, von Garnier C, Ubags N D J, Marsland B J. (2022). Gut-derived short-chain fatty acids modulate skin barrier integrity by promoting keratinocyte metabolism and differentiation. *Mucosal Immunol*. 15 (5), p908-926. doi: 10.1038/s41385-022-00.

Turnbaugh P J, Ley R E, Hamady M, Fraser-Liggett C M, Knight R, Gordon J I. (2007). The human microbiome project. *Nature*. 449, p804-810.

Tütting T and Gaffal E. (2017). Chapter 57 - regulatory role of cannabinoids for skin barrier functions and cutaneous inflammation In: Preedy VR, editor. *Handbook of Cannabis and Related Pathologies*. San Diego, CA: Academic Press. p543-549.

Uberoi A, Bartow-McKenney C, Zheng Q, Flowers L, Campbell A, Knight S A B, Chan N, Wei M, Lovins V, Bugayev J, Horwinski J, Bradley C, Meyer J, Crumrine D, Sutter C H, Elias P, Mauldin E, Sutter T R, Grice E A. (2021). Commensal microbiota regulates skin barrier function and repair via signaling through the aryl hydrocarbon receptor. *Cell Host Microbe*. 29 (8), p1235-1248.e8. doi: 10.1016/j.chom.2021.05.011.

Vaughn A R, Clark A K, Sivamani R K, Shi V Y. (2018). Natural Oils for Skin-Barrier Repair: Ancient Compounds Now Backed by Modern Science. *Am J Clin Dermatol*. 19 (1), p103-117. doi: 10.1007/s40257-017-0301-1.

Wang X, Li Y, Wu L, Xiao S, Ji Y, Tan Y, Jiang C, Zhang G. (2021). Dysregulation of the gut-brain-skin axis and key overlapping inflammatory and immune mechanisms of psoriasis and depression. *Biomedicine & Pharmacotherapy*. 137: 11065. doi: 10.1016/j.biopha.2020.111065.

Wińska K, Mączka W, Łyczko J, Grabarczyk M, Czubaszek A, Szumny A. (2019). Essential Oils as Antimicrobial Agents-Myth or Real Alternative? *Molecules*. 24 (11), p2130. doi: 10.3390/molecules24112130.

Xu J, Saunders C W, Hu P, Grant R A, Boekhout T, Kuramae E E, Kronstad J W, Deangelis Y M, Reeder N L, Johnstone K R, Leland M, Fieno AM, Begley W M, Sun Y, Lacey M P, Chaudhary T, Keough T, Chu L, Sears R, Yuan B, Dawson T L Jr. (2007). Dandruff-associated *Malassezia* genomes reveal convergent and divergent virulence traits shared with plant and human fungal pathogens. *Proc Natl Acad Sci USA*. 104 (47), p18730-18735. doi: 10.1073/pnas.0706756104.

Yu Y, Dunaway S, Champer J, Kim J, Alikhan A. (2020). Changing our microbiome: probiotics in dermatology. *Br J Dermatol.* 182 (1), p39-46. doi: 10.1111/bjd.18088.

Zeichner J A, Berson D, Donald A. (2018). The Use of an Over-the-Counter Hand Cream with Sweet Almond Oil for the Treatment of Hand Dermatitis. *J Drugs Dermatol.* 7 (1), p78-82.

Zengin G, Menghini L, Di Sotto A, et al. (2018). Chromatographic analyses, *in vitro* biological activities, and cytotoxicity of *Cannabis sativa* L. Essential oil: A multidisciplinary study. *Molecules.* 23 (12), p3266.

Zhang X, Yin M, Zhang L J. (2019). Keratin 6, 16 and 17-Critical Barrier Alarmin Molecules in Skin Wounds and Psoriasis. *Cells.* 8 (8), p807. doi: 10.3390/cells8080807.

Zhang R, Zhang H, Shao S, et al. (2022). Compound traditional Chinese medicine dermatitis ointment ameliorates inflammatory responses and dysregulation of itch-related molecules in atopic dermatitis. *Chin Med.* 17: 3. <https://doi.org/10.1186/s13020-021-00555-7>.

Zhong Y, Zheng Q, Hu P, Huang X, Yang M, Ren G, Du Q, Luo J, Zhang K, Li J J, Wu H, Guo Y, Liu S. (2019). Sedative and hypnotic effects of compound Anshen essential oil inhalation for insomnia. *BMC Complementary and Alternative Medicine.* 19 (1), p306.