## **Crowns and Bridges**

Dr Denise Maroon DDS General and Cosmetic Dentistry Implants and Orthodontics 4983755

## **CROWNS**

When a tooth is fractured, has a large old filling, or is severely damaged by decay, your dentist may recommend the placement of a **crown** or **cap**. Crowns strengthen and protect the remaining tooth structure and can improve the appearance of your smile. Types of crowns include the full porcelain crown, the porcelain-fused-to-metal crown, and the all-metal crown.

Fitting a crown requires at least two visits to the dentist's office. Initially, the dentist:



Removes decay, prepares and shapes the tooth.



Makes an impression.



Makes and fits a temporary or transitional crown made out of plastic or metal.

In a subsequent visit, the dentist:



Removes the temporary crown, fits and adjusts the final crown, and cements the crown into place.

Your dentist will match the crown color to the color of your teeth. If you are considering whitening your teeth, you should talk to your dentist about tooth whitening options *before* the crown is made. Since bleaching products do not affect the color of crowns, it is important that your natural teeth are whitened first so the dentist can match the crown color to the color of your teeth after they are whitened.


## **BRIDGES**

Few incidents have greater impact on dental health and personal appearance than **tooth loss**. When one or more teeth are missing, the remaining teeth can drift out of position, which can lead to a change in the bite, the loss of additional teeth, decay, and gum disease.

When tooth loss occurs, your dentist may recommend the placement of a bridge. When placing a **bridge**, the teeth (abutments) on both sides of the space are covered with crowns (caps/retainers), and an artificial tooth (pontic) is attached to the crowns.



Initially, the dentist prepares teeth on each side of the space to receive crowns and makes an impression of the entire area.



Fits a temporary or transitional bridge made out of plastic or metal.

Brought to you by





In a subsequent visit, the dentist removes the temporary bridge, places, adjusts, and cements the fixed bridge.

Be sure to follow the special home care instructions provided by your dental professional.



